Date Received 5-1-84

RECEIVED

SIB No. 20705

T. C. No. 231-111-04

Map Date 8/83

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Providence Woods Inc
LAST FIRST MIDDLE

2) ADDRESS OF OWNER 1700 E. Independence Blvd, Charlotte, NC 28205
ZIP

3) PHONE NO Home — Office 704-372-2565

4) LOCATION OF PROPERTY Oak Berry Court
STREET OR COUNTY ROAD

5) SUBDIVISION Providence Woods LOT NO 31 BLOCK NO V

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK 4571 PAGE NO. 693-694

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge

Plan area attached map

7) ACCURATELY DIAGRAM & DIMENSION LOT

J. P. Mecimore
OWNER Agent

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20705

T.C. NO. 00231-111-04

(Ground Absorption Sewage Disposal)

OWNER: [illegible] PLAT NO: [illegible] BV
ADDRESS: [illegible] LOT SIZE: [illegible]
Charlotte, N.C. [illegible]
LOCATION OF SITE: [illegible]

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S [illegible] PS U	S PS U Complex slopes	S [illegible] PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S PS U Clay	S PS U Clay	S PS U Clay	S PS U
3. SOIL STRUCTURE (12-36 inches)	S PS U Blocky	S PS U Blocky	S PS U Blocky	S PS U
4. SOIL DEPTH (inches)	S PS U 36-40"	S PS U 30	S PS U 30-40"	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S PS U 730"	S PS U Saprolite 30"	S PS U 30"	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S PS U 40" [illegible]	S PS U Eroded areas [illegible]	S PS U Collects [illegible]	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	[illegible]	[illegible]	[illegible]	
9. SITE CLASSIFICATION	Provisionally suitable	unsuitable	unsuitable	
10. SOIL SERIES	[illegible]	Complex slopes	Drainageway depression	

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by: William R. Martin
Title: Soil Scientist

Date: 5-24-84


Depression
Eroded Areas
805'
47'
Cecil Lake
320'
2 20'
Oak Berry

Serial No. 5653

SIR No. 20705

T. C. No. PO 231-111-04

Map Date

Date Issued 5-25-84

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Providence Woods, Inc.
LAST FIRST MIDDLE

ADDRESS OF OWNER 1740 E. Independence Blvd., Charlotte, NC ZIP 28205

LOCATION OF PROPERTY Oakberry Court
STREET OR COUNTY ROAD

SUBDIVISION Providence Woods LOT NO 31 BLOCK NO. 5



PLOT PLAN

This is to certify that a soil investigation and [illegible] investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on that portion of the lot as indicated on the above plot PROVISIONALLY SUITABLE

The permeability rate determined by the investigation was [illegible] The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. [illegible] the Mecklenburg County Department of Environmental Health [illegible] the wastewater treatment system on the said lot.
2. The [illegible] determined by the Mecklenburg County Department of Environmental Health [illegible] obtained above, and in the size and type of [illegible]
3. [illegible] system installation [illegible]
4. [illegible] indicated as acceptable for [illegible]

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William [illegible]
Soil Scientist

Bill D. Hardister Jr.
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 3-14-85

MECK. COUNTY DEPARTMENT OF
RECEIVED
MAR 14 1985
ENVIRONMENTAL HEALTH

ICAR (S) Application No. 20705

T. C. No. 231-111-04

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

376-4806
4603

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ✓ No
Residence ✓ Yes ___ No
4. No. of Bedrooms 4
5. Business Use — Max No Employees NA
6. Washing Machine ✓ Yes ___ No
7. Garbage Disposal ✓ Yes ___ No
8. Dishwasher ✓ Yes ___ No
9. Water Supply
A. Individual Well ✓
B. Governmental System ___
C. Community System
1. Well source ___
2. Governmental source ___
10. Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11. FHA Case No —
12. VA Case No —

13) NAME OF OWNER SIMPSON (LAST) STEVEN (FIRST) IRA (MIDDLE)

14) ADDRESS OF OWNER 16612 OLD MEADOW ROAD - CHARLOTTE NC 28212

15) PHONE NO. Home 568-8340 Office 376-5752

16) LOCATION OF SYSTEM 4614 OAKBERRY COURT (STREET OR COUNTY ROAD) PHASE II - MAP 3

17) SUBDIVISION PROVIDENCE WOODS Lot No. 31 Block No. ___

Map Book No. 20 Page No. 774

18) DEED REFERENCE — DEED BOOK 4962 AT PAGE 0097

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 5-25-84

20) PTR NUMBER (See Instructions) 20705

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

MARCH 12, 1985
DATE OF APPLICATION

OWNER

EHD-S-76

Date Issued 3-14-85

Serial No. 8289

SIR No. 20705

T. C. No. PO 231-111-04

Map Date L CBT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Simpson, (LAST) Steven (FIRST) Ira (MIDDLE)

ADDRESS OF OWNER 6612 Old Meadow Rd., Charlotte, NC ZIP 28212

LOCATION OF LOT 4516 Oakberry Court (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 20705. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Cynthia C. Bass
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-6-76

Environmental Health Department's Copy

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: _____

TC: _____

JOB LOCATION

① ADDRESS: 4514 (STREET NO.) Oakberry (STREET) Court ② FILE: 20705

③ CITY: Matthews / Meck. county ④ TAX PARCEL NO. PO 231-111-04

⑤ SUBDIVISION: Providence Woods ⑥ LOT: #31 ⑦ BLOCK: Phase 5

OWNER

⑧ NAME: Charlotte (FIRST) Quinn (MIDDLE) Simpson (LAST)

⑨ MAILING ADDRESS: 6612 Old Meadow Road

⑩ CITY: Charlotte ⑪ STATE: NC ⑫ ZIP: 28212

⑬ PHONE: (WORK) 376-5752 (Steve Simpson) ⑭ (HOME) 568-8340

REQUEST

This request is for a(n):

⑮ ☑ New installation permit

⑯ ☐ Repair or alteration permit

⑰ ☐ Authorization for mobile home exchange

⑱ ☐ Other (specify): _____

DESIGN CRITERIA

System will serve:

⑲ ☑ Residence ⑳ ☐ Mobile home

㉑ ☐ Business or place of public assembly

㉒ Number of bedrooms? 4

㉓ Type? _____

㉓ Maximum occupancy? 5-6 people

㉔ Maximum number of employees? _____

㉔ Basement? ☑ yes ☐ no

㉗ Maximum number of seats? _____



㉘ Accurately dimensioned plot

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☑ Individual well

B ☐ Municipal system

C ☐ Community well

D ☐ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Charlotte Simpson

Date: Aug. 20, 1985

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

Date Issued 1-13-86

Serial No. 08845

ICAR (S) Permit No 20705

T. C. No 23-111-04

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application ____, dated 3-12-85 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 2-13-86, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate Rd

Liquid Capacity of Tank 1500 + 1000

Tank Construction Rcc

Absorption and/or Nitrification Lines:

Total Line Length 532'

Number of Lines 7

Distance from House 5'

Distance from Property Line 10'

Distance from Well 50'

NAME OF OWNER Steven Simpson

LOCATION OF PROPERTY 456 Oakberry Court

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

7 lines 3' X 76' X 12" stone

Comments:

Division or Section Head

D. P. Ferguson
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

HD-5-76

Environmental Health Department's Copy

C of A (s) No. 20705
P0

Date Issued 1-21-86 **Serial** 8184 T. C. No. 231-111-04
L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

OPERATION PERMIT
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Simpson (LAST) Steven (FIRST) (MIDDLE)

Location of Property 4516 Oakberry Court

Application Number — Permit Number —

Inspection Data:

Liquid Capacity of Tank 1500 + 1000 Tank Material PCC

Total Length of Drain Tile 532' Number of Lines 7

Depth of Filter Material 12" Cover Depth 12"-15"

Water Supply Source well Distance from Water Source 50'

Excavation Inspected 1-21-86 (DATE) Tank Inspected 1-21-86 (DATE)

Nitrification Field Inspected 1-21-86 (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 1986, 1500 ST, 1000 DT, PI, COA, 1596 SFT, 12.6, Cecil

B. R. Ferguson
Environmentalist

EHD-5-76

Environmental Health Department's Copy