

15010 SHINGLE OAK RD

19521252

1/9/2008

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

CERTIFICATE OF COMPLETION/OPERATION PERMIT

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON ST., SUITE 211
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 5779B DATE: 7/11/05

TC: 195 202 52 ☑ L ☑ CRT

SERIAL 19745 Lot 7

Name of Owner Farrington Oaks LLC Juris.: _____

Address of Property 15010 Shingle Oak Rd

Inspection Data:

Tank Material PCC

Total Length of Drainfield 502'

Number of Lines 5@ (80' | wash 2(90') @ _____

Cover Depth 14"

Water Supply Source Municipal


Distance to Water Source >10'

Excavation Inspected septic 7/7/05 | water 7/12/05

Tank(s) Inspected 7/7/05

Wash Line Inspected 7/12/05

High Water Alarm Inspected N/A



Design septic 2005, 1500ST, 320' EZ Flow, water box 180' EZ Flow CTR# RCS

The undersigned has inspected the Septic Tank System described above, and certifies it has been

☒ installed or constructed ☐ altered or repaired

☐ in accordance with the permit issued ☒ as detailed in the plot above

and meets the provisions of I5A NCAC 18A. 1900, "Laws And Rules For Sewage Treatment and Disposal Systems" in effect on the date of issuance of the permit. This issuance of this

☐ Certificate of Completion ☒ Operation Permit

does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of I5A NCAC 18A. 1990 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Notice: Disturbance of the designated repair area may result in the suspension/revocation of this permit.

COMMENTS: Septic System designed for a 5 bedroom residence Type III

Philo S. Walker RS

Environmental Health Specialist

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR APPROVAL


HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON ST., SUITE 211
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 5779B DATE: 7/5/05

TC: 195 202 52 ☑ L

SERIAL 19935 Lot 7

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 11/24/05. All work shall be completed on or before 8/5/05, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 15A NCAC 18A. 1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Health Department before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank NA gallons

Tank Construction PCC

Trench Depth 30"

Absorption and/or Nitrification Lines:

Trench Width 3' feet

Trench Walls Scored and Porous Yes

Total Line Length 330' (septic) 180' (washer) feet

Number of Lines 3(110') S 2(90') W

Depth of Stone NA inches

Distance from House 5' feet

Distance from Property Line 10' feet

Distance from Well >100' feet
710' from water line municipal

NOTICE: This system shall not be installed while soils are in a wet condition.

NAME OF OWNER Farrington Oaks LLC

LOCATION OF PROPERTY 15010 Shingle Oak Rd

Comments: Innovative Septic System w/ 1500ST, Septic Drop box distribution, 3 lines X 110'long X 3'wd / Washer, Washer box, D Box, 2 lines X 90'long X 3' wd

Phillip S. Walker

Environmental Health Specialist

WHITE - HEALTH DEPARTMENT's COPY • CANARY - E.H.S. COPY • PINK - OWNER OR AGENT's COPY

FEE: 300.00 AUTHORIZATION FOR WASTEWATER SYSTEM CONSTRUCTION
DATE: 3/1/05 SC ACJ LD

LOT #7

PERMIT NUMBER: 5779B
PARCEL NUMBER: 195-202-52

JOB LOCATION ADDRESS: 15010 Shingle Oak Rd.
PROPERTY OWNER: Fairington Oaks, LLC
BUILDING CONTRACTOR: Unknown
SUBDIVISION NAME: Fairington Oaks
AUTHORIZATION ISSUED BY: Trevor Thomason, R.S.I. DATE: 01/24/05

1-24-05
DENR/DEH AUTHORIZED AGENT

AUTHORIZATION CONDITIONS

1. WASTEWATER SYSTEM CONSTRUCTION AND INSTALLATION MUST MEET ALL CONDITIONS AND SPECIFICATIONS AS SET FORTH IN IMPROVEMENT PERMIT NUMBER 5779B, AND THE ATTACHED SITE PLAN WITH SYSTEM DETAILS. CONSTRUCTION AND INSTALLATION MUST ALSO MEET ALL REQUIREMENTS SET FORTH IN THE RULES GOVERNING SANITARY SEWAGE COLLECTION, TREATMENT, AND DISPOSAL AND ANY OTHER APPLICABLE RULES AND LAWS.

2. AN *INSTALLATION, CONSTRUCTION, ALTERATION AND/OR REPAIR APPROVAL* MUST BE SECURED PRIOR TO INSTALLATION OF THE SEPTIC TANK SYSTEM. THE INSTALLER OF THE SYSTEM SHALL BE A REGISTERED SEPTIC TANK CONTRACTOR WITH THE MECKLENBURG COUNTY HEALTH DEPARTMENT.

3. ANY ALTERATION IN SITE OR SOIL CONDITIONS (INCLUDING LOCATION OF STRUCTURES AND APPURTENANCES) OR MODIFICATION IN USE, DESIGN WASTEWATER FLOW, OR WASTEWATER CHARACTERISTICS AS SPECIFIED IN THE ASSOCIATED IMPROVEMENT PERMIT AND APPLICATION, MAY SUBJECT THIS CONSTRUCTION AUTHORIZATION AND ASSOCIATED PERMIT(S) TO REVOCATION.

4. THIS CONSTRUCTION AUTHORIZATION AS PROVIDED IN G.S. 130A-335(f) AND G.S. 130A-336(b) SHALL BE VALID FOR A PERIOD EQUAL TO THE VALIDITY OF THE IMPROVEMENT PERMIT, NOT TO EXCEED 60 MONTHS.

5. OTHER CONDITIONS:
   1. Owner agreement form for an "Innovative" type septic system must be on file in our office prior to issuing an Installation Approval for this system.

CONDITIONS OF IMPROVEMENT PERMIT / CONSTRUCTION AUTHORIZATON

Permit Number: **5779B** Tax Number: **195-202-52**

- The IMPROVEMENT PERMIT is subject to revocation if site plans or the intended use change. There is to be **NO** grading, filling, or disturbance of the soil in the area of the septic tank system or repair area.
- CONSTRUCTION AUTHORIZATION must be obtained prior to receiving a *Building Permit*. *The Construction Authorization is* **NOT** transferable. Do not clear, grade, fill or disturb soil prior to obtaining a Construction Authorization.
- Domestic-type wastewater only. No industrial process wastewater may be discharged into the system.

Basement: ☐ Yes ☒ No ☐ Partial Basement

Primary Wastewater System

Type: ☐ I ☐ II ☒ III ☐ IV ☐ V ☐ VI

☐ Conventional
☐ *Prefabricated, permeable* block panel system
☐ Shallow Placed Conventional
☐ Low Pressure Pipe
☐ Large Diameter Pipe
☐ Fill
☐ Other
☒ Innovative or Experimental:

0.30 Long-term acceptance rate (GPD/ft^2)	**600** Max gallons/day wastewater flow	**1500** Absorption Area (ft^2)	**9** Trench spacing (min. on centers) (ft)
Serviced by private well: ☐ Yes ☒ No	**1500** Gallon septic tank	**500** Total trench length (ft)	**30** Maximum trench depth (in) (At least 12" of provisionally suitable soil must remain between trench bottom and unsuitable soil conditions.)
5 Bedrooms in residence	**NA** Gallon pump tank	**NA** Depth of stone (in)	

Any surface water present: ***No*** Type: Minimum separation distance (ft):

Additional conditions: **Washer line separated out of system, drain field for wahser line is in the front yard. Make sure *both plumbing lines are brought out ot the slab shallow. Install all drain lines level and on contour.* Repair area has been deisgnated in both the front & rear yard.**

Repair Area System

Type: ☐ I ☐ II ☒ III ☐ IV ☐ V ☐ VI

☐ Conventional
☐ Prefabricated, permeable block panel system
☐ Shallow Placed Conventional
☐ Low Pressure Pipe
☐ Large Diameter Pipe
☐ Fill
☐ Other
☒ Innovative or Experimental:

1500 Absorption Area (ft^2) **500** Total trench length (ft)	**NA** Depth of stone (in)	**9** Trench spacing (min. on centers) (ft)	**30** Maximum trench depth (in)

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the Request for the Job Location contained in this document. The approval is granted in accordance with the provisions of Laws and Rules For Sewage Treatment, and Disposal Systems in effect at the time of issuance of the permit and is subject to the following provisions:

*** No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and/or Repair Approval is granted by this Department.

*** This Improvement permit is transferable.

1-24-05
DENR Authorized Agent Date

3/1/05
Owner/Agent Signature Date

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 N. TRYON ST., SUITE 211
CHARLOTTE, NC 28202
PHONE: (704) 336-5103
FAX: (704) 336-6894

NC DENR
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 5779B

TC: 195-202-52

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



COMMENTS

- SYSTEM DESIGN = 600 GPD
- SITE LTAR = 0.3 GPD/FT²
- TYPE III g SEPTIC SYSTEM (INNOVATIVE)
- WASHER LINE DRAIN FIELD TO BE INSTALLED IN FRONT YARD.
- INSTALL 2 LINES AT 90' x 3'
- USE EQUAL DISTRIBUTION FOR WASHER LINE.
- DRAIN FIELD FOR ALL OTHER WASTE-WATER TO BE INSTALLED IN REAR YARD.
- INSTALL 3 LINES FOR A TOTAL OF 320', USE DROP TEE'S FOR SERIAL DISTRIBUTION.
- INSTALL ALL DRAIN LINES ON 9' CENTERS, LEVEL, AND ON CONTOUR.
- 1500 GAL. SEPTIC TANK
- 40 GAL. WASHER BOX

SETBACKS

- 10' FROM ALL PROPERTY LINES
- 5' FROM SLAB FOUNDATION
- 100' (50' MINIMUM) FROM ALL PRIVATE WELLS.

OWNER/AGENT SIGNATURE

DATE 3/1/05

APPROVAL DATE [signature], RSI 1-24-05

White - Health Department's Copy Canary - E.H.S. Copy Pink - Owner's Copy

LOT 7

FOR REGISTRATION JUDITH A. GIBSON
REGISTER OF DEEDS
MECKLENBURG COUNTY, NC
2005 MAR 01 02:55 PM
BK:18420 PG:884-887 FEE:$20.00

INSTRUMENT # 2005037254

2005037254

STATE OF NORTH CAROLINA

COUNTY OF MECKLENBURG

WASTEWATER TREATMENT AND DISPOSAL SYSTEM DESIGN AGREEMENT: 15A NCAC 18A .1948 AND ANY OF THE FOLLOWING RULES: .1956; .1957(a); .1957(b); or .1957(c); OR .1969

FILE # 57798
PARCEL # 195-202-52

The undersigned, _____, owner of property located at 15010 Shingle Oak Rd, (the "site") and described in an instrument recorded in Book _____ at Page _____, Mecklenburg Public Registry, hereby acknowledges that the undersigned applied to the Mecklenburg County Health Department (the "Department") for a permit to install a septic tank sewage disposal system on the site; that the Department evaluated the site for suitability for such a system in accordance with the regulations promulgated by the North Carolina Commission for Health Services as 15A NCAC 18A .1900 et seq.; that the Department originally classified the site as "unsuitable" pursuant to the standards set forth in the regulations; that the undersigned requested that the Department reclassify the site as "provisionally suitable" in light of the particular septic tank system proposed by the undersigned; that the Department considered various studies, data, and other information which indicate to the Department that the septic tank system proposed by the undersigned is allowed by the rules; and that the Department therefore reclassified the site as "provisionally suitable" and issued an appropriate permit for such proposed septic tank system.

The undersigned further acknowledges that the proper design, construction, operation and maintenance of such septic tank system is the responsibility of the designer, owner, developer, installer, or user of the system, as applicable, and that neither the Department nor its officials, employees, or agents warrant or guarantee that the said system installed pursuant to the permit issued by the Department will function in a satisfactory manner for any given period of time or that the Department, its officials, employees or agents assume any liability for any damages of any kind which are caused, or which may be caused, by a malfunction of such system.

The undersigned further acknowledges that the following conditions will apply to the site:

This instrument was prepared by: Jerry Anthony Whitaker
Mail after recording to: 10150 Mallard Ck. Rd Suite 106
Charlotte NC. 28262

-- Any changes on the property may make the Improvement Permit null and void and may make the Improvement Permit subject to revocation.

-- Do not grade, cut, fill, pave, construct a building or deck, dig a well, install a swimming pool or otherwise cover or disturb the soil (except for planting and maintaining grass or other ground covers) in a manner which will adversely affect the repair area or area where the septic tank system is located.

-- When a private certified operator is required, no improvement permit for the designated repair shall be issued unless there is a private certified operator to carry out this management program in the service area where the proposed system is to be located. (Refer to Rule .1961, "Maintenance of Sewage Systems," for further information.)

-- Additional fees will be required according to the Mecklenburg County user fee schedule applicable at the time for the issuance of a repair permit for any subsequent repairs to the sewage treatment and disposal system or for installation of a replacement system.

-- At the time repairs to the sewage treatment and disposal system are to be made or a replacement system installed, the regulations in effect at that time will govern the repairs or installation of a replacement system.

The undersigned further agrees for himself, his heirs and assigns that he shall indemnify and hold harmless theDepartment, its employees, and officials, as well as Mecklenburg County and its employees and officials, for any damages or other claims of any person or persons whatsoever arising out of the installation, operation, or failure of said septic tank system.

Use of the singular masculine pronoun forms herein shall be deemed to also include the plural and feminine forms as the context may require.

This document shall be placed on the public records of the Register of Deeds of Mecklenburg County and indexed therein under the Grantor Index in the name or names of the undersigned, and the foregoing acknowledgements shall henceforth be binding on all persons claiming any right, title, or interest in the site.

IN WITNESS WHEREOF, the undersigned has hereunto set his hand and seal, or if corporate, has caused this instrument to be signed in its corporate name by its duly authorized officers and its seal to be hereunto affixed by authority of its Board of Directors, this 31 day of January, 2005.

McCar Homes-Charlotte, LLC (SEAL)
(Corporate Name) fka NDC Homes-Charlotte, LLC

By: _____ (SEAL)

Asst Vice President (SEAL)

(SEAL)


GEORGIA SEAL McCAR DEVELOPMENT CORP.

ATTEST:

Kezjah

Asst. Secretary

(Corporate Seal)



STATE OF NORTH CAROLINA
COUNTY OF _____

I, _____, a Notary Public for said County and State, do hereby certify that _____ personally appeared before me this date and acknowledged the due execution of the foregoing instrument.

WITNESS my hand and notarial seal, this _____ day of _____, 20___.

_____
Notary Public

My Commission Expires:

_____

STATE OF NORTH CAROLINA
COUNTY OF Rowan

I, Melissa Eddleman, a Notary Public for said County and State, do hereby certify that Janice Kezjah personally came before me this day and acknowledged that She is Asst. Secretary of McCar Homes-Charlotte, LLC fka MDC Homes-Charlotte, LLC a North Carolina corporation, and that by authority duly given and as the act and deed of said corporation, the foregoing instrument was signed in its name by its Asst. Vice President, sealed with its corporate seal, and attested by Janice Kezjah as its Asst. Secretary.

WITNESS my hand and notarial seal, this 31 day of January, 2005.

Melissa Eddleman
Notary Public

My Commission Expires:

09-19-2005

OFFICIAL SEAL
Notary Public, North Carolina
County of Rowan
MELISSA EDDLEMAN
MY COMMISSION EXPIRES 9-19-05

REVISED 8-13-02

JUDITH A. GIBSON
REGISTER OF DEEDS, MECKLENBURG
COUNTY & COURTS OFFICE BUILDING
720 EAST FOURTH STREET
CHARLOTTE, NC 28202

PLEASE RETAIN YELLOW TRAILER PAGE

It is part of the recorded document, and must be submitted with original for re-recording and/or cancellation.

****

Filed For Registration: 03/01/2005 02:55 PM

Book: RE 18420 Page: 884-887

Document No.: 2005037254

PRMIT 4 PGS $20.00

Recorder: SERENA ROSS

****

State of North Carolina, County of Mecklenburg

The foregoing certificate of MELISSA EDDLEMAN Notary is certified to be correct. This 1 ST of March 2005

JUDITH A. GIBSON, REGISTER OF DEEDS By: Serena M. Ross
Deputy/Assistant Register of Deeds

****

2005037254

Department of Environment, Health, and Natural Resources
Division of Environmental Health
On-site Wastewater Section

Sheet: 1 of 2
Property ID: 195-202-52
Lot #: 7
File #: 5779B
Code: 2

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

Owner: Farrington Oaks, LLC
Applicant: John Millenaar
Address: 1518 East 3rd St., Charlotte, N. C. 28204
Date Evaluated: 11/29/2004
Proposed Facility: Residence
Design Flow (.1949): 600gpd
Property Size: .69a
Location of Site: 15010 Shingle Oak Road
Property Recorded:
Water Supply: [x] Public [ ] Individual [ ] Well [ ] Spring [ ] Other
Evaluation Method: [x] Auger Boring [ ] Pit [ ] Cut
Type of Wastewater: [x] Sewage [ ] Industrial Process [ ] Mixed

PROFILE #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941 .1941 Structure/ Texture	.1941 Consistence Mineralogy	OTHER PROFILE FACTORS .1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1	LS, 5	0-3	GR/CL	FR/SEXP/SS/SP	>40" TO SOIL WETNESS	40+	N/A	NONE	PS, IV .3GPD/FT^2
		3-40	SBK/C	FI/SEXP/S/P					
		BORING TERMINATED@		40", FLOATER ROCK					
2	"	0-5	GR/CL	FR/SEXP/SS/SP	>39" TO SOIL WETNESS	39+	"	"	"
		5-39	SBK/C	FI/SEXP/S/P					
		BORING TERMINATED@		39", FLOATER ROCK					
3	"	0-4	GR/CL	FR/SEXP/SS/SP	>50" TO SOIL WETNESS	50	"	"	"
		4-37	SBK/C	FI/SEXP/S/P					
		37-50	SBK/CL	FR/SEXP/SS/SP					
4	LS, 8	0-3	GR/CL	"	>34" TO SOIL WETNESS	34	"	"	US, IV .3GPD/FT^2
		3-22	SBK/C	FI/SEXP/S/P					
		22-34	SBK/CL	FR/SEXP/SS/SP					
5	"	0-4	GR/CL	"	>30" TO SOIL WETNESS	30	"	"	"
		4-30	SBK/C	FI/SEXP/S/P					
6	"	0-3	GR/CL	FR/SEXP/SS/SP	>48" TO SOIL WETNESS	48	"	"	PS, IV .3GPD/FT^2
		3-30	SBK/C	FI/SEXP/S/P					
		30-48	SBK/CL	FR/SEXP/SS/SP					
7	"	0-3	GR/CL	"	>24" TO SOIL WETNESS	24	"	"	US, IV .15GPD/FT^2
		3-24	SBK/C	FI/SEXP/S/P					

Description	Initial System	Repair System
Available Space (.1945)	PS	US
System Type(s)		
Site LTAR	.3GPD/FT^2	.3GPD/FT^2


Other Factors (.1946):
Site Classification (.1948): UNSUITABLE
Evaluated By: W. R. Marlin, LSS, 12/1/2004, W. R. Marlin
Others Present:

COMMENTS:
100% repair, may need shallow placed system

Landscape Position	Group	Texture	.1955 LTAR	Structure
R-Ridge	I	S-Sand	1.2 - 0.8	SG-Single Grain
SS-Shoulder Slope		LS-Loamy Sand		M-Massive
LS-Linear Slope				CR-Crumb
FS-Food Slope	II	SL-Sandy Loam	0.8 - 0.6	GR-Granular
NS-Nose Slope		L-Loam		SBK-Subangular Blocky
HS-Head Slope				ABK-Angular Blocky
CC-Concave Slope	III	SI-Silt	0.6 - 0.3	PL-Platy
CV-Convex Slope		SICL-Silty Clay Loam		PR-Prismatic
T-Terrace		CL-Clay Loam		
FP-Flood Plain		SCL-Sandy Clay Loam		
	IV	SC-Sandy Clay	0.4 - 0.1	
		SIC-Silty Clay		
		C-Clay		

Consistence Moist	Consistence Wet	Mineralogy
VFR-Very Friable	NS-Non-Sticky	SEXP-Slightly Expansive
FR-Friable	SS-Slightly Sticky	EXP-Expansive
FI-Firm	S-Sticky	
VFI-Very Firm	VS-Very Sticky	
EFI-Extremely Firm	NP-Non-Plastic	
	SP-Slightly Plastic	
	P-Plastic	
	VP-Very Plastic	

Sketch of Soil Evaluation Locations



FEE: 200.00 DATE: 11/8/04 #3232

APPLICATION FOR IMPROVEMENT PERMIT
FOR RESIDENTIAL SITE
INDIVIDUAL WATER AND WASTEWATER
SYSTEMS PROGRAM

[ ] CRT

TYPE APPLICATION: __ NEW SYSTEM __ EXPANSION/ ALTERATION OF EXISTING SYSTEM __ REPAIR OF EXISTING SYSTEM

NORTH CAROLINA
DEPARTMENT OF ENVIRONMENT,
HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

FILE #: 5779B

PROPERTY INFORMATION (FROM ENGINEERING FORM) FOR JOB LOCATION:

TAX/PARCEL NUMBER: 195-202-52

STREET ADDRESS: 15010 Shingle Oak. Rd.

SUBDIVISION OR MOBILE HOME PARK NAME: FAIRINGTON OAKS

LOT NUMBER: 7

TOWNSHIP (CHECK ONE):

__ 0 MECKLENBURG
__ 1 CHARLOTTE
__ 2 DAVIDSON
__ 3 CORNELIUS
__ 4 PINEVILLE
__ 5 MATTHEWS
__ 6 HUNTERSVILLE
✓ 7 MINT HILL

CLOSING DATE 4/30/04

TYPE OF BUILDING (CHECK ONE):

__ SINGLE MOBILE HOME(S)
__ DOUBLE WIDE (D)
✓ HOUSE (H)
__ MODULAR HOME (M)
__ MULTIPLE FAMILY (U)
__ OTHER (O)

HEATED SQUARE FOOTAGE:

NUMBER OF BEDROOMS: 5 NUMBER OF OCCUPANTS: 4

FOUNDATION FOR RESIDENCE:

__ WITHOUT BASEMENT
✓ ON SLAB
__ CRAWL SPACE
__ WITH BASEMENT /PLUMBING
__ WITH BASEMENT /NO PLUMBING

IF EXPANSION/ALTERATION OF EXISTING SYSTEM, DESCRIBE THE PROPOSED BUILDING ADDITION:

WILL THERE BE A HOME BUSINESS IN THE RESIDENCE: __ YES ✓ NO TYPE: _____

WATER SUPPLY (CHECK ONE):
__ COMMUNITY (C)
✓ MUNICIPAL (M)
__ PRIVATE WELL (P)
__ SHARED WELL (S)
__ OTHER 'SPRINGS' (O)

IF ANY OF THE FOLLOWING ARE LOCATED ON THE PROPERTY, PLEASE SHOW LOCATION ON PLAT:

BURIED CABLES, LANDFILLS, STUMPHOLES __ YES ✓ NO
EXISTING WASTEWATER SYSTEMS __ YES ✓ NO
EASTMENTS OR RIGHT-OF-WAYS __ YES ✓ NO
WELL, SPRINGS OR WATERLINES __ YES ✓ NO
DESIGNATED WETLANDS __ YES ✓ NO

PROPERTY OWNER:

NAME: FAIRINGTON OAKS, LLC.
(LAST) (FIRST) (MI)

ADDRESS: 1518 EAST 3RD ST.

CITY: CHARLOTTE STATE: NC ZIP: 28204

DAYTIME PHONE: (704) 370 - 0303

LEGAL AGENT FOR PROPERTY OWNER, IF APPLICABLE:

NAME: MILLENAAR, JOHN M.
(LAST) (FIRST) (MI)

DAYTIME PHONE: (704) 634 - 4355

WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED? 10/1/04

An Improvement Permit is subject to suspension or revocation if site plans or the intended use change or if information submitted in this application is falsified or changed. The undersigned, owner, or legal agent for the owner, of the property described above as the "Job Location" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the Mecklenburg County Health Department to enter onto the property for the purpose of processing this request.

SIGNED: W. John Millenaar DATE: 11/8/04

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
[illegible] 700 N. TRYON ST. CHARLOTTE, N.C. 28202 (704) 336-5103


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 5779B

TC: 195-202-52

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.




OWNER/AGENT SIGNATURE

DATE 11-8-04

APPROVAL DATE _____

White - Health Department's Copy Canary - E.H.S. Copy Pink - Owner's Copy


8
7
6
5
4
3
2
1
78
79
80
81
82
83
84
85
86
SHINGLE OAK ROAD
FAIRINGTON OAKS DRIVE
THOMPSON ROAD
~Amenity Center~
Top of Banks (Field Located)
S.W.I.M. Buffer 35' from Top of Bank (Each Side of Creek)
15' Upland Zone
20' Stream Side Zone
Wetlands
Beaver Dam
S.W.I.M. Buffer 100' from Top of Bank (Both Sides of Creek)
25' Future Upland Zone
45' Future Managed Use Zone
Wetlands