Date Received 8-14-79 Apt. No. (S) Application No. (W) 15090

T. C. No. 111-091-11

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER Terry T. Baker Construction Company
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER 7612 Denbur Drive, Charlotte, N.C. ZIP 28215

PHONE NO Home 537-9981 or 537-7661 Office same


LOCATION OF PROPERTY Camp Stewart Road (Lot #3)
(STREET OR COUNTY ROAD)

WELL CONTRACTOR LICENSE NO

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of ✓ individual, semi public, or public water supply

8-14-79
DATE OF APPLICATION

Terry T. Baker Construction Company
OWNER By: Evelyn A. Baker, Secretary



ACCURATELY DIAGRAM & DIMENSION LOT

Remarks

Application approved and permit hereby granted

Permit No

ENVIRONMENTALIST

EHC-5-76

Environmental Health Department's Copy

Date Received 2/5/79

RECEIVED
JAN 30 1979
ENVIRONMENTAL HEALTH

APT No. 15090
T. C. No. PO 111-091-11
Map Date 3/22/78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Benfield (LAST) Ronald (FIRST) Clayton (MIDDLE)

2) ADDRESS OF OWNER 4016 Rosehaven Dr Apt #1 ZIP 28212

3) PHONE NO Home 568 6278 Office 333 5333


4) LOCATION OF PROPERTY Camp Stewart Rd (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO #3 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK 4092 PAGE NO 0366

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Ronald C Benfield
OWNER

EHD-5-76

Environmental Health Department's Copy

Gpl. 15090

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

OWNER: Ronald Clayton for Lighthouse Apts.
ADDRESS: 326 Eastborne Dr. Apt. 51
COUNTY:
LOCATION OF SITE: Camp Leonard Rd.

DATE REQUESTED: 2-5-79
PLAT NO.: RD 111-091-11
LOT SIZE: 47,140 Sq. Ft.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 2-6% U	(S) PS 2-9% U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) Clay U	S 2:1 & sand PS (C) Clay U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) Blocky U	S PS Massive (U)	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 48" U	(S) PS 48" U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	(S) ≥ 4' PS U To Rock	(S) ≥ 4' PS U To Rock	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) ≥ 4' PS U To Water	(S) ≥ 4' PS U To Water	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate U	S (PS) Slow (U)	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	Provisionally Suitable	Unsuitable		
SOIL SERIES				


S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: Ellen Lynch
Title: Environmental Health Specialist Date: Feb. 20, 1979

DHS Form 2601 (2/77)
Sanitation



Camp Stewart Rd.

Serial No. 2560

PTR No. 15090

T. C. No. po 111-091-11

Date Issued Feb 20, 1979

Map Date _____


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Benfield, (LAST) Ronald (FIRST) Clayton (MIDDLE)

ADDRESS OF OWNER 4016 Rosehaven Dr., #1 ZIP _____

LOCATION OF PROPERTY Camp Stewart Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO #3 BLOCK NO _____



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot.

The permeability rate determined by the investigation was **Provisionally Suitable**. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or construction, including the drilling of a well, is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

Eddie Reynolds
Eddie Reynolds, Environmentalist

Stephen J. Wood
Environmental Health Director or Authorized Section Head

EHC-5-76

Environmental Health Department's Copy

K

SEE INSTRUCTIONS ON BACK

Date Received 8-14-79

ICAR(S) Application No. 15090

T. C. No. po 111-091-11


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No
No. of Bedrooms 3
5) Business Use – Max No. Employees ___
6) Washing Machine X Yes ___ No
7) Garbage Disposal ___ Yes X No
8) Dishwasher X Yes ___ No
9) Water Supply
A) Individual Well X
B) Governmental System ___
C) Community System
1) Well source ___
2) Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes X No
House located within 200 feet of community sewer ___ Yes X No
11) FHA Case No. —
12) VA Case No. —

13) NAME OF OWNER Larry L. Baker Construction Company
(LAST / FIRST / MIDDLE)

14) ADDRESS OF OWNER 7612 Denbur Drive, Charlotte, N.C. 28215

15) PHONE NO. Home 537-9982 or 537-9601 Office same

16) LOCATION OF SYSTEM Camp Stewart Road (lot #3)
(STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK 2840 AT PAGE 143

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

8-14-79
DATE OF APPLICATION

Larry L. Baker Construction Company
OWNER by: Carolyn A. Baker, Secretary

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued 8/15/79

Serial No. 3392

LA No. 15090

T. C. No. P.O. 111-091-11

Map Date -

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

DEVELOPMENT PLOT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Baker (LAST) Larry (FIRST) L. Construction Company (MIDDLE)

ADDRESS OF OWNER 7612 Denbur Drive, Charlotte, N. C. ZIP 28215

LOCATION OF LOT Camp Stewart Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. 3 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 15090. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

John R Albisson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Serial No. 2929

Date Issued 9-10-79


ICAR(S) Permit No. 15000

T C No. 12-11-09-11

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ___ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application _____, dated _____ and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before _____, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate 1 in Feet

Liquid Capacity of Tank 1000 gal

Tank Construction pre Cast

Absorption and or Nitrification Lines

Total Line Length 425' + 125'

Number of Lines 5 x 85' = 425'

Distance from House

Distance from Property Line

Distance from Well 75 ft

NAME OF OWNER Linn & Carter

LOCATION OF PROPERTY Camp Steel Creek

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THE SYSTEM ANTICIPATED TO BE CONSTRUCTED WILL OPERATE PROPERLY OR RELIEVE ANY PERSON NOW OR HEREAFTER OWNING, CONTROLLING OR USING SUCH SYSTEM FROM ANY LIABILITY RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

Comments: 15' Trench Type

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

Serial 3118

C of A (s) No. 15090

Date Issued 10-16-79

T. C. No. 111-09-11

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Baker (LAST) Larry (FIRST) F. (MIDDLE)

Location of Property Camp Stewart Road

Application Number 15090 Permit Number 15090

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material PC

Total Length of Drain Tile 495 + 125 Number of Lines 5 & 3

Depth of Filter Material 17" Cover Depth 15"

Water Supply Source well Distance from Water Source 50'+

Excavation Inspected 10-16-79 (DATE) Tank Inspected 10-16-79 (DATE)

Nitrification Field Inspected 10-16-79 (DATE)

Washing Machine Line Inspected, If Applicable 10-16-79 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ___ installed or constructed, ___ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Bob Mullis
Environmentalist

EHD-5-76

Environmental Health Department's Copy