

9400 THOUSAND OAKS CT

6/25/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

CERTIFICATE OF COMPLETION/OPERATION PERMIT

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 7130 A DATE: 5-11-93

TC: 137-233-07 ☐ L ☒ CRT

SERIAL Nº 15150

Name of Owner John McNanie Juris.:

Address of Property 10701 Woodhollow Rd.

Inspection Data:

Tank Material PCC

Total Length of Drainfield 400'

Number of Lines 5 @ ±85'

Cover Depth 12" marley

Water Supply Source comm

Distance to Water Source closest 2nd well 50'

Excavation Inspected 5-11-93

Tank(s) Inspected 5-10-93

Wash Line Inspected —

High Water Alarm Inspected —

PLOT

Williams Septic

Design: 1993 conv, interceptor drain above system 1500 gal, 1200 sq ft at 5 lines CTR# 113
terrace leveled, step downs in bottom 4 lines at 3'x85' (last line 65-70')

The undersigned has inspected the Septic Tank System described above, and certifies it has been

☒ installed or constructed ☐ altered or repaired

☒ in accordance with the permit issued ☐ as detailed in the plot above

and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this

☒ Certificate of Completion ☐ Operation Permit

does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS: 3 bdrm house with interceptor drain. Pump to repair area.

Susan Patterson
Environmentalist

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT


HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 7130 A DATE: 4-27-93

TC: 137-233-07 ☐ L

SERIAL Nº 15490

Permission is hereby given to X Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 4-27-93. All work shall be completed on or before 5-27-93, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Health Department before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank — gallons

Tank Construction PCC

Absorption and/or Nitrification Lines:

Trench Width 3' feet

Total Line Length 400' feet

Number of Lines 4 at 100' each

Depth of Stone 12" inches

Distance from House 5' feet

Distance from Property Line 10'+ feet

Distance from Well 50' min feet

6"-16" soil cover

NAME OF OWNER John McNanie

LOCATION OF PROPERTY 10701 Woodhollow Rd.

Comments: Keep drainlines on contour. Install subsurface interceptor drain min 10-15' upslope from drainfield with swale. Possible pump to repair

Judy Kirkwin R.S.
Division or Section Head

Susan Patterson
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Mecklenburg County Health Department in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER OR AGENT'S COPY

FILE 7130 A

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR SERVICES

PD 200.00 1/15/93 CHK 3646 CRT

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr., Suite 211
700 N. Tryon St.
Charlotte, NC 28202

(704)336-5102

Date: 1-15-93

PERSON FILING APPLICATION:
NAME: McNANIE (last) JOHN (first) C (mi)
ADDRESS: 1221 IVERLEIGH TR PHONE: (704) 846-6706
CITY: CHARLOTTE STATE: NC ZIPCODE: 28270

PROPERTY OWNER:
NAME: McNANIE (last) JOHN (first) C (mi)
ADDRESS: 1221 IVERLEIGH TR PHONE: (704) 846-6706
CITY: CHARLOTTE STATE: NC ZIPCODE: 28270

PROPERTY INFORMATION (FROM ENGINEERING FORM):
TAX/PARCEL NUMBER: 137-233-07
STREET ADDRESS: 10701 WINDY HOLLOW RD
ZONING:

Township (check one):
[X] 0 Mecklenburg County [ ] 2 Davidson [ ] 4 Pineville [ ] 6 Huntersville
[ ] 1 Charlotte [ ] 3 Cornelius [ ] 5 Matthews [ ] 7 Mint Hill

SUBDIVISION OR MOBILE HOME PARK NAME: BAINBRIDGE II

LOT NUMBER: 56 LOT SIZE (in acres): .77

TYPE APPLICATION (check one):

[ ] SOIL TEST - INDIVIDUAL LOT (D)
[X] NEW CONSTRUCTION ON VACANT LOT - 4 BEDROOMS OR LESS (N)
[ ] EXCHANGE MOBILE HOME - SAME # BEDROOMS (Y)
[ ] ADDITION - INCREASE ROOMS/OCCUPANCY/MOBILE HOME SIZE (A or M)
[ ] COMMERCIAL OR INDUSTRIAL (N)
[ ] SOIL TEST DEVELOPMENT (P)
[ ] ADDITION - GARAGE OR RENOVATION/NO MAJOR CHANGES (X)
[ ] MODIFIED /ALTERNATIVE/ OR RESIDENCE > 4 BEDROOMS (Z)
[ ] REPAIR TO SYSTEM (R)

RESIDENTIAL PROPERTY (Type Building, check one):
[ ] SINGLE MOBILE HOME (S) [X] HOUSE (H) [ ] MULTIPLE FAMILY (U)
[ ] DOUBLE WIDE (D) [ ] MODULAR HOME (M) [ ] OTHER _____ (O)

NUMBER BEDROOMS: 3 NUMBER OCCUPANTS: 4
SYSTEM CLASSIFICATION: CONVENTIONAL

COMMERCIAL/INDUSTRIAL PROPERTY:
Type Business _____ # Employees ___ Per Shift ___ ___ ___
Industrial Wastes (Y/N) ___
Underground Storage Tanks On Property (Y/N) ___ Type _____

WATER SUPPLY (check one):
[X] Community (C) [ ] Shared Well (S)
[ ] Municipal (M) [ ] Other 'spring' (O)
[ ] Private Well (P)

FUTURE ADDITIONS - ALL PLANNED ADDITIONS MUST BE ENTERED (check all that apply):
[ ] Swimming Pool [ ] Jacuzzi [ ] Stable/Barn [ ] Workshop [X] None
[ ] Garage [ ] Storage Building [ ] Deck/Patio [ ] Bedrooms [ ] Other

The undersigned, owner, or legal agent for the owner, of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: 1-15-93 Date: John McNanie

NOTICE:

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

...No work shall be conducted on the septic tank system until an installation, Construction, Alteration and/or Repair approval is granted by this Department.

...This permit is not transferable.

...Install french drain and above ground swell for surface water.

Future garage may have to moved to be clear of repair area.

[ ] IMPROVEMENT PERMIT - VALID 60 MONTHS FROM ISSUANCE
[ ] MOBILE HOME EXCHANGE APPROVAL - VALID 6 MONTHS FROM ISSUANCE
[ ] ADDITION/RENOVATION APPROVAL - VALID 1 YEAR FROM ISSUANCE

B. R. Ferguson Environmentalist 1-27-93 Date

Judy J. Kuis R.S. Director or Authorized Section Head 1/28/93 Date

WWATER : 122791


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 7130 A

TC: 137-233-07

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



APPROVAL DATE 1-27-93

B.J.

White - Health Department's Copy Canary - Environmentalist's Copy Pink - Owner's Copy

MECKLENBURG COUNTY HEALTH DEPARTMENT
SITE EVALUATION REPORT
SERIAL NUMBER 16834

File: Action

Parcel: PC

Location:

Subdivision:


Lot: Block: Acres: .61

Owner:
Address:

Comments:

Described by:

Date:



***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Texture	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Structure	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Drainage	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Depth	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Restrictive Horizons	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Available Space	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series						
Area Classification	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U

file # 7130A.

TO: ENVIRONMENTAL HEALTH DEPT. DATE: 1/15/93
BUILDING STANDARDS DEPT.
DEPT. OF ENVIRONMENTAL PROTECTION/
SOLID AND HAZARDOUS WASTE

FROM: COUNTY ENGINEERING DEPARTMENT

EHD FILE _____ JURISDICTION CODE Mint

PARCEL NUMBER # 137-233-07

ASSIGNED ADDRESS 10701 Woodhollow Rd

EXISTING ADDRESS _____

PROJECT NAME NA

THE ABOVE DESCRIBED LOCATION HAS BEEN CHECKED CONCERNING:

		APPROVED	DISAPPROVED
1.	SUBDIVISION REGULATIONS		*
2.	FLOODWAY REGULATIONS		*
3.	EROSION CONTROL REGULATIONS		*
4.	PUBLIC UTILITY EASEMENT		*

		PRESENT	NOT PRESENT
5.	PUBLIC UTILITY EASEMENT	*	
6.	PROPERTY FRONTS ON THOROUGHFARE	*	
7.	DRIVEWAY PERMIT REQUIRED	*	

*If checked, further investigation will be required to determine whether a building permit can be issued by Building Standards for the site.

REMARKS: Septic Tank

NOTE: THIS FORM MUST BE TURNED IN AT THE CASHIER'S OFFICE AT BUILDING STANDARDS WHEN PAYING PERMIT FEES.

A CERTIFICATE OF OCCUPANCY WILL NOT BE GRANTED UNTIL THE TRANSPORTATION DIVISION GRANTS FINAL APPROVAL ON DRIVEWAYS.

SIGNED: Joyce

OPWEAR 06-88

NEW ADDRESS _____*

FORM 100

Mecklenburg County
Health Department

March 15th, 1991

Greene & Williams Development Inc.
7421 Morgan Mill Road
Monroe, NC 28110

RE: Property located at 10701 Woodhollow Rd./Bainbridge II Lot 56
FILE: 7130A
PARCEL: 137-123-05 PO

Dear Sir:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The property was found to contain a limited area of soils which were classified as PROVISIONALLY SUITABLE for such an installation. A copy of the Site Evaluation Report (Serial Number 16834) is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit an Application For An Improvement Permit with an ACCURATELY dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems to this office. The plan will be reviewed and if it is found that the area of provisionally suitable soils is adequate for the proposed construction, an Improvement Permit will be issued by this Department.

If there are any questions concerning this matter, do not hesitate to contact me.

Sincerely,

Gene Vaughan, R.S., Supervisor
Individual Water and Wastewater Systems

Enclosure

Environmental Health Division
1200 Blythe Boulevard • Charlotte, North Carolina 28203 • (704) 376-4603

$150

APPLICATION FOR SOIL INVESTIGATION

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 7130A

TC: 137-123-05 PO

☑ PC ☐ REPT

JOB LOCATION

① ADDRESS: Woodhollow Road 10701

② SUBDIVISION: Bainbridge II ③ LOT: 56 ④ BLOCK: _____

⑤ PARCEL REFERENCE: BOOK NO.: _____ PAGE NO.: _____ PARCEL NO.: PO-137-123-05

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER


⑦ NAME: Greene + Williams Development INC.
(FIRST) (MIDDLE) (LAST)

⑧ MAILING ADDRESS: 7421 Morgan Mill Rd.

⑨ CITY: Monroe ⑩ STATE: NC ⑪ ZIP: 28110

⑫ PHONE: (WORK) 847-4228 (HOME) 704-753-1333

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: A A. Williams

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

Date: 11-9-90

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER'S COPY

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

CHARGE SLIP

Date: 11-14-90

Name/Company: Greene, Williams, & Edwards

Sanitation _____

Vector Control _____

O.P.W.D. ✓

Service: Soil Test - 2 lots @ each
Woodhollow Rd - Fairwidge II
Tax # 137-123-05 PO
File # 7130A - 7149A

ENVIRONMENTAL HEALTH DIVISION
PAID
NOV 14 1990

CR # 1002

Fee: $ 1,000.00 = $1,000.

NOTICE:

A processing fee of $15.00 will be charged for all returned checks in accordance with N.C. General Statute 25-3-512.

W T Thompson
Completed by

Collected by

MECKLENBURG COUNTY HEALTH DEPARTMENT
SITE EVALUATION REPORT
SERIAL NUMBER 16834

File:

Action 1

Parcel: 7130A

137-123-05 PP

PC

Location:

Subdivision: 10701 woodhollow Rd./Bainbridge II

Lot: Block: Acres: .698

Lot 56

Owner:


Address:

Greene & Williams Development Inc.
7421 Morgan Mill Road
Monroe, NC 28110

Comments: 100% REPAIR
VERY LIMITED AREA

Described by: Wally Rankin

Date: 3-12-91



***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	S (PS) U 2-8%	S PS (U) DEPRESSION	S PS (U) FILL	S PS U	S PS U	S PS U
Texture	S (PS) U CLAY	S PS U —	S PS U —	S PS U	S PS U	S PS U
Structure	S (PS) U BLOCKY	S PS U —	S PS U —	S PS U	S PS U	S PS U
Drainage	S (PS) U >36"	S PS U —	S PS U —	S PS U	S PS U	S PS U
Depth	S (PS) U >36"	S PS U —	S PS U —	S PS U	S PS U	S PS U
Restrictive Horizons	S (PS) U NONE	S PS U —	S PS U —	S PS U	S PS U	S PS U
Available Space	S (PS) U LIMITED	S PS U —	S PS U —	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U —	S PS U —	S PS U	S PS U	S PS U
Soil Group/Series	CECIL LIKE IV	—				
Area Classification	S (PS) U	S PS (U)	S PS (U)	S PS U	S PS U	S PS U

APPLICATION FOR SOIL INVESTIGATION

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 7130A

TC: 137 123 -05 PO

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: Woodhollow Road 10701

② SUBDIVISION: Rainbridge II ③ LOT: 56 ④ BLOCK: _____

⑤ PARCEL REFERENCE: BOOK NO.: _____ PAGE NO.: _____ PARCEL NO.: PO 137-123-05

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER


⑦ NAME: Greene + Williams Development INC.
(FIRST) (MIDDLE) (LAST)

⑧ MAILING ADDRESS: 11421 Morgan Mill Rd.

⑨ CITY: Matthews ⑩ STATE: NC ⑪ ZIP: 28110

⑫ PHONE: (WORK) 847-4228 (HOME) 704-753-1333

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: R. Williams

Date: 11-9-90

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER'S COPY