SUPERVISOR/ADMINISTRATIVE PROFESSIONAL CHECKLIST

NEW SEPTIC ☐ NEW WELL ☐ USE EXISTING ☐ MODIFIED PLOT PLAN ☐

New Septic Fees Paid

Alteration Denied. Please Mail Denial letter

IP ($250.00) _____ Initial/Date

CA ($200.00) _____Initial/Date

OP ($200.00) _____Initial/Date

(CA and OP fees need to be paid before a building permit can be issued)

New Well Fees Paid: $550.00 _____ Initial/Date

Use Existing Fees Paid: $100.00 _____Initial/Date

Alteration Fees Paid: $300 Total $200 4/6/21 LE Initial/Date (If use existing was part of payment)

Modified Plot Plan Fees Paid: $100.00 _____Initial/Date

Floor plans need to be submitted and reviewed before CA can be issued ☐

CONSTRUCTION AUTHORIZATION REVIEWED DATE_____.

This site is served by septic and well. Verify each is complete before final hold is released ☐

Septic file complete ☐_____ Well complete ☐ _____

Send permit for signature ☐ Signature received ☐ _____

This septic system requires a certified operation contract before final hold is released ☐

Certified operator contract is on file ☐ _____

MECKLENBURG COUNTY
Health Department

Gibbie Harris, MSPH, BSN
Health Director

(704) 336-4700

May 21, 2021,

Kevin Kim
11600 Idlewild Rd
Matthews NC, 28105

Re: Application for improvement permit for:
Property Location: 11600 Idlewild Rd
Health Department File Number: **4519A**

Dear Property Owner or Owner's Agent:

The Mecklenburg County Health Department, Environmental Health Division on April 28, evaluated the above-referenced property at the site designated on the site plan that accompanied your improvement permit application. According to your application the site is to serve a **6 bedroom**, with a daily design flow of **600 gallons** per day. The evaluation was done in accordance with the laws and rules governing wastewater systems in North Carolina General Statute 130A-333 and related statutes and Title 15A, Subchapter 18A, of the North Carolina Administrative Code, Rule .l900 and related rules.

Based on the criteria set out in Title 15A, Subchapter 18A, of the North Carolina Administrative Code, Rules .1940 through .1948, the evaluation indicated that the site is **UNSUITABLE** for a ground absorption sewage system. Therefore, your request for an improvement permit is **DENIED.** A copy of the site evaluation is enclosed. The site is unsuitable based on the following:

- ☐ Unsuitable soil topography and/or landscape position (Rule .1940)
- ☒ Unsuitable soil characteristics (structure or clay mineralogy) (Rule .1941)
- ☒ Unsuitable soil wetness condition (Rule .1942)
- ☒ Unsuitable soil depth (Rule .1943)
- ☒ Presence of restrictive horizon (Rule .1944)
- ☐ Insufficient space for septic system and repair area (Rule .1945)
- ☐ Unsuitable for meeting required setbacks (Rule .1950)
- ☐ Other (Rule .1946)

These severe soil or site limitations could cause premature system failure, leading to the discharge of untreated sewage on the ground surface, into surface waters, directly to ground water or inside your structure.

The site evaluation included consideration of possible site modifications, and modified, innovative or alternative systems. However, the Health Department has determined that none of the above options will overcome the severe conditions on this site. A possible option might be a system designed to dispose of sewage to another area of suitable soil or off-site to additional property.

MECKLENBURG COUNTY
Health Department

Gibbie Harris, MSPH, BSN
Health Director

(704) 336-4700

For the reasons set out above, the property is currently classified **UNSUITABLE,** and an improvement permit shall not be issued for this site in accordance with Rule .1948 (c).

However, the site classified as **UNSUITABLE** may be classified as **PROVISIONALLY SUITABLE** if written documentation is provided that meets the requirements of Rule .1948(d). A copy of this rule is enclosed. You may hire a consultant to assist you if you wish to try to develop a plan under which your site could be reclassified as **PROVISIONALLY SUITABLE.**

You have a right to an informal review of this decision. You may request an informal review by the soil scientist or environmental health supervisor at the local health department. You may also request an informal review by the N. C. Department of Health and Human Services regional soil specialist. A request for informal review must be made in writing to the local health department.

You also have a right to a formal appeal of this decision. To pursue a formal appeal, you must file a petition for a contested case hearing with the Office of Administrative Hearings, 6714 Mail Center, Raleigh, NC 27699-6714. To get a copy of a petition form, you may write the Office of Administrative Hearings or call the office at (919) 431-3000 or from the OAH web site at http://www.oah.state.nc.us/hearings. The petition for a contested case hearing must be filed in accordance with the provision of North Carolina General Statutes 130A-24 and 150B-23 and all other applicable provisions of Chapter 150B. N. C. General Statue 130A-335(g) provides that your hearing would be held in the county where your property is located.

Please note: If you wish to pursue a formal appeal, you must file the petition form with the Office of Administrative Hearings **WITHIN 30 DAYS OF THE DATE OF THIS LETTER.** The date of this letter is **May 28, 2021**. Meeting the 30-day deadline is critical to your right to a formal appeal. Beginning a formal appeal within 30 days will not interfere with any informal review that you might request. Do not wait for the outcome of any informal review if you wish to file a formal appeal.

If you file a petition for a contested case hearing with the Office of Administrative Hearings, you are required by law (N.C. General Statute 150B-23) to send a copy of your petition to the North Carolina Department of Environment and Natural Resources. Send the copy to: Office of General Counsel, N. C. Department of Environment and Natural Resources, 1601 Mail Service Center, Raleigh, NC. 27699-1601. Do **NOT** send the copy of the petition to your local health department. Sending a copy of your petition to the local health department will **NOT** satisfy the legal requirement in N.C. General Statute 150B-23 that you send a copy to the Office of General Counsel, NCDENR.

You may call or write the local health department if you need any additional information or assistance.

Sincerely,

Bryan Davenport, REHS
Environmental Specialist

Encl: (2)

45/9A
#12091 6 APR '21 PM 3:48

MECKLENBURG COUNTY
HEALTH DEPARTMENT

APPLICATION FOR A RESIDENTIAL SITE IMPROVEMENT PERMIT/ CONSTRUCTION AUTHORIZATION FOR AN ON-SITE WASTEWATER SYSTEM, NEW WELL INSTALLATION, OR REPAIR OF EXISTING WELL

1. **SEPTIC / TYPE APPLICATION:** ○ N/A ○ NEW SYSTEM ◉ ALTERATION ○ REPAIR ○ MODIFIED PLOT PLAN

2. **WELL / TYPE APPLICATION:** ◉ N/A ○ NEW WELL ○ MAJOR REPAIR ○ ABANDONMENT

3. **JOB LOCATION INFORMATION:**

TAX PARCEL NUMBER: 19317133
STREET ADDRESS: 11600 Idlewild Rd
CITY: Matthews
STATE: NC ZIP: 28105-1931
SUBDIVISION NAME: _____
LOT #: _____ LOT SIZE (acres): 6.91
TOWNSHIP:

◉ MECKLENBURG ○ CORNELIUS ○ HUNTERSVILLE
○ DAVIDSON ○ CHARLOTTE ○ PINEVILLE
○ MATTHEWS ○ MINT HILL

4. **BUILDING INFORMATION:**

BUILDING TYPE:

○ SINGLE MOBILE HOME ○ MODULAR HOME
○ DOUBLE WIDE ○ MULTIPLE FAMILY
◉ HOUSE ○ OTHER _____

HEATED SQUARE FOOTAGE: 5793
NUMBER OF BEDROOMS: 3
NUMBER OF OCCUPANTS: 4
FOUNDATION TYPE:

◉ CONCRETE SLAB ○ BASEMENT WITH PLUMBING
○ CRAWL SPACE ○ BASEMENT WITH NO PLUMBING

5. **IF PLANNING TO EXPAND OR ALTER THE EXISTING SEPTIC SYSTEM PLEASE COMPLETE THE FOLLOWING SECTION:** ☐ N/A

NUMBER OF BEDROOMS TO BE ADDED: 3
NUMBER OF ADDITIONAL OCCUPANTS IN THE RESIDENCE: 0

6. **WATER SUPPLY:** ◉ MUNICIPAL ○ PRIVATE WELL ○ PUBLIC WELL ○ SHARED WELL ○ OTHER _____

7. **PROPOSED USE OF WELL:** ◉ N/A ○ IRRIGATION ○ POTABLE (DRINKING WATER) ○ OTHER _____

8. **PLEASE INDICATE AND RANK DESIRED SEPTIC SYSTEM TYPE(S) IN ORDER OF PREFERENCE** *(1-MOST DESIRED 5-LEAST DESIRED)*:

☐ N/A ☑ ANY TYPE ☑ CONVENTIONAL ☐ ACCEPTED ☐ INNOVATIVE ☐ ALTERNATIVE ☐ OTHER _____

8A. **RANK:** ____ ____ ____ ____ ____

9. **DO ANY OF THE FOLLOWING APPLY TO THE PROPERTY IN QUESTION? IF "YES" PLEASE ATTACH SUPPORTING DOCUMENTATION.**

BURIED CABLES, LANDFILLS, STUMPHOLES	○ YES ◉ NO	GRADING/SOIL REMOVAL PERFORMED	○ YES ◉ NO
EXISTING WASTEWATER (SEPTIC) SYSTEMS	○ YES ◉ NO	JURISDICTIONAL WETLANDS	○ YES ◉ NO
WELLS, SPRINGS, OR WATER LINES	○ YES ◉ NO	APPROVAL REQUIRED BY ANY OTHER PUBLIC AGENCY	○ YES ◉ NO
EASEMENTS OR RIGHT-OF-WAYS	○ YES ◉ NO	WASTEWATER OTHER THAN DOMESTIC SEWAGE	○ YES ◉ NO
CHEMICAL/PETROLEUM STORAGE TANKS	○ YES ◉ NO	KNOWN UNDERGROUND CONTAMINATION	○ YES ○ NO
WASTE STORAGE	○ YES ◉ NO	GROUNDWATER USE RESTRICTIONS/VARIANCES	○ YES ◉ NO

10. **WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED?** 1988 ☐ UNKNOWN

11. **WHAT IS THE ANTICIPATED CLOSING DATE FOR THIS PROPERTY?** 2021 ☐ N/A

12. **PROPERTY OWNER:**

NAME: Jin Kyung Kim and Jeong Ae Kim
ADDRESS: 11600 Idlewild Rd
CITY: Matthews
STATE: NC ZIP: 28105-1934
WORK PHONE: _____
MOBILE PHONE: 704-234-6565
FAX: _____
E-MAIL: kimconsulting@gmail.com

13. **OWNER'S LEGAL REPRESENTATIVE, IF APPLICABLE:**

**Owner's Authorization form is required if legal representative is submitting application*

NAME: _____
ADDRESS: _____
CITY: _____
STATE: _____ ZIP: _____
WORK PHONE: _____
MOBILE PHONE: _____
FAX: _____
E-MAIL: _____

14. SEPTIC SYSTEM PERMIT APPLICATION:

If the information in this application is falsified, changed, or the site is altered, then the Improvement Permit and Authorization to Construct shall become invalid. I have read this application and certify that the information provided herein is true, complete and correct. Authorized county and state officials are granted right of entry to conduct necessary inspections to determine compliance with applicable laws and rules. I understand that I am solely responsible for the proper identification and labeling of all property lines and corners and making the site accessible so that a complete site evaluation can be performed. The permit is valid for either sixty (60) months or is non-expiring depending upon the documentation submitted: complete site plan = 60 months, complete plat = non-expiring.

JK _____ (Initial here for septic system applications)

15. WELL PERMIT APPLICATION:

If the information in this application is falsified, changed, or the site is altered, then the Well Permit shall become invalid. I have read this application and certify that the information provided herein is true, complete and correct. Authorized county and state officials are granted right of entry to conduct necessary inspections to determine compliance with applicable laws and rules. I understand that I am solely responsible for the proper identification and labeling of all property lines and corners and making the site accessible so that a complete site evaluation can be performed. The permit is valid for a period of twelve (12) months from the date of issuance.

_____ (Initial here for well applications)

16. APPLICATION SIGNATURE SECTION:

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. A proper signature is required in order to process your application. Please review the application carefully and sign in the space provided below. A PROPOSED PLOT PLAN is required to be submitted with each application.

_____ 4-6-2021
Property Owner's or Owner's Legal Representative Signature — Date

---

OFFICE USE ONLY

○ SURVEY PLAT TO SCALE SUBMITTED ○ SCALED SITE PLAN SUBMITTED ○ UN-SCALED SITE PLAN SUBMITTED

SEPTIC APPLICATION FEE RECEIVED: $ _____ DATE FEE RECEIVED: _____

WELL APPLICATION FEE RECEIVED: $ _____ DATE FEE RECEIVED: _____

APPLICATION PROCESSED BY: _____

GWS FILE NUMBER ASSIGNED: _____

APPLICATION ID NUMBER ASSIGNED: _____

COMMENTS:

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____


File #: _____

PROPOSED PLOT PLAN

A drawing showing the locations of the following items is required: existing and proposed property lines with dimensions, easements or right-of-ways, proposed building pad(s) or existing building footprint(s), all appurtenances (garage, driveway, deck, pool, etc.), location of existing or proposed well(s), location of existing or proposed sewer lines and sewage disposal systems, surface water bodies, and any aboveground or underground storage tanks. Provide names for all roads that adjoin the property.

Street Address: 11600 Idlewild Rd Matthews, NC 28105-193 Tax Parcel #: 19317133

Subdivision Name: _____ Lot #: _____



Property Owner's or Owner's Legal Representative Signature

4-6-2021
Date

PROPOSED PLOT PLAN


MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH ·

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 4519-A

TC: 193-171-33

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



1500 gal. Septic Tank
4 Trenches 100' Long ea.
Lift Station may be required

Signed: Richard Rice

Date: 7/25/88

PROPOSED PLOT PLAN


MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 4519A

TC: _____

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



Signed: Richard Rue

Date: 7/20/89

MECKLENBURG COUNTY
LAND USE AND ENVIRONMENTAL SERVICES
Payment Receipt

Receipt Information

Date: 04/06/21
Receipt #: 128149
Check / Auth #: MC 09817Z
Received By: ELLISLW

Amount: 300.00
Tendered: 300.00
Returned: 0.00

Account Information

Account #: 200000
Contractor: KIM, IL
Attn:
Address: 11600 IDLEWILD ROAD
Address:
City/State/Zip: MATTHEWS, NC 28105

Item	Description	Permit#	Quantity	Unit Price	Total Price
0706	Septic Alteration Permit 11600 IDLEWILD ROAD		1	300.00	300.00

Outstanding Balances

Month-To-Date	Prior Month	30 Days	60 Days	90 Days	Balance

Department of Environment, Health, and Natural Resources
Division of Environmental Health
On-site Wastewater Section

Sheet: 1 of 3
Property ID: 193-171-33
Lot #: NA
File #: 4519A
AppID: 12091

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Property Owner: JIN KYUNG KIM
Address: 11600 Idlewild Rd, Matthews, NC 28105
Proposed Facility: 3 Bedroom Addition to 3 Bedroom House
Design Flow (.1949): 720 GPD
Location of Site: 11600 Idlewild Rd, Matthews, NC 28105
Water Supply: [ ] Public [X] Individual [X] Well [ ] Spring [ ] Municipal
Evaluation Method: [ ] Auger Boring [X] Pit [ ] Cut
Type of Wastewater: [X] Sewage [ ] Industrial Process [ ] Mixed

Applicant: owner
Date Evaluated: 4/28/2021
Property Size: 6.1 ac
Property Recorded: Unknown

PROFILE #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941 .1941 Structure/ Texture	.1941 Consistence Mineralogy	b PROFILE FACTORS .1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	General Comments	Profile Class & LTAR	Maximum Trench Bottom Depth for 3' Wide Conventional Trench
Pit #1	LS 6%	0 - 15	Fill	NA	10YR 7/1 at 42"	15-58	NA	NA		PS IV 0.25	Install at 28"
		15 - 58	sbk C	S P FI SEXP							
Pit #2	LS 9%	0 - 20	Fill	NA	10YR 7/1 at 42"	20-41	US	NA		US	NA
		20 - 41	sbk C	S P FI SEXP							
		41 - 60	mass CL Sap	SS P FI SEXP							
Pit #3	NS 4%	0 - 12	Fill	NA	10YR 7/1 at 20"	12-18	US	NA		US	NA
		12 - 18	sbk C	S P FI SEXP							
		18 - 58	Weathered Rock w/ Saprolite								
Pit #4	LS 5%	0 - 10	gr SCL	SS SP FR SEXP	10YR 6/1 at 24"	40	US	NA		US	NA
		10 - 40	sbk/abk C	S P FI SEXP							
		40 - 60	Weathered Rock w/ Saprolite								
Pit #5	NS 5%	0 - 7	gr SCL	SS SP FR SEXP	10YR 8/1 at 46"	15	US	NA		US	NA
		7 - 15	sbk C	S P FI SEXP							
		15 - 32	mass SCL Sap	SS SP FR SEXP							
		32 - 60	mass L SAP	SS SP FR SEXP							
Pit #6	HS 10%	0 - 12	gr SCL	SS SP FR SEXP	10YR 7/1 at 12"	38	NA	NA		US	NA
		12 - 24	sbk SCL	SS SP FR SEXP							
		24 - 38	sbk C	S P FI SEXP							
Pit #7	LS 5%	0 - 10	gr SCL	SS SP FR SEXP	>64"	64	NA	NA		PS IV 0.275	36"
		10 - 64	sbk C	S P FI SEXP							

Description	Initial System	Repair System
Available Space (.1945)	US	US
System Type(s)	NA	NA
Site LTAR (gpd/sq ft)	**0.25**	**0.25**

Other Factors (.1946):
Soil Evaluation By: Jacob Presley, REHS, LSS
Others Present:
Site Classification (.1948): US
Site Evaluation By: BD
Others Present: Jacob, Autury services

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM
CONTINUED

PROFILE #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941 .1941 Structure/ Texture	.1941 Consistence Mineralogy	b PROFILE FACTORS .1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	General Comments	Profile Class & LTAR	Maximum Trench Bottom Depth for 3' Wide Conventional Trench
Pit #8	LS 5%	0 - 12	Fill	NA						**PS IV 0.25**	Install at **26 - 36"**
		12 - 16	gr SCL	SS SP FR SEXP	10YR 8/1	56	NA	NA			
		16 - 56	sbk C	S P FI SEXP	at 47"						
Pit #9	NS 5%	0 - 16	Fill	NA	10YR 6/1						
		16 - 34	gr SCL	S P FI SEXP	at 16"	16-34	US	NA		**US**	**NA**
		34 - 48	mass C	S VP FI EXP							
		48 - 64	sbk CL	SS SP FR SEXP							

COMMENTS:

Landscape Position	Group	Texture	.1955 LTAR	Structure
R-Ridge	I	S-Sand	1.2 - 0.8	sg-Single Grain
SS-Shoulder Slope		LS-Loamy Sand		mass-Massive
LS-Linear Slope				cr-Crumb
FS-Foot Slope	II	SL-Sandy Loam	0.8 - 0.6	gr-Granular
NS-Nose Slope		L-Loam		sbk-Subangular Blocky
HS-Head Slope				abk-Angular Blocky
CC-Concave Slope	III	Si-Silt	0.6 - 0.3	pl-Platy
CV-Convex Slope		SiCL-Silty Clay Loam		pr-Prismatic
T-Terrace				Sap-Saprolite
FP-Flood Plain		CL-Clay Loam		**Structure Prefixes**
D-Drainage Way		SCL-Sandy Clay Loam		w-weak
				m-moderate
		SiL-Silt Loam		s-strong
				f-fine
	IV	SC-Sandy Clay	0.4 - 0.1	m-medium
		SiC-Silty Clay		c-coarse
		C-Clay		

Consistence Moist	Consistence Wet	Mineralogy
VFR-Very Friable	SS-Slightly Sticky	SEXP-Slightly Expansive
FR-Friable	S-Sticky	EXP-Expansive
FI-Firm	VS-Very Sticky	
VFI-Very Firm	NP-Non-Plastic	**Classification**
EFI-Extremely Firm	SP-Slightly Plastic	US-Unsuitable
	P-Plastic	PS-Provisionally Suitable
	VP-Very Plastic	S-Suitable
		NA-Not Applicable

Sketch of Soil Evaluation Locations



Davenport, Bryan C.

From: Kevin Kim <kimconsulting@gmail.com>
Sent: Thursday, April 8, 2021 11:20 AM
To: Davenport, Bryan C.
Cc: Ellis, Loretta
Subject: Re: [External]Re: 11600 IDLEWILD ROAD

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Bryan and Loretta,

When I filled out the application form on Tuesday, I marked the house as having 3 bedrooms, with me wanting to add 3 additional bedrooms.

But the reality is just 2 additional bedrooms, because the room I wanted as the 6th bedroom, has always been a study because of its two glass french doors.

In terms of location, the 2 additional bedrooms are inside the house on the 2nd floor, because a while back, we converted some attic space into finished space.

So I want to update the application form to reflect that I just want to add 2 bedrooms to the existing 3 bedrooms, for a total of 5 bedrooms.

And yes Bryan, please send the soil scientist to check the soils, and please verify if there is enough drainfill for a 5 bedroom house.

I have already reached out to one of the consultants who was closest to my address, but it may be best for me to wait for Bryan to arrive next week.

I sincerely apologize for bothering the two of you; after 4 months I just want to be finished, but I am unfamiliar with the steps for this permit to be approved.

Thank you for your patience with me.

Jin Kim
11600 Idlewild Rd
Matthews, NC 28105-1931
704-234-6565

On Wed, Apr 7, 2021 at 4:01 PM Davenport, Bryan C. <Bryan.Davenport@mecklenburgcountync.gov> wrote:

> Ok. Not a problem then we will have to look at the soils and see if we have enough space to allow for 6 bedroom house.

From: Ellis, Loretta <Loretta.Ellis@mecklenburgcountync.gov>
Sent: Wednesday, April 7, 2021 3:58 PM
To: Davenport, Bryan C. <Bryan.Davenport@mecklenburgcountync.gov>; Kevin Kim <kimconsulting@gmail.com>
Subject: RE: [External]Re: 11600 IDLEWILD ROAD

This house already has 6 bedrooms but only permitted for 3.

From: Davenport, Bryan C. <Bryan.Davenport@mecklenburgcountync.gov>
Sent: Wednesday, April 7, 2021 3:55 PM
To: Kevin Kim <kimconsulting@gmail.com>
Cc: Ellis, Loretta <Loretta.Ellis@mecklenburgcountync.gov>
Subject: RE: [External]Re: 11600 IDLEWILD ROAD

To answer your questions

Are you adding bedrooms to your house or do you have a detached garage that you are turning into a bedroom. IF you are building a building that is detached from the current house. You need to have it marked on the property where the building is going. 2nd if you are adding to the house place markers or flags where the new addition will be going.

Going from a 3 bedroom to a 6 bedroom will require a lot of room for system and repair. Making that big of change to a septic system I may have to reach out to our soils scientist and have him look at the soils. Also, we will have to make sure we have enough (room) land to accommodate the new system and repair.

If the soils are bad or we do not have enough room may have to see if there are other options available. Like I said, I will get you in a timely manner and will try if things change I will try to get there sooner. You should reach out to a septic contractor as well to see what their time frame is for a new installation for a septic system.

From: Kevin Kim <kimconsulting@gmail.com>
Sent: Wednesday, April 7, 2021 3:16 PM
To: Davenport, Bryan C. <Bryan.Davenport@mecklenburgcountync.gov>
Subject: Re: [External]Re: 11600 IDLEWILD ROAD

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

What should I be doing to prepare for your visit next week?

On Wed, Apr 7, 2021 at 9:06 AM Kevin Kim <kimconsulting@gmail.com> wrote:

> Bryan,
>
> Thanks so much for your quick reply!
>
> Since next week is the earliest you could get to me, I texted Kenny Owens of Septic Environmental Solutions in Indian Trail since he's the closest.
>
> If I don't hear from him shortly, I will contact a few others on that list you kindly provided, and hopefully one of them can help me this week.
>
> Thank you again,
>
> Jin Kim
>
> 704-234-6565
>
> On Wed, Apr 7, 2021, 8:46 AM Davenport, Bryan C. <Bryan.Davenport@mecklenburgcountync.gov> wrote:
>
> > Hello!
> >
> > Attached you will find a consultants list of people who you can reach out too to see if they can get to you faster. Once I am finished helping the customers prior to your application. I will get to your application in a timely manner. Currently, we are looking at sometime next week before I can get out there. If this does not meet your time frame please reach out to a consultant.
> >
> > ---
> >
> > **From:** Kevin Kim <kimconsulting@gmail.com>
> > **Sent:** Tuesday, April 6, 2021 4:13 PM

To: Davenport, Bryan C. <Bryan.Davenport@mecklenburgcountync.gov>
Subject: [External]Re: 11600 IDLEWILD ROAD

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Bryan,

Hello!

My name is Jin Kim and I was able to get your contact info from the Environmental Health Staff page on www.mecknc.gov

I am the homeowner at 11600 Idlewild Rd Matthews NC 28105 and I just paid the $300 fee for a septic alteration permit.

I am proactively reaching out to you because I am in desperate need of a fast turn-around on the septic alteration permit.

I am hoping my current septic setup will be sufficient to allow the alteration from 3 bedrooms to 6 bedrooms.

But if not, I want to move as quickly as possible to hire a septic company to make the necessary alterations.

Please feel free to contact me via email, call, or text.

Thank you in advance for your help!

Jin Kim

704-234-6565

On Tue, Apr 6, 2021 at 4:00 PM Ellis, Loretta <Loretta.Ellis@mecklenburgcountync.gov> wrote:

Your receipt. Thank you

Loretta W. Ellis

Administrative Assistant III

Environmental Health Services

Mecklenburg County Health Department

Office 980-314-1680

Fax 704-336-6894

Email Loretta.Ellis@MecklenburgCountyNC.gov

http://Groundwater.charmeck.org

http://Meckpools.charmeck.org