Date Received 7-20-84

MECK COUNTY DEPARTMENT OF
RECEIVED
JUL 20 1984
ENVIRONMENTAL HEALTH

18962
SIR No. 220220
T. C. No. 105-142-32
Map Date 1

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Reedy Creek Baptist Church
(LAST FIRST MIDDLE)

2) ADDRESS OF OWNER P.O. Box 471 Newell N.C. ZIP 28126

3) PHONE NO. Home 537-4366 Office 336-2478


4) LOCATION OF PROPERTY 18600 Hood Rd
(STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO 105 PAGE NO. 14

6) DEED REFERENCE: DEED BOOK 4583 PAGE NO. 853

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Kenneth D. Helms
OWNER

EHD-5-74

Environmental Health Department's Copy

Date Received 7-20-84

RECEIVED
JUL 20 1984
ENVIRONMENTAL HEALTH


18962
ICAR (S) Application No 21220
T. C. No 105-142-32
Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____Yes ____No
Residence ____Yes ____No
4) No of Bedrooms _____
5) Business Use ____Max No Employees 250 members
6) Washing Machine ____Yes ✓No
7) Garbage Disposal ____Yes ✓No
8) Dishwasher ✓Yes ____No
9) Water Supply:
A) Individual Well ✓
B) Governmental System _____
C) Community System:
1 Well source _____
2 Governmental source _____
10) Sewage System
House located within 200 feet of public sewer ____Yes X No
House located within 200 feet of community sewer ____Yes X No
11) FHA Case No _____
12) VA Case No. _____

13) NAME OF OWNER [illegible] (LAST FIRST MIDDLE)
14) ADDRESS OF OWNER [illegible] Fowler NC 28126
15) PHONE NO. Home [illegible] Office 536-2493
16) LOCATION OF SYSTEM [illegible] Hood Rd (STREET OR COUNTY ROAD)
17) SUBDIVISION _____ Lot No. _____ Block No. _____
Map Book No. _____ Page No. _____
18) DEED REFERENCE — DEED BOOK 1055 AT PAGE 14
19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES _____ NO DATE RUN _____
20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

7/20/84
DATE OF APPLICATION

[signature] Hollman
OWNER

EHD-5-76

Environmental Health Department's Copy

18962

Serial No. 5785

SIR No. 21220

T. C. No. 105-182-32

Date Issued 7-25-84

Map Date L


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER (LAST) Reedy Creek Baptist Church (FIRST) (MIDDLE)

ADDRESS OF OWNER P.O. Box 471, McWell, NC ZIP 28126

LOCATION OF PROPERTY 8600 Rood Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____



This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot **provisionally Suitagle**

The permeability rate determined by the investigation was _____. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the septic system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction activities (including drilling of wells) is performed on the lot which, in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation or construction thereof and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William R. Ramsey
Soil Scientist

Environmental Health Director or
Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

18962

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 21228

T.C. NO. 105-142-32

(Ground Absorption Sewage Disposal)

OWNER: Reedy Creek Baptist Church LAT NO:
ADDRESS: P.O. Box 421 Newell N.C. 28126 LOT SIZE: Lot
LOCATION OF SITE: 3600 Heed Rd at Plaza Ext

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U — 2-3	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U — Clayey	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) U — Blocky	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) U — 40-45	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) U — None	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) U — Adequate	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IIa			
9. SITE CLASSIFICATION	P. Suitable			
10. SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by: W. B. Ramsey
Title: Soil Scientist

Date: 7-23-84

A


Building site
Cecil
2-2
Drainfield
area
Hood Rd
Plaza Road Extension

Serial No. 7707

Date Issued 7-25-84

SIR No. 18962 ~~21220~~

T. C. No. 105-142-32

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

IMPROVEMENT PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Reddy Creek Baptist Church
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER P. O. Box 471, Newell, NC ZIP 28126

LOCATION OF LOT 8600 Hood Road
(STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21220 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit (s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

William B. Ramsey
Environmental Health Director, or Authorized Section Head

EHD-S-76

Environmental Health Department's Copy

MECK COUNTY DEPARTMENT OF
RECEIVED 8-30-82
AUG 30 1982
ENVIRONMENTAL HEALTH

SIR No. 18962

T. C. No. 105-142-52

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Haney Gwin Norris
(LAST FIRST MIDDLE)

2) ADDRESS OF OWNER RT 4 455 Monroe, NC ZIP 28110

3) PHONE NO. Home 1-753-4553 Office _____

4) LOCATION OF PROPERTY Corner Plaza Road Ext. and Hood Road
(STREET OR COUNTY ROAD)


5) SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge

Note: Please send copy to Joe Connell Realty 4600 Sharon Chap 28212



7) ACCURATELY DIAGRAM & DIMENSION LOT

Haney Gwin Norris
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 4705

PTR No. 18962

T. C. No. 105-142-32

Map Date

Date Issued 9-15-82


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Haney, (LAST) Olin (FIRST) Norris (MIDDLE)

ADDRESS OF OWNER Rt. 2, Box 455, Monroe, NC ZIP 28110

LOCATION OF PROPERTY Corner Plaza Road Ext. & Hood Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO. BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. The permeability rate determined by the investigation was Provisionally Suitable. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit for installation, construction, alteration or repair of the septic tank system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of the dwelling or of the wastewater treatment system on the subject lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation and is based on the permeability rate obtained above, and on the size and type of building contemplated thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or construction (including the drilling of a well) is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable for installation. Construction, alteration or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William G. Martin
Soil Scientist

Mike Zucker
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 18962

T.C. NO. P0105-142-32

(Ground Absorption Sewage Disposal)

OWNER: Olin N. Harris
ADDRESS: Rt 2, Box 435
Mineral, N.C. 28162

PLAT NO:
LOT SIZE: Approx. 26,000 Sq. Ft.

LOCATION OF SITE: Clays Rd East of Woodlawn

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 2-8%	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) Clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	(S) PS U 40"	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	(S) PS U None	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	(S) PS U 76" to ground water	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IV A			
9. SITE CLASSIFICATION	Provisionally Suitable			
10. SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)


Recommendations/Comments:

Described by: William R. Marvin
Title: Soil Scientist

Date: 2-13-82

EHD 539 (Revised: 6/82)


Hood Rd
200'
130'
200'
Old Building Foundation
Old well 2 or
Drain Field may be present
Old Driveway
Plaza Rd. Ext.


Hood Rd
200'
130'
200'
Old Building Foundation
Old well ?
Drain Field may be present
Old Driveway
Plaza Rd. Ext.

Serial No. 4725

PTR No. 18962

T. C. No. PO 105-142-32

Date Issued 9-20-82

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Haney, (LAST) Olin (FIRST) Norris (MIDDLE)

ADDRESS OF OWNER Rt. 2, Box 455, Monroe, NC ZIP 28110

LOCATION OF PROPERTY Plaza Road Ext. & Hood Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. The permeability rate determined by the investigation was **Provisionally Suitable**. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter or repair the septic system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, and of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate as stated above, and on the size and type of building(s) constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction, including the drilling of a well, is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the newer revised laws, rules, and regulations been in effect on the issue date.

W.B. Ramsey
Soil Scientist

John R Adkisson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 18962

T.C. NO. FD 105-112-32

(Ground Absorption Sewage Disposal)

OWNER: Clu Haney
ADDRESS: R-2 Box 149 DAVIDSON
PLAT NO:
LOT SIZE: 100X200
LOCATION OF SITE: Pinewood Rd Rural Rt.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS U	S (PS) U 2 - 10	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S PS U	S (PS) U Clayey	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S PS U	S (PS) U Blocky	S PS U	S PS U
4. SOIL DEPTH (inches)	S PS U	S (PS) U 48"	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S PS U	S (PS) U None	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S PS U	S (PS) U Adequate	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP		IVa		
9. SITE CLASSIFICATION		PC.		
10. SOIL SERIES		Cecil		

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)


Recommendations/Comments: Expanded Repair 100X200 FT AREA.

Described by: W. B. Ramsey
Title: Soil Scientist

Date: 9-22-82

EHD 539 (Revised: 6/82)

✓


Hood Rd.
200
Cecil II
Plaza Rd. Ext.

18962

Serial No. 07702

Date Issued 11-19-84


ICAR(S) Permit No. 21220

T. C. No. 105-142-32

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 21220, dated 7-20-84 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 12-19-84, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PL

Liquid Capacity of Tank 1500

Tank Construction PCC

Absorption and/or Nitrification Lines:

Total Line Length 550'

Number of Lines 5

Distance from House 5'

Distance from Property Line 10

Distance from Well 100'

NAME OF OWNER Reedy Creek Baptist Church

LOCATION OF PROPERTY 8660 Hood Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

5 lines 3'X110'X12" stone

Comments: PVC pipe under driveway

Division or Section Head

D. R. Ferguson
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

C of A (s) No. 18962 / 17226

Date Issued 11-21-84 **Serial** 7117 T. C. No. 105-142-32 L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Reedy Creek Baptist Church (LAST / FIRST / MIDDLE)

Location of Property 8600 Hood Rd.

Application Number — Permit Number —

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PVC

Total Length of Drain Tile 550' Number of Lines 5

Depth of Filter Material 12" Cover Depth 12"

Water Supply Source well Distance from Water Source 100

Excavation Inspected 11-21-84 (DATE) Tank Inspected 11-21-84 (DATE)

Nitrification Field Inspected 11-21-84 (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ___ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

K R. Ferguson
Environmentalist

EHD-S-76

Environmental Health Department's Copy