Date Received 12/20/79

APT No. 16390

T. C No. C 35-142-

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER A MIGHTY FORTRESS LUTHERAN CHURCH

2) ADDRESS OF OWNER 106 McCLURE CIRCLE (LAST) CHARLOTTE (FIRST) N. C. (MIDDLE) ZIP 28216

3) PHONE NO Home 399-0360 (pastor) Office 392-6214

4) LOCATION OF PROPERTY 106 McCLURE CIRCLE (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on-site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge.

7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER David Nixon Kerr, Pastor

EHD-5-76

Environmental Health Department's Copy

S.I.R. NO. 11370

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

T.C. # A 035-14276

(Ground Absorption Sewage Disposal)

OWNER: A Mighty Fortress Lutheran church
ADDRESS: 106 McClure Circle
COUNTY: Charlotte
LOCATION OF SITE: 106 McClure Circle

DATE REQUESTED:
PLAT NO.:
LOT SIZE: Approx 2 acres irregular

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) 2-10% / PS / U	(S) 2-10% / PS / U	S / PS / U	S / PS / U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S / PS 2-1 / (U) Clay	S / PS 2-1 Clay / (U)	S / PS / U	S / PS / U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S / (PS) Massive / U	S / (PS) weak blocky / U	S / PS / U	S / PS / U
4. SOIL DEPTH (In.)	S / PS 48" / (U)	S / PS 48" / (U)	S / PS / U	S / PS / U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	(S) None / PS / U	(S) None / PS / U	S / PS / U	S / PS / U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) 70' To ground water / PS / U	S Seasonal / PS perched water table / (U)	S / PS / U	S / PS / U
7. SOIL PERMEABILITY (Percolation Rate)	S / PS U. Slow / (U)	S / PS U. Slow / (U)	S / PS / U	S / PS / U
8. OTHER (Specify)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
9. SITE CLASSIFICATION	unsuitable	unsuitable		
SOIL SERIES	Enon	Helena		

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)


Recommendations/Comments:

Described By: William A. Mullin

Title: Soil Scientist Date: 12-27-79

DHS Form 2604 (2/77)
Sanitation

2


Existing Building
Enon
Approx 200'
Helena
Approx 100'

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SITE INVESTIGATION REPORT
INDIVIDUAL SEPTIC TANK SYSTEM
WITH SUBSURFACE,
SOIL ABSORPTION,
EFFLUENT DISCHARGE

S.I.R. # 16390

T.C. # 035-142-06

DATE Dec. 27, 1979

NAME OF OWNER A Mighty Fortress Lutheran Church

ADDRESS OF OWNER 106 McClure Circle, Charlotte, NC 28216

LOCATION OF LOT 106 McClure Circle, Charlotte

As determined under the Rules and Regulations promulgated by the Commission for Health Services, Division of Health Services, North Carolina Department of Human Resources, Raleigh, North Carolina, the soils on the lot described above were found to be unsuitable for the installation of an individual septic tank - soil absorption system, due to the following reason:

Soil Structure Massive

Site Classification Unsuitable

John R Adkisson

John R. Adkisson, Environmentalist

STATE OF NORTH CAROLINA
COUNTY OF MECKLENBURG

SEPTIC TANK AGREEMENT 16396

COPY

Chairman/Building Comm.

The undersigned, Harold W. Hall, owner of property located at 106 McClure Circle, Charlotte, North Carolina, ("the site") and described in instrument recorded in Book 2568 at Page 210, Mecklenburg Public Registry, hereby acknowledges that he applied to the Department of Environmental Health for a permit to install a septic tank sewage disposal system on the site; the Department evaluated the site for suitability for such a system in accord with the regulations promulgated by the North Carolina Commission for Health Services as 10 NCAC 10A .1900 et seq; that the Department classified the site as Unsuitable and an appropriate permit was issued by the Department.

RECEIVED
MAR 11 11 25 AM '80
REGIS
MECKLENBURG

The undersigned further acknowledges that the proper design, construction and maintenance of such septic tank system is his responsibility and that neither the Department nor its officials, employees, or agents warrant or guarantee that the said system installed pursuant to the permit issued by the Department will function in a satisfactory manner for any given period of time, or that the Department, its officials, employees or agents assume any liability for damages, consequential or direct, which are caused, or which may be caused, by a malfunction of such system.

This document shall be placed on the public records of the Register of Deeds of Mecklenburg County and indexed therein under the Grantor Index in the name or names of the undersigned, and the foregoing acknowledgements shall henceforth be binding on all persons claiming any right, title, or interest in the site.

And the undersigned further agrees for himself, his heirs and assigns, that he shall idemnify and hold harmless the Department and its successors, as well as Mecklenburg County, for any damages or other claims of any person or persons whatsoever arising out of the installation, operation, or failure, of said septic tank system.

And the undersigned further agrees for his heirs and assigns that, in the event any septic tank system installed under authority of the aforesaid permit fails to perform adequately, in any respect, he will take whatever measures are required to correct same; or if such is impossible he will discontinue use of said system immediately.

Use of the singular masculine pronoun forms herein shall be deemed to also include the plural and feminine forms as the context may require.

This 30th day of January, 1980.

Harold W. Hall (Seal)

(Seal)

STATE OF NORTH CAROLINA,
COUNTY OF MECKLENBURG

I, Ruby P. Alderman, a Notary Public for said County and State, do hereby certify that Harold W. Hall, personally appeared before me this date and acknowledged the due execution of the foregoing instrument.

WITNESS my hand and notarial seal, this 30th day of January, 19 80.

Ruby P. Alderman
Notary Public

My Commission Expires: 6/1/81

STATE OF NORTH CAROLINA,
COUNTY OF MECKLENBURG

I, _____, a Notary Public for said County and State, do hereby certify that _____ personally came before me this day and acknowledged that he is _____ of _____, and that by authority duly given and as the act and deed of said corporation, the foregoing instrument was signed in its name by its _____, sealed with its corporate seal and attested by _____ as its _____.

WITNESS my hand and notarial seal, this _____ day of _____, 19 ___.

_____
Notary Public

My Commission Expires _____

Serial No. 4000

LA No 16390

Date Issued March 19, 1980

T. C. No. 035-142-06

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER A Mighty Fortress Lutheran Church
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER (Mr. Harold Hall, Chairman) 106 McClure Circle, Charlotte, NC ZIP 28216

LOCATION OF LOT 106 McClure Circle
(STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 16390. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

AGREEMENT FORM

Environmentalist

John R Atkisson
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 12/20/79

ICAR(S) Application No 16390

T C No 035-142-06


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge

The undersigned, owner of property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

Install or Construct 2) Alter or Repair on individual septic tank wastewater treatment system with subsurface soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No
Residence ___ Yes ___ No

4) No of Bedrooms ___

5) Business Use Max No Employees 50, once a week

Washing Machine ___ Yes X No

Garbage Disposal ___ Yes X No

Dishwasher ___ Yes X No

Water Supply
A) Individual Well X
B) Governmental System ___
C) Community System
1) Well source ___
2) Governmental source ___

Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No ___

12) VA Case No ___

✓ 13) NAME OF OWNER A MIGHTY FORTRESS LUTHERAN CHURCH (LAST / FIRST / MIDDLE)

✓ ADDRESS OF OWNER 106 McCLURE CIRCLE CHARLOTTE 28216

✓ PHONE NO Home 399-0360 (pastor) Office 392-6214

✓ 15) LOCATION OF SYSTEM 106 McCLURE CIRCLE (STREET OR COUNTY ROAD)

16) SUBDIVISION ___ Lot No ___ Block No ___

Map Book No ___ Page No. ___

17) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

18) HAS A SOIL INVESTIGATION BEEN RUN? YES NO DATE RUN ___

21) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

December 4, 1979
✓ DATE OF APPLICATION

✓ David Meisenheimer, Pastor
OWNER

5-6-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY


Date Issued 15 Mar 1982 Serial No. 5261 ICARUS Permit No 16390

T C No 035-142-06

Map Date —

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to Install or Construct ✓ Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption, effluent discharge as specified hereon at the described location. This permit is granted based upon the information supplied in application 16390 dated 12-4-79 and the permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 1 Apr 1982 after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate —

Septic Tank Size 1000 gal

Septic Tank Material precast

Total Line Length 330

Number of Lines 5

Distance from House 5'

Distance from Property Lines 10'

Distance from Well 100'

NAME OF OWNER A Mighty Fortress Lutheran Church

LOCATION OF PROPERTY 106 McClure Circle

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

in bed 15 x 66 x 17" E sand

Comments: —

Division or Section Head

Environmentalist John R Atkisson

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY