Date Received 7-30-73

MECK COUNTY HEALTH DEPT.
RECEIVED
JUL 30 1973
ENVIRONMENTAL HEALTH DIVISION

APT No 6764

T C No

Map Date

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER Smith (LAST), Jessie (FIRST) C (MIDDLE)

2) ADDRESS OF OWNER Rt. #1 Choate Circle, Pineville, N. C. ZIP 28134

3) PHONE NO Home 588-1410 Office


4) LOCATION OF PROPERTY Zoar Church Road (STREET OR COUNTY ROAD) County Road No. 1105

5) SUBDIVISION LOT NO BLOCK NO

MAP BOOK NO PAGE NO

6) DEED REFERENCE DEED BOOK 3417 PAGE NO. 471

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER

FORM NO E-1-9-1-72

HEALTH DEPARTMENT'S COPY

N.C.
S.C.

MECKLENBURG COUNTY HEALTH DEPARTMENT

INTER-OFFICE COMMUNICATION

DATE: August 10, 1973

TO: Luther Bridgeman
Environmentalist

FROM: W. Everette Lynn, Jr. W. E. L.
Soil Scientist

SUBJECT: Zoar Church Road
APT #6764 (Smith)

8-10-73 A percolation test was conducted and a rate of 30 min./in. was obtained. A soil investigation was also conducted. Soils on the west side of the lot were found to be much more suitable for installation of a septic tank system than the soils on the remainder of the tract. The absorption field should begin at the fourth hole from the east end of the lot and extend to the west.

Serial No. 3460

PTR No. 6764

T C No 217-041-02

Date Issued August 10, 1973

Map Date 2/14/73

Do Not Issue A Building Permit Based On This Form

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION


PERCOLATION TEST REPORT

NAME OF OWNER Smith (LAST) Jessie (FIRST) C. (MIDDLE)

ADDRESS OF OWNER Route 1, Choate Circle, Pineville, N.C. 28134

LOCATION OF PROPERTY Zoar Church Road or County Road 1105 (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO.



PLOT PLAN

This is to certify that a percolation test has been run and an on site inspection made by the Mecklenburg County Health Department on the lot described above. The said test was conducted on that portion of the lot as indicated on above plot.

The percolation rate determined by the test was 30 min/in. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Health Department prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Health Department prior to installation based on the percolation rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area where the percolation test was run.
4. This approval is void if any grading, filling, or construction (including the drilling of a well) is performed on the lot which, in the opinion of the Health Department, renders the area where the percolation test was run unsuitable for the installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina State Board of Health and the Mecklenburg County Board of Health which were in effect on the date of issuance and is void if at any time in the future, prior to the completion of the system, these laws, rules, and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

H. R. Lieberman

Director, Environmental Health Division or Authorized Section Head

FORM NO E 2 4 1-71

HEALTH DEPARTMENT'S COPY

SEE INSTRUCTIONS ON BACK

Date Received 7-30-73

ICAR(S) Application No 6764

T C No 217-041-02

Map Date 21473


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Health Department for a permit to

1) ___ Install or Construct 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) No. of Bedrooms 3

5) Business Use Yes No

Employees

6) Washing Machine Yes No

Garbage Disposal Yes No

7) Dishwasher Yes No

8) Water Supply

A) Individual Well

B) Government System

C) Community System

1) Well Owner

2) Government

Sewage System

A) Individual Septic Tank

B) Public Sewer Yes No

If public sewer, how far from property

Community Sewer Yes No

FHA Case No

VA Case No

13) NAME OF OWNER SMITH (LAST) JESSIE (FIRST) C. (MIDDLE)

14) ADDRESS OF OWNER Rt. 1, CHOATE CIRCLE, PINEVILLE, N.C. 28134

15) PHONE NO Home 588-1410 Office

16) LOCATION OF SYSTEM ZION CHURCH Rd. - County Road No. 1105
STREET OR COUNTY ROAD

17) SUBDIVISION ___ Lot No ___ Block No ___

Map Book No ___ Page No ___

18) DEED REFERENCE — DEED BOOK 3417 AT PAGE 471

19) HAS A PERCOLATION TEST BEEN RUN? ✓ YES NO DATE RUN 8-9-73 (K) 30

20) PTR NUMBER (See Instructions) 1424

The undersigned person hereby agrees that he has read the foregoing application and that the content of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

8-14-73
DATE OF APPLICATION

OWNER Jessie C. Smith

Form No. E-4-9-1-72

HEALTH DEPARTMENT'S COPY

Serial No. 3363

LA No. 6764

Date Issued August 30, 1973

T C No. 217-041-02

Map Date 2-14-73

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Smith (LAST) Jessie (FIRST) C. (MIDDLE)

ADDRESS OF OWNER Routel, Choate Circle, Pineville, N.C. ZIP 28134

LOCATION OF LOT Zoar Church Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Health Department for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the percolation test results which yielded a percolation rate of 30 min/in on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 6764. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered, and/or repaired in the same area where the percolation test was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Director, Environmental Health Division or Authorized Section Head

FORM NO E 3-4-1-71

HEALTH DEPARTMENT'S COPY

Date Issued 12/14/73

Serial No. 4720

ICAR(S) Permit No. 6764

T. C No

Map Date


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

INSTALLATION, CONSTRUCTION, ALTERATION, AND OR REPAIR PERMIT

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to X Install or Construct, Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 6764 dated 8/30/73 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 12/31/73, after which date this permit shall be null and void



PLOT OF SYSTEM

Percolation Rate 30 SOIL ANAL

Liquid Capacity of Tank 1000

Tank Construction PC

Absorption and/or Nitrification Lines:

Total Line Lenght ST 300 WM 150

Number of Lines ST 4 WM 3

Distance from House 20'

Distance from Property Line 30'

Distance from Well 150'

NAME OF OWNER Jessie C. Smith

LOCATION OF PROPERTY Tracy Ch. Rd. SR 1105

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Board of Health which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

Comments: ROCKS

JA/FW
Division or Section Head

T F Blackman
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Environmental Health Division in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

FORM NO. E 5-4-1-71

HEALTH DEPARTMENT'S COPY

Serial 4300

C of A (s) No. 6764

Date Issued 12/27/73

T. C. No. 217-641.02

CERTIFICATE OF COMPLETION

Map Date 2-14-73

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner SMITH (LAST) JESSIE (FIRST) C (MIDDLE)

Location of Property ZOAR CH RD. (# 11C9-(e))

Application Number 6764 Permit Number 6764

Inspection Date:

Liquid Capacity of Tank 1000 Tank Material P.C.

Total Length of Drain Tile ST 300 WM 150 Number of Lines ST 4 WM 3

Depth of Filter Material 17" Cover Depth 17"

Water Supply Source IND WELL Distance from Water Source 150'

Excavation Inspected 12-27-73 (DATE) Tank Inspected 12-27-73 (DATE)

Nitrification Field Inspected 12-27-73 (DATE)

Washing Machine Line Inspected, If Applicable 12-27-73 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been X installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Board of Health in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments: FINAL INSP. BY WOFFITT RUBY

L. L. Jackson

Environmentalist

FORM NO E-G-4-1-71

HEALTH DEPARTMENT'S COPY