Date Received 9-14-84

RECEIVED
[illegible] 1984
[illegible] HEALTH

SIR No. 21457

T. C. No. PO 105-153-07

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Wyttenbach (LAST) Suzanne (FIRST) Louis. (MIDDLE)

2) ADDRESS OF OWNER 336 - 3 Orchard Trace Ln. Char, NC ZIP 28213

3) PHONE NO. Home 598-5254 Office 594-7528


4) LOCATION OF PROPERTY Rocky River Church Rd. (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

6) DEED REFERENCE: DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Suzanne Louis Wyttenbach
OWNER

EHD-S-76

Environmental Health Department's Copy

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 21457

T.C. NO. 2185-153-017

(Ground Absorption Sewage Disposal)

OWNER: Suzanne T. Lightsey
ADDRESS: 3303 Orchard Trace Lane Charlotte NC 28213
PLAT NO:
LOT SIZE: Proper 27,500 sq. ft. 62
LOCATION OF SITE: Rocky Ridge Church Road

FACTORS	AREA 1, 3	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS 2-10% U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S PS clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S PS blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S PS 36-40" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S PS >40" U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S somewhat PS ground waters U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S internal PS flow U seepage	S PS U	S PS U	S PS U
8. SOIL GROUP	II II			
9. SITE CLASSIFICATION	Provisionally Suitable			
10. SOIL SERIES	Cecil-Lloyd			


S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: Suitable area may require lift pump- Area provisionally suitable size of house lot, may require pump.

Described by: William R. Martin
Title: Soil Scientist
Date: 10-24-94

HL


Rocky River Church Rd
Existing House
150'
180'
90'
Approx 120'

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SIR. NO. 21457
T.C. NO. PO 105-153-07
DATE: 10-2-84

Suzanne L. Wyttenbach
330-3 Orchard Trace Lane
Charlotte, NC 28213

RE: Property located at Rocky River Church Road

Dear Ms. Wyttenbach:

At your request, a field investigation was conducted on the property designated above. The soils on the property were found to contain a limited area of provisionally suitable soil for the installation of a ground absorption sewage disposal system. A copy of the site evaluation report is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit plot plans for the proposed construction, well, and ground absorption sewage disposal system to this office. They will be reviewed and if it is found that there is an adequate area of provisionally suitable soil to accommodate the proposed installation, an Improvements Permit will be issued by this office.

If I may be of assistance, please feel free to call.

Sincerely,

Bill D. Hardister, Jr.

Bill D. Hardister, Jr.
Environmental Health Supervisor

BDH/kbg

Enclosure

Date Received 10-3-84

RECEIVED
OCT 3 - 1984
ENVIRONMENTAL HEALTH


ICAR(S) Application No. 21457
T. C. No. 0105-153-07
Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair on individual septic tank wastewater treatment system with a subsurface, soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No
4) No of Bedrooms 3
5) Business Use — Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ✓ Yes ___ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No. ___

13) NAME OF OWNER Wyttenbach (LAST) Suzanne (FIRST) Louise (MIDDLE)

14) ADDRESS OF OWNER 330-3 Orchard Trace Ln Char. NC 28213

15) PHONE NO. Home (704) 598-3354 Office (704) 574-7528

16) LOCATION OF SYSTEM 4515 Rocky River Church Rd (STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No. _____ Page No. _____ TAX parcel #105-153-07 Rear @ 436' SW corner

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? _____ YES _____ NO DATE RUN _____

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

X 10-1-84
DATE OF APPLICATION

X Suzanne Louise Wyttenbach
OWNER

EHD-S-76

Environmental Health Department's Copy

Date Issued 11-16-84

Serial No. 7993

SIR No. 21457

T. C. No. PO 105-153-07

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

IMPROVEMENT PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Wyttenbach, (LAST) Suzzane (FIRST) Louise (MIDDLE)

ADDRESS OF OWNER 330-3 Orchard Trace Lane, Charlotte, NC ZIP 28213

LOCATION OF LOT 4518 Rocky River Church Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21457. This approval is subject to the following terms and conditions.

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Serial No. 08229

Date Issued 6/6/85


ICAR(S) Permit No. 21457

T. C. No. 105-153-07

Map Date 1

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 21457, dated 11/16/84 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 7/5/85, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1500 gal

Tank Construction RCC

Absorption and/or Nitrification Lines:

Total Line Length 400'

Number of Lines 4X100'

Distance from House 5'

Distance from Property Line 10'

Distance from Well 100'

NAME OF OWNER Wyttenbach Suzanne Louise

LOCATION OF PROPERTY 4616 Rocky River Road

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

4 Trenches 3'x 100' X12" stone with grade boards, straw as cover

Comments:

Division or Section Head

Cynthia Gloss
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

C of A (s) No. 21457

Date Issued 6-12-85 **Serial** 7606 T. C. No. 105-153-07

L CET

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner WYTENIVBACH (LAST) SUZANNE (FIRST) L (MIDDLE)

Location of Property 4518 202 KYD. RIVER RD

Application Number 21457 Permit Number 21457

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PVC

Total Length of Drain Tile 400 Number of Lines 4

Depth of Filter Material 12" Cover Depth 3'

Water Supply Source well Distance from Water Source 50'

Excavation Inspected 6-12-85 (DATE) Tank Inspected 6-12-85 (DATE)

Nitrification Field Inspected 6-12-85 (DATE)

Washing Machine Line Inspected, If Applicable ____ (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ~~__~~ installed or constructed, ~~__~~ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 1500 STGN/200 SFT, 12 G, CECIC

Kelly Randall
Environmentalist

EHD-5-76

Environmental Health Department Copy