Date Received 11/17/73 Apt. No. (S) _____ Application No. (W) 13841

T. C. No. 001-143-09 + 14
10 + 15

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER Rodgers (LAST) John (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 400 St. Swall Oaks Rd ZIP 28212

PHONE NO. Home 536-1094 Office 892-7171

LOCATION OF PROPERTY Schooner Drive (STREET OR COUNTY ROAD)

WELL CONTRACTOR Vernon Lassiter LICENSE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of ✓ individual, _____ semi public, or _____ public water supply.

11/17/73
DATE OF APPLICATION

John C. Rodgers
OWNER



ACCURATELY DIAGRAM & DIMENSION LOT

Remarks Rockridge Shores Lot #8

Application approved and permit hereby granted

Permit No. _____

Marshall Edwards
ENVIRONMENTALIST

EHD-5-76

Environmental Health Department's Copy

Date Received 3/16/78

APT No. 13729

001-143-09 -14

T. C. No. 001-143-10 15

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Rhyne (LAST) Benjamin (FIRST) Garrison (MIDDLE)

2) ADDRESS OF OWNER Rt. 1, Box 210, Davidson, N.C. ZIP 28036

3) PHONE NO. Home 892-1884 Office

4) LOCATION OF PROPERTY Off Torrence Chapel Road (2159) on road leading to Rockridge Shores Subdivision (STREET OR COUNTY ROAD)

5) SUBDIVISION LOT NO 8 BLOCK NO.

MAP BOOK NO PAGE NO

6) DEED REFERENCE DEED BOOK 3778 PAGE NO 434

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Benjamin Garrison Rhyne
OWNER

EHD-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION
(Ground Absorption Sewage Disposal)

APT 13729
PO #1-143-14
Lot 35

OWNER: Benjamin Harrison Rhyne
ADDRESS: Rt 6 Box 2K
COUNTY: Davidson N.C. 27036
LOCATION OF SITE: Johnson Rd

DATE REQUESTED: 3-16-78
PLAT NO.:
LOT SIZE: 2 acres

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 8-15% U	S PS U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) 40" PS U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	(S) None PS U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) >6' To ground water PS U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	Provisionally Suitable			
SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: William A Martin

Title: Soil Scientist Date: 3-22-78

DHS Form 2601 (2/77)
Sanitation


100'
Cecil
8-15% slope
200'
200'
100'
Schooner Dr.

Serial No. 1678

PTR No. [illegible]
P.O. 001-143-09 & 14
T C. No. -10 & 15

Date Issued 3/22/78

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Rhyne (LAST) Benjamin (FIRST) Garrison (MIDDLE)

ADDRESS OF OWNER Route 1, Box 210 Davidson, N. C. ZIP 28036

LOCATION OF PROPERTY Schooner Drive (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 8 BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot Provisionally Suitable

The permeability rate determined by the investigation was [illegible] The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit to install or construct after or repair the septic system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of building or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is valid only if any [illegible] construction including the grading of a lot is performed on the lot which is the opinion of the Mecklenburg County Department of Environmental Health [illegible] indicated as acceptable for system installation unsuitable for installation, construction, alteration and [illegible] system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future prior to completion of the system these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William A. Marlin
Soil Scientist

EHD-5-76

John R. Hickinson
Environmental Health Director or
Authorized Section Head

Environmental Health Department's Copy

Date Received 11-17-78 ICAR(S) Application No. [illegible]

T. C. No. 001-143-09+14

Map Date 12+15

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ✓ No
Residence ✓ Yes ___ No

4 No of Bedrooms 3
5 Business Use Max No Employees ___
6 Washing Machine ✓ Yes ___ No
7 Garbage Disposal ___ Yes ✓ No
8 Dishwasher ✓ Yes ___ No
9 Water Supply
A Individual Well ✓
B Governmental System ___
C Community System
1 Well source ___
2 Governmental source ___
10 Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11 FHA Case No ___
12 VA Case No ___

13) NAME OF OWNER [illegible] (LAST) John (FIRST) C. (MIDDLE)

14) ADDRESS OF OWNER [illegible]

15) PHONE NO Home [illegible] Office 892-7171 892-3[illegible]6

16) LOCATION OF SYSTEM [illegible] Dr. (STREET OR COUNTY ROAD)

17) SUBDIVISION [illegible] Lot No 8 Block No. ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 3-22-78

20) PTR NUMBER (See Instructions 13729

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

11-17-78
DATE OF APPLICATION

John C. Rodgers Jr.
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 2440

LA No. 13729

Date Issued November 17, 1978

T. C. No. 001-143-09 & 14
10 & 15

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Rodgers, John C.
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER 400 Stillwell Oaks Road ZIP

LOCATION OF LOT 19901 Schooner Drive
(STREET OR COUNTY ROAD)

SUBDIVISION Rockridge Shores LOT NO 8 BLOCK NO.

MAP BOOK NO. PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 13729. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Marshall Edwards Jr. — Environmentalist

John R Adkisson — Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 10-18-79 Serial 3320 ICAR(S) Permit No. 13729

T C No 001-143-09-14 10415

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 13729 dated 11-17-78 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 1-18-80, after which date this permit shall be null and void.



Permeability Rate PS

Liquid Capacity of Tank 1500 gallons

Tank Construction p/c conc.

Absorption and/or Nitrification Lines

Total Length 495' + 125

Number of Lines 6 + 4

Distance from House 10'

Distance from Property Line 10'

Distance from Well >50' not in yet

NAME OF OWNER Rodgers, John C.

LOCATION OF PROPERTY 19901 Schooner Drive

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning controlling or using such system from any liability resulting from the failure of the system to operate properly.

18 x 83 x 17" of stone

12 x 32 x 17 for washer

Division or Section Head

Mike Sletten
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 13729

Date Issued 2-8-80 **Serial** 3435

T C No. 001-143-09+14 / 10+15

001-146-06

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Rodgers, John C.
LAST FIRST MIDDLE

Location of Property 19901 Schooner Drive

Application Number 13729 Permit Number 13729

Inspection Data:

Liquid Capacity of Tank 1500 gallons Tank Material p/c concrete

Total Length of Drain Tile 495'+125' Number of Lines 5+3

Depth of Filter Material 17" Cover Depth 15"

Water Supply Source well Distance from Water Source not in yet

Excavation Inspected — DATE Tank Inspected 2-8-80 DATE

Nitrification Field Inspected 2-8-80 DATE

Washing Machine Line Inspected If Applicable 2-8-80 DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Mike Sexton
Environmentalist

EHD-5-76

Environmental Health Department's Copy

Date Received 11/17/77 Apt. No. (S) _____ Application No. (W) _____

T. C. No. 001-143-094 10 15

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER Rodgers (LAST) John (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 800 St. Lovell Oaks Rd. ZIP 28212

PHONE NO. Home 536-1094 Office 892-7171

LOCATION OF PROPERTY Schooner Drive (STREET OR COUNTY ROAD)

WELL CONTRACTOR Vernon Lassiter LICENSE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of ✓ individual, _____ semi public, or _____ public water supply

11/17/77
DATE OF APPLICATION

John C. Rodgers
OWNER



ACCURATELY DIAGRAM & DIMENSION LOT

Remarks Rockridge Shores Lot # 9

Application approved and permit hereby granted

Permit No. _____

Marshall Edwards
ENVIRONMENTALIST

EHD-5-76

Environmental Health Department's Copy