Date Received 8-12-83

MECK COUNTY DEPARTMENT OF
RECEIVED
AUG 12 1983
ENVIRONMENTAL HEALTH

SIR No. 19948
P.C. 007012-3

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Newton, Kenneth Warren
(LAST, FIRST, MIDDLE)

2) ADDRESS OF OWNER P.O. Box 984, Cornelius, Fuller St ZIP 28031

3) PHONE NO. Home 892-0617 Office 545-9763

4) LOCATION OF PROPERTY Fuller St. Cornelius
(STREET OR COUNTY ROAD)


5) SUBDIVISION _____ LOT NO. 3 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

6) DEED REFERENCE: DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.

Lot #3



7) ACCURATELY DIAGRAM & DIMENSION LOT

K. W. Newton
OWNER

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28208

SIR. NO. 19948
T.C. NO. PO 007-072-31
DATE: 8-30-83

Mr. Kenneth W. Newton
P. O. Box 984
Cornelius, NC 28031

Re: Property located at Field Street, Lot 3

Dear Mr. Newton:

At your request, a field investigation was conducted on the property designated above. The soils on the property were found to contain a limited area of provisionally suitable soil for the installation of a ground absorption sewage disposal system. A copy of the site evaluation report is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit plot plans for the proposed construction, well, and ground absorption sewage disposal system to this office. They will be reviewed and if it is found that there is an adequate area of provisionally suitable soil to accommodate the proposed installation, an Improvements Permit will be issued by this office.

If I may be of assistance, please feel free to call.

Sincerely,

Bill D. Hardister, Jr.
Environmental Health Supervisor

BDH/kbg

Enclosure

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 19458

T.C. NO. PO 007-072-31

(Ground Absorption Sewage Disposal)

OWNER: Kenneth W. Newton
ADDRESS: PO Box 984
Cornelius 28031
LOCATION OF SITE: Field Street
Lot 3

PLAT NO: 1
LOT SIZE: 25,275 .59

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U 2-10	S (PS) U 2-10	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U Clayey	S (PS) U Clayey	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) U Blocky	S (PS) U Blocky	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) U 36-40	S PS (U) 6-15	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) U None	S (PS) U None	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) U Adequate	S (PS) U Adequate	S PS U	S PS U
7. OTHER (Specify) Restricted Area	S PS (U)	S PS U	S PS U	S PS U
8. SOIL GROUP	IIa	IIa		
9. SITE CLASSIFICATION	U Suitable	U Suited Eroded		
10. SOIL SERIES	Cecil	Cecil		

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)


Recommendations/Comments: May Have Elevation problem

Described by: W. B. Ramsey
Title: Sanitarian

Date: 8-24-83

EHD 539 (Revised: 6/82)

1
1/


125
Ended
Cecil
2-10
5-15
210
215
Cecil
2-10
36-40
Field Street

Date Received 1-26-84

RECEIVED
JAN 27 1984
ENVIRONMENTAL HEALTH

ICAR(S) Application No. 19948

T. C. No. 007-072-3


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ___ Install or Construct 2) ___ Alter or Repair on individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes X No
Residence X Yes ___ No
4) No of Bedrooms 3
5) Business Use — Max No Employees ___
6) Washing Machine X Yes ___ No
7) Garbage Disposal X Yes ___ No
8) Dishwasher X Yes ___ No
9) Water Supply
A) Individual Well X
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes X No
House located within 200 feet of community sewer ___ Yes X No
11) FHA Case No ___
12) VA Case No. ___

13) NAME OF OWNER LATTE (LAST) IRIS (FIRST) C. (MIDDLE)

14) ADDRESS OF OWNER 9100 HARRISBURG RD

15) PHONE NO. Home 5352815 Office 391-1001

16) LOCATION OF SYSTEM 11915 FIELD ST (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. 3 Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

26 JAN 84
DATE OF APPLICATION

Iris C Latte
OWNER

EHB-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

APPLICATION FOR SOIL INVESTIGATION

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 19946

TC: 07-072-31

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: Field St

② SUBDIVISION: _____ ③ LOT: 3 ④ BLOCK: _____

⑤ PARCEL REFERENCE: BOOK NO.: _____ PAGE NO.: _____ PARCEL NO.: _____

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER


⑦ NAME: IRIS (FIRST) COLEY (MIDDLE) LATHE (LAST)

⑧ MAILING ADDRESS: 9100 HARRISBURG RD

⑨ CITY: CHARLOTTE ⑩ STATE: N.C. ⑪ ZIP: 28215

⑫ PHONE: (WORK) 5379943 (HOME) 5379943

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Iris C Lathe

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

Date: _____

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER'S COPY

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

CHARGE SLIP

Date: 1/5/90

Name/Company: Quality Services

Sanitation _____

Vector Control _____

O.P.W.D. ✓

Service: Soil
19948
1 acre

MECKLENBURG COUNTY
HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
PAID
JAN 5 1990

Fee: $ 40.00

Ck # 1914
#40.00

NOTICE:

A processing fee of $15.00 will be charged for all returned checks in accordance with N.C. General Statute 25-3-512.

Completed by

Collected by

MECKLENBURG COUNTY HEALTH DEPARTMENT
SITE EVALUATION REPORT
SERIAL NUMBER 17603

File: 14946 Action 2

Parcel: PC 007-072-31 ☐ PC

Location: Field Street

Subdivision:


Lot: 3 Block: Acres: Approx .6

Owner: Iris Lathe
Address: 9100 Harrisburg Rd.
Charltote, NC 28215

Comments: _____

Described by: William R. Meeks

Date: 2-14-90



*** EVALUATION KEY ***
S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	(S) PS U 2-10%	S PS (U) Depression	S PS (U) Complex Slope	(S) PS U 2-8%	(S) PS U 2-10%	S PS U
Texture	S (PS) U Clay	S PS U —	S PS U —	S PS (U) silty 2-1	S (PS) U Clay	S PS U
Structure	S (PS) U Blocky	S PS U —	S PS U —	S (PS) U Blocky	S (PS) U Blocky	S PS U
Drainage	S (PS) U 7-36" To Water	S PS U —	S PS U —	S (PS) U 7-36" To water	S (PS) U 7-36" To water	S PS U
Depth	S (PS) U 7-36"	S PS U —	S PS U —	S (PS) U 36"+	S PS (U) 26-30"	S PS U
Restrictive Horizons	S (PS) U 7-36"	S PS U —	S PS U —	S (PS) U 7-36"	S (PS) U 7-36"	S PS U
Available Space	S PS (U) Restricted	S PS U —	S PS U —	S PS (U) Restricted	S PS (U)	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	IV Cecil-Lilo	Depression	Complex slope-depression	IV Vance-Like Expansive Clay	IV Pacolet-Lilo	
Area Classification	S PS (U)	S PS (U)	S PS (U)	S PS (U)	S PS (U)	S PS U

Mecklenburg County
Health Department

February 15, 1990

Iris Coley Lathe
9100 Harrisburg Rd.
Charlotte, NC 28215

RE: Property located at Field St.
FILE:19948
PARCEL:07-072-31

Dear Sir:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The results of this investigation showed the property to be classified **UNSUITABLE** for the installation of such a system. A copy of the site evaluation report (Serial No. 17603) is enclosed for your information.

State regulations provide that sites originally classified unsuitable may be utilized for the installation of alternate or modified sewage disposal systems provided the requirements of 10 NCAC 10A .1948 (c) are met. A reprint of this section is enclosed for your information.

Should you desire to file for permission to install an alternate or modified sewage treatment system on the property, please submit an Application for an Improvement Permit with an accurately dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems to this office. They will be reviewed, and if it is determined that the proposed system may reasonably be expected to function satisfactorily, an Improvement Permit will be issued by the Department upon completion by you, of a formal request for lot reclassification.

If I may be of any assistance, please feel free to call.

Very truly yours,

Gene Vaughan, R.S., Supervisor
On Premises Waste Disposal & Water Supply

Enclosure (2)