MECK COUNTY
Date Received MAR 1978
ENVIRONMENTAL HEALTH

APT No. 1308
P6,
T. C. No. 219 124 03

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER BLAKLEY (LAST) BUCK (FIRST) DAWKINS (MIDDLE)

2) ADDRESS OF OWNER 2206 #4 YORKHILL DR. Charlotte ZIP 28210

3) PHONE NO. Home 527-4643 Office 377-1648


4) LOCATION OF PROPERTY BIRNAM WOOD LANE (STREET OR COUNTY ROAD)

5) SUBDIVISION ____ LOT NO ____ BLOCK NO ____

MAP BOOK NO ____ PAGE NO ____

6) DEED REFERENCE DEED BOOK ____ PAGE NO ____ (Purchased 3-7-78)

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Buck D. Blakley
OWNER

END-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

APT 13708

(Ground Absorption Sewage Disposal)

OWNER: Blakley Buck Builders
ADDRESS: 2306 #4 York Hill Dr. Char 28210
COUNTY: Meck
LOCATION OF SITE: Burnamwood Ln (off York Rd)

DATE REQUESTED: ~~13705~~ 3/9/88
PLAT NO.: PO 2-9-24-23
LOT SIZE: APT 13708 FTE

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS<20% U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	S PS >5' U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In. (Imprevious Strata, Rock)	(S) PS none noted U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) none PS noted U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) moderate U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	provisionally suitable			
SOIL SERIES				

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: Based on this investigation this lot was suitable for the installation of a septic tank system.

Described By: L.P. Bridgeman

Title: ENVIRONMENTALIST Date: 3/22/88

DHS Form 2601 (2/77)
Sanitation


363'
Prov. suitable
387
drainage
670
Birnam Wood Rd
To York Rd.

Serial No. 1686

PTR No. 13708

T C No P.O. 219-124-03

Date Issued 3/2/378

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Blakley (LAST) Buck (FIRST) Dawkins (MIDDLE)

ADDRESS OF OWNER 2206 #4 Yorkhill Drive, Charlotte, N. C. ZIP 28210

LOCATION OF PROPERTY Birnam Wood Lane (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is certify that the investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot designated above. The soil investigation was conducted on [illegible] and located on the above plot. **Provisionally Suitable**

The percolation rate determined by the investigation was [illegible] The said lot is approved for the right to install one (1) dual septic tank wastewater treatment system with subsurface, soil absorption effluent disposal subject to the following terms and conditions:

1. A plan showing the proposed location of the system and all buildings on the lot must be submitted to the Mecklenburg County Department of Environmental Health for approval before a permit for the construction of the wastewater treatment system will be issued.
2. The size of the septic tank and the length of the absorption lines are minimum requirements as determined by the Mecklenburg County Department of Environmental Health on the basis of the information contained above and on the site plan submitted, and must not be reduced thereby.
3. This approval is valid for one year from the date of issue and shall become void unless application for system installation is made prior to that date.
4. This approval is granted on the basis of the results of soil borings taken at the location indicated on the plot plan on which the Mecklenburg County Department of Environmental Health has placed its approval. Any deviation from the area designated as acceptable for the installation of the septic tank and subsurface absorption lines must be approved by the Health Department prior to installation.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future prior to the completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

L BRIDGEMAN
Soil Scientist
5-10-5-76

Environmental Health Director or
Authorized Section Head

Environmental Health Department's Copy

RECEIVED
MAY 31 19/8
ENVIRONMENTAL HEALTH


ICAR (S) Application No. 1370
T C No. 3-22-24-03
Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge



31) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___Yes ___No
Residence ✓Yes ___No
4 No of Bedrooms 3
5 Business Use Max No Employees ___
6 Washing Machine ✓Yes ___No
7 Garbage Disposal ✓Yes ___No
8 Dishwasher ✓Yes ___No
9 Water Supply
A Individual Well ✓
B Governmental System ___
C Community System
1 Well source ___
2 Governmental source ___
10 Sewage System
House located within 200 feet of public sewer ___Yes ✓No
House located within 200 feet of community sewer ___Yes ___No
11 FHA Case No ___
12 VA Case No ___

13) NAME OF OWNER Blakley (LAST) Buck (FIRST) Danthinis (MIDDLE)
14) ADDRESS OF OWNER 2206 #4 Yorkhills Dr Charlotte, NC 28210
15) PHONE NO Home 527-4643 Office 377-1648
16) LOCATION OF SYSTEM Briarwood Lane (STREET OR COUNTY ROAD)
17 SUBDIVISION ___ Lot No ___ Block No ___
Map Book No ___ Page No. ___
18) DEED REFERENCE — DEED BOOK 3700 AT PAGE 48
19 HAS A SOIL INVESTIGATION BEEN RUN? YES NO DATE RUN 3/23/78
20 PTR NUMBER (See Instructions) 13[illegible]

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

5-25-78
DATE OF APPLICATION

Buck D. Blakley
OWNER

EHD-5-76

Health Department's Copy

Date Issued 6/1/78

Serial No. 1898

LA No. [redacted]

T C. No. P.O. 219-124-03

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Blakley (LAST) Buck (FIRST) Dawkins (MIDDLE)

ADDRESS OF OWNER 2206 #4 Yorkhills Drive, Charlotte, N. C. ZIP 28210

LOCATION OF LOT Birnamwood Lane (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 13708. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

John R Adkisson

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 6/27/75

Serial No. 1741


ICAR(S) Permit No. 13708

T C No. 20-129-03

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application _____, dated _____ and this permit shall be void and of no effect if the information provided in the application is not true and pertinent. All work shall be completed on or before _____ after which date this permit shall be null and void.



PLOT OF SYSTEM

Permit by Rate P/S

Liquid Capacity of Tank 1500

Type Construction P/C Concrete

Absorption Lines or Nitrification Lines

Total Line Length 495 - 125

Number of Lines 5 - 4

Distance from House 10+

Distance from Property Line 10+

Distance from Well 100+

NAME OF OWNER Bleakley, Buck Dawkins

LOCATION OF PROPERTY Birnamwood Ln.

This permit must meet the requirements as set forth in the Regulations of the Mecklenburg County Board of Commissioners governing sewage disposal at the time of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable. If can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Comments

Environmentalist

Recommended

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued 4-2-79 **Serial No. 2459** C of A (s) No. 13708

T C No 219-124-16

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

~~CERTIFICATE OF COMPLETION~~
CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Blakley (LAST), Buck (FIRST) Dawkins (MIDDLE)

Location of Property 14910 Birnamwood Lane

Application Number 13708 Permit Number 13708

Inspection Data:

Liquid Capacity of Tank 1500 gallons Tank Material precast concrete

Total Length of Drain Tile 495'+125' Number of Lines 5+4

Depth of Filter Material 17" Cover Depth 15"

Water Supply Source well Distance from Water Source not in yet

Excavation Inspected — (DATE) Tank Inspected 4-2-79 (DATE)

Nitrification Field Inspected 4-2-79 (DATE)

Washing Machine Line Inspected, If Applicable 4-2-79 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ~~...~~ installed or constructed, ~~...~~ altered ~~...~~ repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Michael A Sexton
Environmentalist

EHD-5-76

Environmental Health Department's Copy