Date Received 3/16/79

MECK COUNTY DEPARTMENT OF
RECEIVED
MAR 12 1979
ENVIRONMENTAL HEALTH

APT No. 15252
P. O.
T. C. No. 01-14-17
Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Sixth Development Corporation
(LAST / FIRST / MIDDLE)

2) ADDRESS OF OWNER 417 Cecil Street, Charlotte, NC ZIP 28204

3) PHONE NO Home _____ Office 372-5878


4) LOCATION OF PROPERTY Bay Shore Drive
(STREET OR COUNTY ROAD)

5) SUBDIVISION Bay Shores LOT NO 10 BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER J. Wagner
Sixth Development Corp.

EHD-S-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

S.I.R. No. 15252
P.O. 01-014-017
Lot # 10

(Ground Absorption Sewage Disposal)

OWNER: State Development Corp.
ADDRESS: 417 Cecil Street
COUNTY: Charlotte N.C. 28204
LOCATION OF SITE: Bay Shore Drive

DATE REQUESTED: 3-16-79
PLAT NO.:
LOT SIZE: 19925

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-10 U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) Clayey U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 in.) (Clayey Soils)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	S (PS) >48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	S (PS) None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S (PS) Adequate U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	✓ Provisionally Suitable			
SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns)

Recommendations/Comments:

Described By: Willard B. Ramsey

Title: Soil Scientist Date: 4-5-79

dhs form 2601 (1/79)
Sanitation


N/S
Lake Set Back
4cF 1C
Cecil
2-10
N/S
Lake Shore Drive

Serial No. 2683

PTR No. 15252

T. C. No. po 001-014-17

Date Issued April 9, 1979

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Sixth Development Corp
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER 417 Cecil Street, Charlotte ZIP 28204

LOCATION OF PROPERTY Bay Shore Drive
(STREET OR COUNTY ROAD)

SUBDIVISION Bay Shores LOT NO 10 BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. The permeability rate determined by the investigation was Provisionally Suitable. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction, including the drilling of a well, is performed on the lot which, in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

Willard B. Lamey
Soil Scientist

John R. Atkisson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

R

Date Received 5/16/79

RECEIVED ON BACK
MAY 17 1979
ENVIRONMENTAL HEALTH

ICAR (S) Application No. 15252

T C. No. po 001-014-17


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) X Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes X No
5) Recreational ___ X Yes ___ No
6) No. of Bedrooms 3
7) Business Use ___ Yes ___ No
Employees ___
8) Washing Machine X Yes ___ No
9) Garbage Disposal ___ Yes X No
10) Dishwasher X Yes ___ No
11) Water Supply
a) Individual Well X
b) Government System ___
c) Community System ___
1) Well Private ___
2) Governmental source ___
12) Sewage System
House location within 200 feet of public sewer ___ Yes X No
House location within 200 feet of community sewer ___ Yes X No
13) FHA Case No. ___
14) VA Case No. ___

15) NAME OF OWNER Mady Construction Company
(LAST FIRST MIDDLE)

16) ADDRESS OF OWNER 3549 N. Sharon Amity, Suite 303, Charlotte, NC 28205

17) PHONE NO Home ___ Office 568-7740

18) LOCATION OF SYSTEM Bay Shore Drive
(STREET OR COUNTY ROAD)

19) SUBDIVISION Bay Shores Lot No. 10 Block No ___

Map Book No ___ Page No. ___

20) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

21) HAS A SOIL INVESTIGATION BEEN RUN? X YES NO DATE RUN 4/9/79

22) PTR NUMBER (See Instructions) 15252

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

5/16/79
DATE OF APPLICATION

Mady Construction by L. Schasberg
OWNER

EHD-5-76

Environmental Health Department's Copy


Date Issued 4 June 1975 Serial No. 2801 ICAR(S) Permit No. 15252

DOT C. No 001-014-1

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 15252, dated 5-16-75 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before July 1975, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate: prov suit

Liquid Capacity of Tank: 1500

Tank Construction: pre cast

Absorption and or Nitrification Lines

Total Line Length: 495 & 125

Number of Lines: 5 & 4

Distance from House: 10'

Distance from Property Line: 10'

Distance from Well: 50'

NAME OF OWNER: Mady Construction Co

LOCATION OF PROPERTY: Bay Shore Amit

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

Comments: 15'x99'x17"
12'x32'x17"

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THE SYSTEM AS APPROVED IF IT IS CONSTRUCTED WILL OPERATE PROPERLY OR RELIEVE ANY PERSON NOW OR HEREAFTER OWNING, CONTROLLING OR USING SUCH SYSTEM FROM ANY LIABILITY RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

John A. Hewson
Division or Section Head

Environmentalist

If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Serial No. 3064

LA No. 15252

Date Issued May 18, 1979

T. C. No. po 001-014-17

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Mady Construction Company
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER 3549 N. Sharon Amity, Suite 303, Charlotte 28205

LOCATION OF LOT Bay Shore Drive
(STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO 10 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 15252 This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

John R. Atkisson
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

8


Date Issued 8-9-79 Serial 3100 ICAR(S) Permit No. 15252

T. C. No. 001-019-00-04

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 15252 dated 5-16-79 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 11-9-79, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1500 gals

Tank Construction P/C

Absorption and/or Nitrification Lines:

Total Line Length 495' + 125'

Number of Lines 5 + 4

Distance from House >6'

Distance from Property Line >6'

Distance from Well 100'

NAME OF OWNER Mady Const. Co.

LOCATION OF PROPERTY 15911 Bayshore Drive

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

15' x 99' x 17"

+ 12' x 32' x 17"

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THE SYSTEM ANTICIPATED TO BE CONSTRUCTED WILL OPERATE PROPERLY OR RELIEVE ANY PERSON NOW OR HEREAFTER OWNING, CONTROLLING OR USING SUCH SYSTEM FROM ANY LIABILITY RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

Division or Section Head

Michael R. Sexton
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued 8-13-79 Serial No. 2962 C of A (s) No. 15252 ✓

T C No 001-019-00-04

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

~~CERTIFICATE OF COMPLETION~~

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Shady Construction Co.
(LAST FIRST MIDDLE)

Location of Property 15911 Bayshore Drive (lot 10)

Application Number 15252 Permit Number 15252

Inspection Data:

Liquid Capacity of Tank 1500 gallons Tank Material p/c

Total Length of Drain Tile 495' + 125' Number of Lines 5-5

Depth of Filter Material 17" Cover Depth 18"

Water Supply Source well Distance from Water Source 100'

Excavation Inspected ——— (DATE) Tank Inspected 8-13-79 (DATE)

Nitrification Field Inspected 8-13-79 (DATE)

Washing Machine Line Inspected, If Applicable 8-13-79 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Michael A. Sexton
Environmentalist

EHD-5-76

Environmental Health Department's Copy