APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

OFFICE USE ONLY:
FILE: 19914
TC: _____
SERIAL: № 11988
☑ L ☐ CRT

JOB LOCATION

① ADDRESS: 22420 (STREET NO) COUNTRY CLUB LANE (STREET) ② FILE: 19914
③ JURISDICTION: _____ ④ TAX PARCEL NO.: 001-161-39
⑤ SUBDIVISION: COUNTRY CLUB SHORES ⑥ LOT: 3 ⑦ BLOCK: _____

OWNER

⑧ NAME: WAYNE (FIRST) H (MIDDLE) ROBERTS (LAST)
⑨ MAILING ADDRESS: RT 2, Box 249,
⑩ CITY: DAVIDSON ⑪ STATE: NC ⑫ ZIP: 28036
⑬ PHONE: (WORK) 332 3158 ⑭ (HOME) 892 6842

REQUEST

This request is for a(n):

⑮ ☑ New permit
⑰ ☐ Authorization for mobile home exchange
⑯ ☐ Repair or alteration permit
⑱ ☐ Other (specify): _____

DESIGN CRITERIA

System will serve:

⑲ ☑ Residence ⑳ ☐ Mobile home
㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms? ~~4~~ 3 JJP,W
㉕ Type? _____
㉓ Maximum occupancy? 5
㉖ Maximum number of employees? _____
㉔ Basement? ☑ yes JJPW ☐ no
㉗ Maximum number of seats? _____

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☑ Individual well
B ☐ Municipal system
C ☐ Community well
D ☐ Community system

㉙ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: _____

Date: 12/4/92

IMPROVEMENT PERMIT

The undersigned an authorized agent of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

No work shall be conducted on the septic tank system until an Installation Construction Alteration and or Repair permit is issued by this Department.

This permit is not transferable and shall become null and void 36 months from the date of issuance.

Environmentalist _____ Date _____

Director or Authorized Section Head _____ Date _____

*This permit must be signed by the Director of Environmental Health or an authorized section head in order to be valid.

Date Received 8-1-83

MECK COUNTY DEPARTMENT OF
RECEIVED
AUG 01 1983
ENVIRONMENTAL HEALTH

APT No. 19914
T. C. No. 001-161-33
Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Carolina Developers, Inc.
(LAST FIRST MIDDLE)

2) ADDRESS OF OWNER 1621 East Blvd., Suite 2, Charlotte, N. C. ZIP 28203

3) PHONE NO Home _____ Office 376-3117


4) LOCATION OF PROPERTY Cul-de-sac at end of Country Club Lane
(STREET OR COUNTY ROAD)

5) SUBDIVISION Country Club Shores #6 LOT NO 3 BLOCK NO. _____

MAP BOOK NO 20 PAGE NO 247

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER

EHD-5-76

Environmental Health Department's Copy

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SIR. NO. 19914
T.C. NO. PO 001-161-33
DATE: 8-11-83

Carolina Developers, Inc.
1621 East Boulevard
Charlotte, NC 28203

Re: Property located at Country Club Lane, Lot 3

Dear Sirs:

At your request, a field investigation was conducted on the property designated above. The soils on the property were found to contain a limited area of provisionally suitable soil for the installation of a ground absorption sewage disposal system. A copy of the site evaluation report is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit plot plans for the proposed construction, well, and ground absorption sewage disposal system to this office. They will be reviewed and if it is found that there is an adequate area of provisionally suitable soil to accommodate the proposed installation, an Improvements Permit will be issued by this office.

If I may be of assistance, please feel free to call.

Sincerely,

for John R Alexander

Bill O. Hardister, Jr.
Environmental Health Supervisor

BOH/kbg

Enclosure

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 4914

T.C. NO. PC 001-161-33

(Ground Absorption Sewage Disposal)

OWNER: Carolina Developers Inc. PLAT NO: L-7 3
ADDRESS: 1621 East Blvd Suite 2 LOT SIZE: Approx 90 ac
Charlotte, N.C. 28203
LOCATION OF SITE: Treasury Club Lane

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 8-15% U	S PS — U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) Clay U	S PS — U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS — U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 30-40" U	S PS — U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S 30" (PS) U	S PS — U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S >30" To (PS) ground U water (U)	S Depression PS U	S PS U	S PS U
7. OTHER (Specify)	S Restricted PS Area (U)	S PS U	S PS U	S PS U
8. SOIL GROUP	IVA	IVA		
9. SITE CLASSIFICATION	unsuitable	unsuitable		
10. SOIL SERIES	Cecil-Like	Depression		

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)


Recommendations/Comments: _____

Described by: William A. Martin
Title: Soil Scientist

Date: 8-16-83

EHD 539 (Revised: 6/82)

1 of 5



LAKE NORMAN

DATE: 12/03/86

TO: ENVIRONMENTAL HEALTH

FROM: COUNTY ENGINEERING

EHD FILE _____ JURISDICTION CODE Meck

PARCEL NUMBER 001-161-39

ASSIGNED ADDRESS 22420 Country Club Ln

EXISTING ADDRESS _____

PROJECT NAME N/A

THE ABOVE DESCRIBED LOCATION HAS BEEN CHECKED CONCERNING:

	APPROVED	NOT APPROVED
1. SUBDIVISION REGULATIONS	☒	☐ *
2. FLOODWAY REGULATIONS	☒	☐ *
3. EROSION CONTROL REGULATIONS	☒	☐ *
4. COMMERCIAL DRAINAGE PLAN	☒	☐ *

	PRESENT	NOT PRESENT
5. PUBLIC UTILITY EASEMENT	☐ * YES	☒ NO
6. PROPERTY FRONTS ON THOROUGHFARE	☐ * YES	☒ NO
7. DRIVEWAY PERMIT REQUIRED	☐ *	☒

* If checked, further investigation will be required to determine whether a building permit may be issued by Building Standards for the site.

REMARKS: Septic / Pot.

NOTE: THIS FORM MUST BE TURNED IN AT THE CASHIERS OFFICE AT BUILDING STANDARDS WHEN PAYING PERMIT FEES.
A CERTIFICATE OF OCCUPANCY WILL NOT BE GRANTED UNTIL THE TRANSPORTATION DIVISION GRANTS FINAL APPROVAL ON DRIVEWAY(S).

SIGNED: _____

OPWEAR 02/86

PROPOSED PLOT PLAN


MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: _____

TC: _____

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



Signed: _____

Date: 12/4/81

PROPOSED PLOT PLAN


MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 19914

TC: _____

Draw in and name all roads adjoining the property. Drew in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



MECK COUNTY DEPARTMENT OF
RECEIVED
DEC 30 1986
ENVIRONMENTAL HEALTH

Signed: J. J. Peters Jr.

Date: 12-30-86

TRANSCONTINENTAL GAS PIPE LINE CORPORATION

TRANSCO TOWER

[illegible] P. O. BOX [illegible]

HOUSTON, TEXAS 77001

ADDRESS REPLY TO:

Route 2, Box 814
Mooresville, NC 28115
(704) 892-7631

August 26, 1987

Mr. Wayne H. Roberts
Route 2, Box 249
Davidson, NC [illegible]

Re: Lot No. 8, Country Club Shores

The pipe[illegible] lay a shed on Lot No. 8 in Country Club Shores [illegible] an open unrestricted easement, recorded July 19, 1954, in Deed Book 342, Page 220, Mecklenburg County, Cornelius Township, Map 20, Page 249.

Due to the open, unrestricted easement, we are giving you permission to install a septic tank drain system ten [illegible] feet from the center of our thirty-inch main line "A". The terrain of this area is sloped away from our pipe line and should not cause any damage to the pipe coating.

We request that we be notified when this system is installed. No heavy mechanical excavation is required on our easement.

Sincerely,

W. C. Burdett

W. C. Burdett
Senior Superintendent

WCB:ro

cc: Brad Lushbaugh

John Adams verified 6/13/88


[illegible] 08/25/1988

INSTALLATION INSTRUCTIONS

LE-50 Series Submersible Sump/Sewage Pumps

WARRANTY REGISTRATION

Before proceeding with installation, record the model and serial numbers on the warranty registration card and, for your records, on your sales receipt.



THE SUMP
(Ground water installations)

A sump pit 15" to 24" in diameter and 22" to 30" deep is recommended. Install at the lowest point of the basement or other area to be drained. Be sure that the floor of the pit is solid so that settling is kept to a minimum. Suitable connections for drain tile should be made as required. If the pit being used does not have an enclosed bottom, provide a hard surface on which to place the pump, such as concrete blocks or bricks. Do not place the pump on sand, earth or gravel as the pump legs may penetrate these surfaces and the abrasive materials may cause premature wear within the pump. A sump pit cover is suggested for safety and to prevent foreign objects from entering the sump.

THE SUMP
(Sewage or effluent installations)

The sump required for sewage or effluent applications must be sealed and vented to meet health and code requirements. The diameter should be at least 18" and the depth at least 24". The drain line from the fixtures being serviced is connected to a tee or double Y as shown on the side of the sump. Outdoor installations should be at sufficient depth to ensure that all plumbing is below the frost line. The cover plate should be readily accessible for regular service or cleaning.

INSTALLATION

Set the pump in place and connect the 2" piping to the discharge. Make certain that the float has adequate clearance to the side of the sump, the sump or tank cover. A union should be installed just above the cover to facilitate pump removal if necessary. A check valve is recommended next to the union to prevent the backflow of liquid or gas when the pump is turned off. A gate valve should follow the check valve to allow periodic cleaning of the check valve or removal of the pump. The remainder of the discharge line should be as short as possible with a minimum of turns to minimize friction head loss. Do not reduce the discharge to less than 2". Sewage and effluent installations require a separate sump vent. A connection is provided on the sump or cover which must be piped to the existing vent system or extended above grade with its own standpipe.

OPERATION

The LE51A and LE52A automatic pumps are equipped with two cords; one to the float control and the other to the pump motor. The motor cord has an automatic series piggyback plug enabling the pump motor to be plugged into the back of it. The purpose of this design is that in the event of a switch malfunction, the pump may still be operated manually with the float. The cords should be interconnected and plugged into a separately fused grounded outlet of 20 amp capacity (10 amp for 230V). Both cords are equipped with 3-prong plugs and must be plugged into a grounded 3 wire receptacle. Locate the receptacle at least 4' above the basement floor. DO NOT REMOVE THE PLUGS OR GROUND PRONGS. Removal of any of these will void the warranty. DO NOT USE AN EXTENSION CORD.

The turn-on level of the LE51A and LE52A is 10" to 15" above the bottom of the sump or up to 4" above the top of the pump. Turn-off level is 4" above the bottom of the sump.

The LE51M and LE52M manual pumps are the same as the LE51A and LE52A except without the switch. These are operated manually by plugging into an outlet, wiring into a separate wall switch or wiring into an alternate control device.

MAINTENANCE AND TROUBLE-SHOOTING

Always Disconnect the Pump from the Power Source Before Handling

Each unit is individually factory tested to ensure proper adjustment, operation and output. If the unit fails to operate properly, carefully re-read the instructions to see that they have been correctly followed. If operating problems persist, the following may be of assistance in identifying and correcting them.

PROBLEM	CAUSE	CORRECTION
Pump will not run	1. Blown fuse or open [illegible] protection [illegible] voltage [illegible] to the turbine [illegible] interference with the side of the sump or other obstacle 6. Defective switch	[illegible] plugged [illegible] of the "the [illegible] adequate [illegible] and position [illegible] adequate Make sure the switch is suspended [illegible] the top of the pump [illegible] replace the switch [illegible] the same routine for [illegible] [illegible] the passage
Pump will not turn off	2. [illegible] to the turbine [illegible] interference with the side of the sump or other obstacle 6. Defective switch	
Pump runs or hums but does not pump	[illegible] [illegible] [illegible] valve is closed [illegible]	[illegible] Open valve Try to locate piping [illegible]
Pump runs very quietly when [illegible] but not in use. Sewage and effluent applications	[illegible]	[illegible]
Pump cycles [illegible] excessively	[illegible] Blocked impeller [illegible] [illegible]	[illegible]

*NOTE: Liberty Pumps Inc. [illegible] Pumps Inc. or its authorized service center [illegible]

LIMITED WARRANTY

[illegible] from the date of manufacture [illegible] number noted on the [illegible]

The manufacturer [illegible] rough areas [illegible]

The [illegible] cord has been cut or [illegible] the sump [illegible]

Liberty Pumps [illegible]

[illegible] DAMAGES OF ANY AND ALL WARRANTIES ARE EXCLUDE

Liberty Pumps

[illegible]

$100.00 5/20/88 $100.00 CK# 4082 EW

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH ·

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

(OFFICE USE ONLY)

FILE: 19914

TC: PO 001-161-39

SERIAL: No 15853 ☒ L ☐ CRT

JOB LOCATION

① ADDRESS: 22351 (STREET NO) County Club Dr. (STREET) ② FILE: 19914

③ JURISDICTION: _____ ④ TAX PARCEL NO.: 001-161-39

⑤ SUBDIVISION: _____ ⑥ LOT: 3 ⑦ BLOCK: _____

OWNER

⑧ NAME: Jay (FIRST) Peterson (MIDDLE) , Wayne Roberts (LAST)

⑨ MAILING ADDRESS: Rt 2 Box 667

⑩ CITY: Mooresville ⑪ STATE: NC ⑫ ZIP: 28115

⑬ PHONE: (WORK) _____ ⑭ (HOME) 892-6892

REQUEST

This request is for a(n):

⑮ ☒ New permit ⑰ ☐ Authorization for mobile home exchange

⑯ ☐ Repair or alteration permit ⑱ ☐ Other (specify) _____

DESIGN CRITERIA

System will serve:

⑲ ☒ Residence ⑳ ☐ Mobile home ㉑ ☐ Business or place of public assembly

㉒ Number of bedrooms? 3 ㉕ Type? _____

㉓ Maximum occupancy? 4 ㉖ Maximum number of employees? _____

㉔ Basement? ☒ yes ☐ no ㉗ Maximum number of seats? _____

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☒ Individual well

B ☐ Municipal system

C ☐ Community well

D ☐ Community system

㉙ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Jay Peterson Jr.

Date: 5-20-88

IMPROVEMENT PERMIT

The undersigned, an authorized agent of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions. . . . No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and or Repair permit is issued by this Department.

This permit is not transferable, and shall become null and void 36 months from the date of issuance Micro flush toilets required - Septic System Site to be Clearly Marked - No Cutting, Filling At System Site.

Environmentalist Tinky J. Kiser RS 6/13/88 Date

Director or Authorized Section Head John K. Kiser RS 6/13/88 Date

*This permit must be signed by the Director of Environmental Health or an authorized section head in order to be valid.

PROPOSED PLOT PLAN


MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH ·

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 19914

TC: PO 001-161-38

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



Signed: Jay Peterson Jr.

Date: 5-20-88

DATE: 5/20/88

TO: ENVIRONMENTAL HEALTH

FROM: COUNTY ENGINEERING

EHD FILE _____ JURISDICTION CODE Meck

PARCEL NUMBER 001-161-39

ASSIGNED ADDRESS 22351 Country Club Ln.

EXISTING ADDRESS _____

PROJECT NAME N/A

THE ABOVE DESCRIBED LOCATION HAS BEEN CHECKED CONCERNING:

	APPROVED	NOT APPROVED
1. SUBDIVISION REGULATIONS	☐	☐ *
2. FLOODWAY REGULATIONS	☐	☐ *
3. EROSION CONTROL REGULATIONS	☐	☐ *
4. COMMERCIAL DRAINAGE PLAN	☐	☐ *

	PRESENT	NOT PRESENT
5. PUBLIC UTILITY EASEMENT	☐ * YES	☐ NO
6. PROPERTY FRONTS ON THOROUGHFARE	☐ * YES	☐ NO
7. DRIVEWAY PERMIT REQUIRED	☐ *	☐

* If checked, further investigation will be required to determine whether a building permit may be issued by Building Standards for the site.

REMARKS: Septic Tank

NOTE: THIS FORM MUST BE TURNED IN AT THE CASHIERS OFFICE AT BUILDING STANDARDS WHEN PAYING PERMIT FEES.
A CERTIFICATE OF OCCUPANCY WILL NOT BE GRANTED UNTIL THE TRANSPORTATION DIVISION GRANTS FINAL APPROVAL ON DRIVEWAY(S).

SIGNED: _____

OPWEAR 02/86

Form 100

CERTIFICATE OF COMPLETION/OPERATION PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 19914 DATE: 8/24/88 9/2/88
PO TC: 004-161-39 ☐ L ☐ CRT
SERIAL № 11342

Name of Owner Peterson, Jay, Roberts, Jay Juris.:
Address of Property 22351 Country Club Ln.

Inspection Data:

Tank Material Pre Cast
Total Length of Drainfield 405'
Number of Lines 3 @ 135'
Cover Depth 24"-36"
Water Supply Source Well
Distance to Water Source NOT IN
50' Minimum Required
Excavation Inspected 8/24/88
Tank(s) Inspected 8/24/88 9/2/88
Wash Line Inspected
High Water Alarm Inspected

PLOT

Design: 1988, 1500 St, 1000 Gal, PT, Con., 1215 SQ FT, 12" Cover CTR#

The undersigned has inspected the Septic Tank System described above, and certifies it has been
☐ installed or constructed ☐ altered or repaired
☐ in accordance with the permit issued ☐ as detailed in the plot above
and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this
☐ Certificate of Completion ☐ Operation Permit
does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS: Micro-Flush Toilets to be installed per Improvement Permit Approval
Lift Pump information on file.

Judy J. Kuiper RS
Environmentalist


Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 19914 DATE: 8/31/88
TC: PO 001-161.39 61
SERIAL № 12130

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 8/20/88. All work shall be completed on or before 9/21/88, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons
Liquid Capacity of Dosing Tank 1000 gallons
Tank Construction Pre Cast
Absorption end, or Nitrification Lines:
Trench Width 3 feet
Total Line Length 405 feet
Number of Lines 3
Depth of Stone 12 inches
Distance from House 5 feet
Distance from Property Line 10 feet
Distance from Well Not In feet
50' MINIMUM REQUIRED

NAME OF OWNER Jay Peterson Wayne Roberts
LOCATION OF PROPERTY 2235 Country Club Ln
Comments: Install 3 trenches 3' x 135' 12" Stone, Straw Cover.

Division or Section Head

Environmentalist Judy J. Kaiser R.S.

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER OR AGENTS COPY