Date Received 6-6-84

MECK COUNTY DEPARTMENT OF
RECEIVED
ENVIRO MENTAL HEALTH

SIR No. 21121
P.C. No. 107 201-07
Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Parsons (LAST) Clifford (FIRST) C. (MIDDLE)

2) ADDRESS OF OWNER 1130 Albemarle Road ZIP 28216

3) PHONE NO Home 545-6308 Office 332-8955


4) LOCATION OF PROPERTY Davidson-Concord Road (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO. 8 BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

_____
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 21121

T.C. NO. P.O. 007-201-07

(Ground Absorption Sewage Disposal)

OWNER: Clifford Parsons
ADDRESS: 11206 Albemarle Rd 28212
PLAT NO: —
LOT SIZE: 20,090 sq ft

LOCATION OF SITE: Hwy 73 East Concord Davidson Rd
Lot 3

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-6 U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U Clayey	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 36-48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) Adequate U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IVa			
9. SITE CLASSIFICATION	Pi Suitable			
10. SOIL SERIES	Cecil			


S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: —

Described by: Willard Ramsey
Title: Sanitarian

Date: 6-18-84


Lot 8
70
Cecil
2-4
150'
East 75' St

Serial No. 5702

SIR No. 21121

T. C. No. PO 007-201-07

Date Issued 6-13-07

Map Date L


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Parsons, (LAST) Clifford (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 11206 Albemarle Road, Charlotte, NC ZIP 28212

LOCATION OF PROPERTY Davidson-Concord Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO 2 BLOCK NO. _____



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. PROVISIONALLY SUITABLE The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install a septic tank system to serve the proposed structure must be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction. The construction of the wastewater treatment system on the said lot
2. The size of the septic tank wastewater treatment system and the total area to be determined by the Mecklenburg County Department of Environmental Health prior to issuance of the permit shall be in accordance with the permeability rate obtained above and of the size and type of building to be constructed thereon.
3. This approval shall only apply to the system installed in the immediate area staked as acceptable for system installation on the above plot.
4. This approval is void if any grading or change in the natural terrain occurs after the soil tests were performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable. The installation of a portion of the approved system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future prior to completion of the system these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

Soil Scientist

Bill D. Hardister Jr.
Environmental Health Director or
Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Received 6-25-84

SEE INSTRUCTIONS ON BACK

ICAR (S) Application No. 21121

T. C. No. P.O. - CC7-201-07

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



31 PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ____ No
Residence ____ Yes ____ No
4) No. of Bedrooms 3
5) Business Use — Max No. Employees ____
6) Washing Machine ____ Yes ____ No
7) Garbage Disposal ____ Yes ____ No
8) Dishwasher ____ Yes ____ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ____
C) Community System ✓
1 Well source ____
2 Governmental source ____
10) Sewage System
House located within 200 feet of public sewer ____ Yes ✓ No
House located within 200 feet of community sewer ____ Yes ✓ No
11) FHA Case No. ____
12 VA Case No. ____

13) NAME OF OWNER Clifford & Mrs. Clifford C
LAST FIRST MIDDLE

14) ADDRESS OF OWNER 11200 Ellenwick Rd

15) PHONE NO. Home 394-6308 Office 332-8958

16) LOCATION OF SYSTEM Lumlson Concord Rd 15LCC
STREET OR COUNTY ROAD

17) SUBDIVISION ____ Lot No. 2 Block No. ____

Map Book No. ____ Page No. ____

18) DEED REFERENCE — DEED BOOK 4850 AT PAGE 0360

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ____ NO DATE RUN 6-19-84

20) PTR NUMBER (See Instructions) 3121

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

6-25-84
DATE OF APPLICATION

C. Clifford & Persons
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 07403

ICAR(S) Permit No. 21121


Date Issued JULY 12 1984

T. C. No. 007-021-07

Map Date 1

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to X Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 21121, dated 6-25-84 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before Aug 15th 1984, after which date this permit shall be null and void.



PLOT OF SYSTEM DAVIDSON-CONCORD RD

Permeability Rate P.S IIA

Liquid Capacity of Tank 1500 gal

Tank Construction Pre Cast Concrete

Absorption and or Nitrification Lines

Total Line Length 300 Lin. FT.

Number of Lines 5 + 1

Distance from House 5 FT

Distance from Property Line 15 FT.

Distance from Well 560 FT.

NAME OF OWNER PARSONS, CLIFFORD

LOCATION OF PROPERTY 1560 DAVIDSON-CONCORD RD Lot # 8

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

SIX TRENCHES TO BE 50FT x 3FT x 12 inches STONE - bed or STONE COVER - grade BOS

Comments:

B Hardison
Division or Section Head

Ralph Miller
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued June 26, 1984

Serial No. 7632

SIR No. 21121

T. C. No. PJ 007-201-07

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Parsons (LAST) Clifford (FIRST) C (MIDDLE)

ADDRESS OF OWNER 11200 Albemarle Rd., Charlotte, NC ZIP 28212

LOCATION OF LOT 15600 Davidson Concord Rd. (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO 8 BLOCK NO _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21121. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Ralph Rollins
Environmentalist

David D. Hardister Jr.
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 21121

Date Issued 10-5-84 **Serial** 7013 P.C. No 007-024-07 PD L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Parsons (LAST) Clifford (FIRST) _____ (MIDDLE)

Location of Property 15600 Davidson-Concord Rd #8

Application Number —— Permit Number ——

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PCC

Total Length of Drain Tile 300 Number of Lines 6

Depth of Filter Material 12" Cover Depth 24"

Water Supply Source Comm. Distance from Water Source ——

Excavation Inspected 10-5-84 (DATE) Tank Inspected 10-5-84 (DATE)

Notification Field Inspected 10-5-84 (DATE)

Washing Machine Line Inspected, If Applicable —— (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, _____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments _____

D. R. Ferguson
Environmentalist

EHD-5-74

Environmental Health Division - Copy

APPLICATION FOR AN IMPROVEMENT PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 21121

TC: PO 007-201-07 L

MECK C... Y DEPARTMENT OF
RECEIVED
... 1989
ENVIRONMENTAL HEALTH

JOB LOCATION

① ADDRESS: 15600 (STREET NO) Davidson Concord Rd (STREET) ② FILE: Deed Book - Page

③ CITY: Meck County ④ TAX PARCEL NO.: 4850 368

⑤ SUBDIVISION: ⑥ LOT: 8 ⑦ BLOCK:

OWNER

⑧ NAME: Clifford (FIRST) Columbus (MIDDLE) Parsons (LAST)

⑨ MAILING ADDRESS: 11200 Albemarle Rd

⑩ CITY: Charlotte ⑪ STATE: N C ⑫ ZIP: 28212

⑬ PHONE: (WORK) 332-8958 ⑭ (HOME) 545-6308

REQUEST

This request is for a(n):

⑮ ☐ New installation permit ⑰ ☑ Authorization for mobile home exchange

⑯ ☐ Repair or alteration permit ⑱ ☐ Other (specify)

DESIGN CRITERIA


System will serve:

⑲ ☐ Residence ⑳ ☑ Mobile home ㉑ ☐ Business or place of public assembly

㉒ Number of bedrooms? 3 ㉕ Type?

㉓ Maximum occupancy? ㉖ Maximum number of employees?

㉔ Basement? ☐ yes ☐ no ㉗ Maximum number of seats?



㉘ Accurately dimensioned plot

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☑ Individual well

B ☐ Municipal system

C ☐ Community well

D ☐ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Clifford Parsons

Date: Oct 14 85

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

APPLICATION FOR AN IMPROVEMENT PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)
FILE: 21121
TC: 60 007-20 07

RECEIVED
MAY 12
ENVIRONMENTAL HEALTH

JOB LOCATION

① ADDRESS: 15600 (STREET NO) Davidson-Concord Rd (STREET) ② FILE:
③ CITY: Mecklenburg ④ TAX PARCEL NO.: deed book 4850 page 0360
⑤ SUBDIVISION: ⑥ LOT: 8 ⑦ BLOCK:

OWNER

⑧ NAME: Clifford (FIRST) C (MIDDLE) Parsons (LAST)
⑨ MAILING ADDRESS: 11200 Albemarle Rd
⑩ CITY: Charlotte N.C. ⑪ STATE: N.C. ⑫ ZIP: 28212
⑬ PHONE: (WORK) 332-8958 ⑭ (HOME) 545-6308

REQUEST


This request is for a(n):

⑮ ☐ New installation permit
⑰ ☑ Authorization for mobile home exchange
⑯ ☐ Repair or alteration permit
⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☐ Residence ⑳ ☑ Mobile home
㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms?
㉕ Type?
㉓ Maximum occupancy?
㉖ Maximum number of employees?
㉔ Basement? ☐ yes ☐ no
㉗ Maximum number of seats?



㉘ Accurately dimensioned plot Highway 73

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☐ Individual well
B ☐ Municipal system
C ☐ Community well
D ☐ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: C. Clifford C Parsons
Date: May 12, 1986

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

Date Issued 10-21-85

Serial No. 9009

SIR No. 21121

T. C. No. PO 007-201-07

Map Date L

CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Parsons, Clifford Columbus
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER 11200 Albemarle Rd., Charlotte ZIP 28212

LOCATION OF LOT 15600 Davidson-Concord Road, Charlotte
(STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO 8 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21121 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 5/13/86

Serial No. 9481

SIR No. 21121

T. C. No. 007-201-07 P0

Map Date L CKT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Parsons, Clifford C.
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER 11200 Albemarle Rd. ZIP 28212

LOCATION OF LOT 15600 Davidson-Concord Rd.
(STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. 8 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21121 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit. Use existing system.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-74

Environmental Health Department's Copy

L+ 8