

8125 WILLHILL RD

13707215

5/18/2007

duponbj

Groundwater and Wastewater Services File Imaging Project

May 2007

Barcode Font = IDAutomationHC39M

Type:	THH	SEWER TAP, CONTR., 4"	
Project:	[illegible]	6125 WILLARD RD	Bd. App:
Taken:	126343	BROWN, SIDNEY	Status: 0
Contact 2:			Priority: 3
Print Now:	Printer:	ADBANNER	Completion Note:
[illegible]	[illegible]		Requested Work Dt: 19-JAN-2000
[illegible]	19-JAN-2000	[illegible]	Permit:
[illegible]	19-JAN-2000	Closed By:	PBASS

[illegible]

Route | Equipment | Pgm



Queen's Printer for Ontario

Fax

From:

© Queen's Printer

MAINTENANCE INSPECTION STATEMENT

MECKLENBURG COUNTY HEALTH DEPARTMENT

Theron S. & Joan P. Brown, Jr.
8125 Willhill Road
Charlotte, NC 28227

Please Make Check Payable To:

Mecklenburg County Health Department
700 N. Tryon Street, Ste 211
Charlotte, NC 28202

Note: THIS COMPLETED FORM MUST ACCOMPANY PAYMENT!

DESCRIPTION OF PROPERTY

Name	Site Address	Tax Parcel	File #	# Bedrooms	System Type
Theron S. & Joan P. Brown, Jr.	8125 Willhill Road	137-072-15	4374A	3	IIIB

Total Amount Due: $85.00

Please use the space below, to make any corrections to property information.

Name _____

Site Address _____

_____

#Bedrooms _____

BILL INFORMATION

Billing Date	Payment Due Date
12/31/99	1/31/00

Direct Questions Concerning This Bill To ..... (704) 336-5102

☐ *Please check if you have a well.*

Make Check Payable To Mecklenburg County Health Department
Your Canceled Check Is Your Receipt

DO NOT SEND CASH

Mecklenburg County
Health Department

December 30, 1999

Theron S. and Joan P. Brown, Jr.
8125 Willhill Road
Charlotte, NC 28227

Dear Mr. and Mrs. Brown:

This letter is being sent to all home/business owners in Mecklenburg County with septic tank systems that utilize pumps. In 1990 the North Carolina Administrative Code governing septic tank systems was amended to require routine maintenance and inspection of certain septic tank systems. Research conducted on septic tank systems has shown that properly maintained systems perform better and protect the home/business owner's investment. These State rule changes required local health departments to perform additional inspections without additional resources. During the 1998-99 budget hearings, the Mecklenburg County Board of County Commissioners (BOCC) approved user fees to offset costs and to allow the local health department to comply with mandatory enforcement requirements in the State regulations.

Since you have a pump system, these new rules and fee requirements affect you. The fee is $85.00 and is due upon receipt of this notice. We will visit your property and make assessments and recommendations for the continued efficient operation of your septic tank system. In addition, if you have a well, bacterial and inorganic samples will be collected to help assess the quality of your water supply source. The process, including fee assessment, will be repeated every five (5) years. The fee amount may change in the future.

We are excited about the interest and support demonstrated by the BOCC. Past performance in this area was more enforcement oriented rather than supportive. One of our goals is to establish our department as a resource to you to aid and assist you with this and related public health concerns. The inspection program and the water analysis are important to the health of you and your family. This is a very important initiative intended to protect the public's health while improving and preserving our groundwater resources.

Your prompt fee payment will activate our inspection process. Your comments and questions regarding this matter are encouraged and welcomed.

Sincerely,

L.B. Thompson, Jr. L.S.

Larry B. Thompson, Jr., R.S., Coordinator
Managed Systems Program
Individual Water and Wastewater Systems

Enclosure

cc: Fiscal Services Manager, HMHCS

Mecklenburg County
Health Department

May 8, 1995

Mr. Theron Brown
8125 Willhill Road
Charlotte, North Carolina 28227

Dear Mr. Brown:

Re: 8125 Willhill Road
File: 4374A(Tax Parcel No. 137-072-15)

At your request an inspection was made at the above referenced property to facilitate the issuance of an Operation Permit for the Sewage Treatment and Disposal system. During the inspection it was found that the following items did not meet the regulations set forth in the "Laws and Rules for Sewage Treatment and Disposal Systems, 15A NCAC 18A .1900;.1952 Septic Tank, Dosing, Dosing Tank and Lift Station Design." Our comments follow:

1) (6) Pump and control circuits shall be provided with manual circuit disconnects within a watertight, corrosion-resistant, outside enclosure (NEMA 4X or equivalent) adjacent to the pump tank, securely mounted at least 12 inches above the finished grade. The pump(s) shall be manually operable without requiring the use of special tools or entrance into the tank for testing purposes. Conductors shall be conveyed to the disconnect enclosure through water proof, gasproof, and corrosion-resistant conduits, with no splices or junction boxes provided inside the tank. Wire grips, duct seal, or other suitable material shall be used to seal around wire and wire conduit openings inside the pump tank and disconnect enclosure.

2) (9) The pump tank shall have a properly functioning high-water alarm. The alarm circuit shall be supplied ahead of any pump overload and short circuit protective devices. The alarm shall be audible and visible by system users and weatherproof if installed outdoors in an enclosure (NEMA 4X or equivalent).

The above mentioned items must be installed and inspected prior to the Operation Permit being issued. The Operation Permit is required for the Certificate of Occupancy and the permanent electric hook-ups. Please schedule the inspections at least five (5) working days in advance to ensure no delays in the Operation Permit issuance.

Please call me at 336-5570 to discuss any question you may have concerning this matter.

Sincerely,

Philo S. Walker R.S.

Philo S. Walker, R.S.
Individual Water and Wastewater Systems

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR APPROVAL


HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON ST., SUITE 211
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 4374A DATE: 4/2018

TC: 137-072-05L

SERIAL Nº 16419

Permission is hereby given to _____ Install or Construct, ✓ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 4/20/95. All work shall be completed on or before 5/20/95, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 15A NCAC 18A. 1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Health Department before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank — gallons

Liquid Capacity of Dosing Tank 1000 gallons

Tank Construction PCC

Bed Trench Depth 3'

Absorption and/or Nitrification Lines:

Bed Trench Width 9 feet

Trench Walls Scored and Porous ✓

neighbor's well Total Line Length 200' feet

Number of Lines 3 (67')

Depth of Stone 18 inches

Distance from House 5 feet

Distance from Property Line 5 feet

Distance from Well 50' feet

NOTICE: This system shall not be installed while soils are in a wet condition.

NAME OF OWNER Theron Brown Jr

LOCATION OF PROPERTY 8125 Will Hill Rd

Comments: Cut off existing drainfield entirley. Install pump tank & Bed System 9'wd x 67'long x 18"Stone | Keep septic system >50' from well.

Phillip S. Walker R.S.
Environmental Health Specialist

WHITE - HEALTH DEPARTMENT's COPY • CANARY - E.H.S. COPY • PINK - OWNER OR AGENT's COPY

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR SERVICES

4374A

[] CRT

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr., Suite 211
700 N. Tryon St.
Charlotte, NC 28202

(704)336-5102

PERSON FILING APPLICATION:

NAME: BROWN (last) THERON (first) S (mi) JR

ADDRESS: 8125 WILLHILL RD PHONE: 704 545-5597

CITY: CHARLOTTE STATE: NC ZIPCODE: 28227

Date:

PROPERTY OWNER:

NAME: BROWN (last) THERON (first) S (mi) JR

ADDRESS: 8125 WILLHILL RD PHONE: 704 545-5597

CITY: CHARLOTTE STATE: NC ZIPCODE: 28227

PROPERTY INFORMATION (FROM ENGINEERING FORM):

TAX/PARCEL NUMBER: 137-072-15

STREET ADDRESS: 8125 Willhill Rd

ZONING:

SUBDIVISION OR MOBILE HOME PARK NAME:

Township (check one):
[] 0 Mecklenburg County [] 2 Davidson [] 4 Pineville [] 6 Huntersville
[] 1 Charlotte [] 3 Cornelius [] 5 Matthews [X] 7 Mint Hill

LOT NUMBER: LOT SIZE (in acres): 1.5

TYPE APPLICATION (check one):

[] SOIL TEST - INDIVIDUAL LOT (D)
[] NEW CONSTRUCTION ON VACANT LOT - 4 BEDROOMS OR LESS (N)
[] EXCHANGE MOBILE HOME - SAME # BEDROOMS (Y)
[] ADDITION - INCREASE ROOMS/OCCUPANCY/MOBILE HOME SIZE (A or M)
[] COMMERCIAL OR INDUSTRIAL (N)
[] SOIL TEST DEVELOPMENT (P)
[] ADDITION - GARAGE OR RENOVATION/NO MAJOR CHANGES (X)
[] MODIFIED /ALTERNATIVE/ OR RESIDENCE > 4 BEDROOMS (Z)
[X] REPAIR TO SYSTEM (R)

RESIDENTIAL PROPERTY (Type Building, check one):
[] SINGLE MOBILE HOME (S) [X] HOUSE (H) [] MULTIPLE FAMILY (U)
[] DOUBLE WIDE (D) [] MODULAR HOME (M) [] OTHER _____ (O)

NUMBER BEDROOMS: NUMBER OCCUPANTS:

SYSTEM CLASSIFICATION:

COMMERCIAL/INDUSTRIAL PROPERTY:
Type Business _____ # Employees ___ Per Shift ___ ___ ___
Industrial Wastes (Y/N) ___
Underground Storage Tanks On Property (Y/N) ___ Type _____

WATER SUPPLY (check one):
[] Community (C) [] Shared Well (S)
[] Municipal (M) [] Other 'spring' (O)
[X] Private Well (P)

FUTURE ADDITIONS - ALL PLANNED ADDITIONS MUST BE ENTERED (check all that apply):
[] Swimming Pool [] Jacuzzi [] Stable/Barn [] Workshop [] None
[] Garage [] Storage Building [] Deck/Patio [] Bedrooms [] Other

The undersigned, owner, or legal agent for the owner, of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: [signature] Date: 4-20-95

NOTICE:

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

...No work shall be conducted on the septic tank system until an installation, Construction, Alteration and/or Repair approval is granted by this Department.

...This permit is not transferable.

...

[] IMPROVEMENT PERMIT - VALID 60 MONTHS FROM ISSUANCE
[] MOBILE HOME EXCHANGE APPROVAL - VALID 6 MONTHS FROM ISSUANCE
[] ADDITION/RENOVATION APPROVAL - VALID 1 YEAR FROM ISSUANCE

Environmentalist Date

Director or Authorized Section Head Date

WWATER : 122791

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH ·

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

(OFFICE USE ONLY)
FILE: 4374A
TC: _____
SERIAL: Nº 15748 ☐ L ☐ CRT

JOB LOCATION

① ADDRESS: 8125 WILLHILL RD (STREET NO. / STREET) ② FILE: _____
③ JURISDICTION: MECK ④ TAX PARCEL NO.: 137-072-15
⑤ SUBDIVISION: WILSON WOODS ⑥ LOT: _____ ⑦ BLOCK: _____

OWNER

⑧ NAME: THERON (FIRST) SIDNEY (MIDDLE) BROWN JR (LAST)
⑨ MAILING ADDRESS: 8125 WILLHILL RD
⑩ CITY: CHARLOTTE ⑪ STATE: NC ⑫ ZIP: 28212
⑬ PHONE: (WORK) 362-8235 ⑭ (HOME) 545-5597

REQUEST

This request is for a(n):

⑮ ☐ New permit
⑯ ☒ Repair or alteration permit
⑰ ☐ Authorization for mobile home exchange
⑱ ☐ Other (specify) _____

DESIGN CRITERIA

System will serve:

⑲ ☒ Residence ⑳ ☐ Mobile home ㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms? 3 ㉕ Type? _____
㉓ Maximum occupancy? 4 ㉖ Maximum number of employees? _____
㉔ Basement? ☐ yes ☒ no ㉗ Maximum number of seats? _____

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☒ Individual well
B ☐ Municipal system
C ☐ Community well
D ☐ Community system

㉙ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: _____

Date: 3-17-88

IMPROVEMENT PERMIT

The undersigned, an authorized agent of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

. . . No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and/or Repair permit is issued by this Department.

. . . This permit is not transferable, and shall become null and void 36 months from the date of issuance.

_____ / _____
Environmentalist Date

_____ / _____
Director or Authorized Section Head Date

*This permit must be signed by the Director of Environmental Health or an authorized section head in order to be valid.