Date Received 5.4.84

SIR No. 20990

T. C. No. 001-201-05

Map Date 1978

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER MARTIN DEVELOPMENT GROUP
(LAST FIRST MIDDLE)

2) ADDRESS OF OWNER 1800 ONE TRYON CENTER CHARLOTTE, NC ZIP 28284

3) PHONE NO Home _____ Office 332-1242

4) LOCATION OF PROPERTY NORTH POINT RD.
(STREET OR COUNTY ROAD)

5) SUBDIVISION LOOKOUT POINT LOT NO. 10 BLOCK NO. _____

MAP BOOK NO. [redacted]1 PAGE NO. [redacted]20

6) DEED REFERENCE DEED BOOK N/A PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Carl J McDonald
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. [illegible]

T.C. NO. [illegible]

(Ground Absorption Sewage Disposal)

OWNER: Martin Development Group PLAT NO: [illegible]
ADDRESS: [illegible] LOT SIZE: [illegible] .77
Charlotte, N.C. [illegible]
LOCATION OF SITE: [illegible]

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S 0-12 % PS U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S Clay PS U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S Blocky PS U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S 36-48" PS U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S >36" PS U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S >48" To ground water PS U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IOA			
9. SITE CLASSIFICATION	Provisionally Suitable			
10. SOIL SERIES	Cecil Like			

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: [illegible] May require pump 36 lines

Described by: William B. Martin
Title: Soil Scientist

Date: 8-13-84


436'
Cerit Lake
80'
405
North
Point
LAKE
NORMAN

Serial No. 6223

SIR No. 20990

T C No. PO 001-201-05

Date Issued 7-31-85

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

"REVISED REPORT DUE TO LOT RECONFIGURATION"

NAME OF OWNER Martin Development Group
LAST FIRST MIDDLE

ADDRESS OF OWNER 1800 One Tryon Center, Charlotte, NC ZIP 28284

LOCATION OF PROPERTY North Point Road
STREET OR COUNTY ROAD

SUBDIVISION Lookout Point LOT NO 33 BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and on site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described [illegible] was conducted on that portion of the lot as indicated on the above plot PROVISIONALLY SUITABLE

The permeability rate determined by the investigation was [illegible] The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit [illegible] the Mecklenburg County Department of Environmental Health [illegible] wastewater treatment system [illegible]
2. The [illegible] the Mecklenburg County Department of Environmental Health [illegible] and on the [illegible]
3. [illegible] in the above plot
4. [illegible] the Mecklenburg County Department of Environmental Health [illegible] deceptive [illegible] system installation [illegible]

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new revised laws, rules and regulations been in effect on the issue date.

William A. Martin
Soil Scientist

Eric D. Hardwicke Jr.
Environmental Health Director or
Authorized Section Head

EHD-5-76

Environmental Health [illegible]

PROPOSED PLOT PLAN

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 20990

TC: 001-201-05

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



Signed: [signature]

Date:

Date Issued 5 6 86

Serial No. 09264

ICAR(S) Permit No. 20990

T C No. PO 001-201-05

Map Date ✓

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 20990, dated 9-27-85 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 6-6-86, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate IVA

Liquid Capacity of Tank 1500

Tank Construction PCC

Absorption and or Nitrification Lines

Total Line Length 400'

Number of Lines 6x67

Distance from House 5'±

Distance from Property Line 10'±

Distance from Well 100'±

NAME OF OWNER WIGHTMAN + CO.

LOCATION OF PROPERTY 16023 NORTH PT RD

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

6 line x 67' long x 3' wide x 12" stone

Comments:

[signature] Division or Section Head

Kelly Randall Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department

APPLICATION FOR AN IMPROVEMENT PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 20990

TC: P0001-201-05
L

JOB LOCATION

① ADDRESS: 16023 (STREET NO) North Point Road (STREET) ② FILE:

③ CITY: ④ TAX PARCEL NO.:

⑤ SUBDIVISION: Lockout Point ⑥ LOT: 33 ⑦ BLOCK:

OWNER

⑧ NAME: Wightman + Co. (FIRST) (MIDDLE) (LAST)

⑨ MAILING ADDRESS: 2034 Randolph Road

⑩ CITY: Charlotte ⑪ STATE: N.C. ⑫ ZIP: 28207

⑬ PHONE: (WORK) 704 334-0635 ⑭ (HOME)

REQUEST

This request is for a(n):

⑮ ☑ New installation permit ⑰ ☐ Authorization for mobile home exchange

⑯ ☐ Repair or alteration permit ⑱ ☐ Other (specify):

DESIGN CRITERIA

System will serve:

⑲ ☑ Residence ⑳ ☐ Mobile home ㉑ ☐ Business or place of public assembly

㉒ Number of bedrooms? 3 ㉕ Type? —

㉓ Maximum occupancy? ㉖ Maximum number of employees? —

㉔ Basement? ☐ yes ☑ no ㉗ Maximum number of seats? —



㉘ Accurately dimensioned plot

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☐ Individual well

B ☐ Municipal system

C ☐ Community well

D ☑ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: William B. Frang

Date: 9/27/85

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

Serial No. 9471

SIR No. 20990

Date Issued 5/2/86

T. C. No. 001-201-05 P0

Map Date CLT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Wightman & Co.
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER 2034 Randolph Rd. ZIP 28207

LOCATION OF LOT 1623 North Point Rd.
(STREET OR COUNTY ROAD)

SUBDIVISION Lookout Point LOT NO 33 BLOCK NO.

MAP BOOK NO. PAGE NO.

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit". number 20990 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-S-76

Environmental Health Department Copy

C of A (s) No. 20490

Date Issued 5-15 86 **Serial** 8582

T C No 001-204-05

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner W. [illegible] + CO.
LAST FIRST MIDDLE

Location of Property 10023 NORTH PT RD

Application Number 20490 Permit Number 20490

Inspection Date:

Liquid Capacity of Tank 1500 Tank Material PCC

Total Length of Drain Tile 533' Number of Lines 7 x 77'

Depth of Filter Material 12" Cover Depth 1'

Water Supply Source Commonwealth Distance from Water Source 100'+

Excavation Inspected 5-15 86 DATE Tank Inspected 5-15 86 DATE

Nitrification Field Inspected 5-15 86 DATE

Washing Machine Line Inspected, If Applicable DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments [illegible]

[signature]
Environmentalist

EHD-5-76