Date Received 10-10-83

MECK C Y DEPARTMENT OF
RECEIVED
OCT 10 1983
ENVIRONMENTAL HEALTH

SIR No 20077

T. C. No 019-094-37

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Earl W. & Mrs Cochran Jr.
LAST FIRST MIDDLE

2) ADDRESS OF OWNER Rt 1 Box 460 Huntersville NC ZIP 28078

3) PHONE NO. Home 875-6312 Office


4) LOCATION OF PROPERTY 12922 Church St
STREET OR COUNTY ROAD

5) SUBDIVISION LOT NO. BLOCK NO.

MAP BOOK NO PAGE NO.

6) DEED REFERENCE DEED BOOK 3051 PAGE NO. 602

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Mr. & Mrs Adam E. Cochran
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Received 10-10-93

MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH — SEE INSTRUCTIONS ON BACK — RECEIVED — OCT 10 1993 — ENVIRONMENTAL HEALTH

ICAR (S) Application No. 20077

T. C. No. 019-094-37


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to.

1) ✓ Install or Construct 2) ✗ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___Yes ___No
Residence ✓Yes ___No

4) No of Bedrooms 3
5) Business Use — Max No Employees ___
6) Washing Machine ___Yes ✓No
7) Garbage Disposal ___Yes ✓No
8) Dishwasher ___Yes ✓No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___Yes ✓No
House located within 200 feet of community sewer ___Yes ✓No
11) FHA Case No ___
12 VA Case No. ___

13) NAME OF OWNER Boot Mr & Mrs Adam L. (LAST FIRST MIDDLE)

14) ADDRESS OF OWNER 21 Box [illegible] Huntersville NC 2[illegible]

15) PHONE NO. Home [illegible] Office ___

16) LOCATION OF SYSTEM [illegible] Church St 12922 (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ ✓NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

10-10-93
DATE OF APPLICATION

Mr & Mrs Adam L. Boot
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20077

T.C. NO. 019-094-37

(Ground Absorption Sewage Disposal)

OWNER: Adam Bost
ADDRESS: R-1 Box 460 Huntersville, N.C. 28078
PLAT NO:
LOT SIZE: 1.5A
LOCATION OF SITE: Side Rd off Church St

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-6 U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (More 2-1 Clay)	S (PS) Loamy U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 36-40 U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) Adequate U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IIa			
9. SITE CLASSIFICATION	Suitable			
10. SOIL SERIES	Pacolet			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: Existing House

Described by: W. B. Ramsey
Title: Sanitarian

Date: 10-17-83

EHD 539 (Revised: 6/82)



opposite Cottnelins

Serial No. 5246

SIR No. 20077

Date Issued 10-19-83

T C. No 019-094-37

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Bost, (LAST) Adam (FIRST) L. (MIDDLE)


ADDRESS OF OWNER Rt. 1, Box 460, Huntersville, NC ZIP 28078

LOCATION OF PROPERTY 12922 Church Street (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO.

Cor re 1145

115 Pull Road



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot **Provisionally Suitable**
The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit to install a privy, alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to its installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed on the recommended area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or construction is done in such a way that the drainage pattern is altered in the opinion of the Mecklenburg County Department of Environmental Health within the area indicated as acceptable for system installation unsuitable for installation, construction, alteration and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the newer revised laws, rules, and regulations been in effect on the issue date.

W. B. Ramsey
Soil Scientist

Bill D. Hawkins Jr.
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

PI 10 31 83

Serial No. 6871

SIR No. 20077

Date Issued 10-19-83

T. C. No. 019-094-37

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

IMPROVEMENT PERMIT
TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Bost, (LAST) Adam (FIRST) L. (MIDDLE)

ADDRESS OF OWNER Rt. 1, Box 460, Huntersville, NC ZIP 28078

LOCATION OF LOT 12922 Church Street (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 20077 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-S-76

Environmental Health Department's Copy


Date Issued 10-27-83 **Serial No. 6751** ICAR(S) Permit No. 20077

T C No 019-094-37

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 20077, dated 10-10-83 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 12-1-83, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1500 gal

Tank Construction p/c Concrete

Absorption and or Nutrification Lines

Total Line Length 300'

Number of Lines 4

Distance from House 5'+

Distance from Property Line 10'+

Distance from Well 50'+

NAME OF OWNER Adam L. Bost

LOCATION OF PROPERTY 12922 Church St.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

4-75' X 3' X 12" stone trenches on 9' centers

Comments: _____

Division or Section Head _____ Environmentalist _____

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

SE 11-22-83

C of A (s) No. 20077

Date Issued 22 Nov 83 **Serial** 6304 T C No 019-084-37

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Bost, Adam L.
LAST FIRST MIDDLE

Location of Property 12922 Church St.

Application Number 20077 Permit Number 20077

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PC

Total Length of Drain Tile 300' Number of Lines 4

Depth of Filter Material 12" Cover Depth 15-18"

Water Supply Source Well Distance from Water Source 250'

Excavation Inspected 22 Nov 83 DATE Tank Inspected 22 Nov 83 DATE

Nitrification Field Inspected 22 Nov 83 DATE

Washing Machine Line Inspected, If Applicable — DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, — altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 4 Trenches 3'x75'x12" 9' centers

M. L. Petty
Environmentalist

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY