Date Received 7/6/82

SIR No. 18779

T. C. No. 015-222-19

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Clyde & Edna Shankle Mont
LAST FIRST MIDDLE

2) ADDRESS OF OWNER Route 3 Box 165 E Huntersville ZIP 28078

3) PHONE NO. Home 875-2460 Office _____

4) LOCATION OF PROPERTY 7228 Gov Rose (11418)
STREET OR COUNTY ROAD

5) SUBDIVISION _____ LOT NO. ___ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent disposal.

7) ACCURATELY DIAGRAM & DIMENSION LOT

Clyde + Edna Shankle
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 4614

PTR No. 18779

T. C No. PO 015-222-19

Date Issued 7-8-82

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Shankle, Clyde & Edna
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER Rt. 3, Box 1405, Huntersville, NC ZIP 28078

LOCATION OF PROPERTY 11418 McCoy Road
(STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and percolation test was made by the Mecklenburg County Department of Environmental Health on the property described above. This investigation was conducted on that portion of the property indicated on the above plot plan.

The permeability rate determined by the investigation is Provisionally Suitable for the installation of an approved subsurface soil absorption effluent disposal system.

1. A permit must be obtained from the Mecklenburg County Department of Environmental Health before the subsurface soil absorption system is installed.
2. The location of the soil boring and test hole must be approved by the Mecklenburg County Department of Environmental Health before the system is installed.
3. This approval is valid for [illegible] from the date of issuance unless the system is installed in the above plot plan.
4. This approval is granted for the system as described above. Any change in the system must be approved by the Mecklenburg County Department of Environmental Health before the system is installed.

This approval is granted subject to the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which are in effect at the date of issuance and is valid for only time in the future or prior to completion of the system these laws and regulations are changed such that this approval would not have been granted had the new laws and regulations been in effect on the issue date.

William R. Mackey
Soil Scientist

Mike Sutton
Environmental Health Director or Authorized Soil Scientist

EHC-5-76

Environmental Health Department's Copy

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 10224

T.C. NO. PO 015-222-19

(Ground Absorption Sewage Disposal)

OWNER: Clyde & Edna Shankle
ADDRESS: Rt. 3 Box 1405 Huntersville, NC
PLAT NO:
LOT SIZE: Approx 2.2 acres
LOCATION OF SITE: McCoy Rd

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 2-6%	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	(S) PS 40" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	(S) PS None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/SEASONAL WATER (external and internal)	(S) 20-30" ground water PS U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS See Note U	S PS U	S PS U	S PS U
8. SOIL GROUP	IV A			
9. SITE CLASSIFICATION	Provisionally suitable			
10. SOIL SERIES	Cec. I			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: Drainage ditch comes through property from adjacent property - request plans for system installation

Described by: William R. Martin
Title: Soil Scientist

Date: 7-12-82

EHD 539 (Revised: 6/82)


Trailer
112'
Approx
Ditch
200
Cecil
Mabry Rd

Serial No. 5789

LA No. 18779

Date Issued 7-12-82

T. C. No. 015-222-19

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

IMPROVEMENT PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Shankle, (LAST) Clyde & Edna M. (FIRST, MIDDLE)

ADDRESS OF OWNER Rt. 3, Box 1405, Huntersville, NC ZIP 28078

LOCATION OF LOT 11418 McCoy Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption effluent discharge based on the soil investigation and on an on-site inspection of the said lot and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 18779. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Adam Wixfield
Environmentalist

Mike Sexton
Environmental Health Director or Authorized Section Head

EHD-5-7a

Environmental Health Department's Copy

Department Of Building Standards
And Code Enforcement
P. O. Box 16040
Charlotte, North Carolina 28216

To: ENVIRONMENTAL HEALTH DEPARTMENT
BLYTH BLVD.
MECKLENBURG COUNTY
CHARLOTTE, N.C.

Reference: MOBILE HOME PLACEMENT

Dear MR. SEXTON,

The parcel of land located at 11418 McCoy Rd
and further identified by tax parcel number 115-222-19
is zoned RV (RURAL).

Permitted uses in this district include: mobile homes
on individual lots.

If this office can be of further assistance, please contact us..

Very truly yours,

Sherri R. Williamson
Zoning Inspector

Date Received 5-26-82

RECEIVED
LIECK COUNTY DEPARTMENT OF
JUN 2 1982

RECEIVED
MAY 26 1982 ENVIRONMENTAL HEALTH

Application No. 18729

G No 015-222-19


LIECK COUNTY DEPARTMENT OF
Map Date RECEIVED
JUN 8 1982
ENVIRONMENTAL HEALTH

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

X 1) Install 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home X Yes ___ No
Residence ___ Yes ___ No

4) No of Bedrooms 3

5) Business Use — Max No Employees ___

6) Washing Machine ___ Yes ___ No

7) Garbage Disposal ___ Yes ___ No

8) Dishwasher ___ Yes ___ No

9) Water Supply
A Individual ___
B Governmental System ___
C Community System
1 Well source ___
2 Governmental source ___

10) Sewage System
House located within 200 feet of public sewer ___ Yes ___ No
House located within 200 feet of community sewer ___ Yes ___ No

11) FHA Case No ___

12) VA Case No ___

13) NAME OF OWNER Frankle (LAST) Clyde Edward Mack (FIRST MIDDLE)

14) ADDRESS OF OWNER Route 3 Box 1405, Huntersville 28078

15) PHONE NO Home 875-2460 Office ___

16) LOCATION OF SYSTEM 11418 McCoy Road (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No ___ Block No. ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES X ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

5/3/82
DATE OF APPLICATION

McCoy Frankle
OWNER

EHB-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued 7/26/82

Serial No. 5627


ICAR(S) Permit No. 18279

T C No. 015-222-A

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 18279, dated 5/3/82 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 8/30/82, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1000 gal

Tank Constructed of precast

Absorption and/or Subsurface Line

Total Line Length 345'

Number of Lines 4

Distance from House >10'

Distance from Property Line >10'

Distance from Well >50'

NAME OF OWNER Clyde SHINKLE

LOCATION OF PROPERTY 1141B NIC COY Road

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly or relieve any person now or hereafter owning, controlling or using such system from liability resulting from the failure of the system to operate properly.

12'X84'X12" of STONE. NO CLOSER THAN 15' TO DRAINAGE DITCH.

Comments:

Division or Section Head

Adam Wipfuld
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

C of A (s) No. 18229

Date Issued 7-19-82 Serial 5393 T. C. No. 015-22219

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Shook, Dick
LAST FIRST MIDDLE

Location of Property 11418 McCoy Rd.

Application Number 18229 Permit Number 18229

Inspection Data:

Liquid Capacity of Tank 1000 Tank Material PC

Total Length of Drain Tile 345' Number of Lines 4

Depth of Filter Material 17" Cover Depth 18"

Water Supply Source well Distance from Water Source >50'

Excavation Inspected 7-19-82 DATE Tank Inspected 7-19-82 DATE

Nitrification Field Inspected 7-19-82 DATE

Washing Machine Line Inspected, If Applicable — DATE

The undersigned has inspected the Individual Septic Tank System with subsurface soil absorption effluent discharge as described above and it has been installed or constructed altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

bed (12'184' x 17')

Environmentalist

EHD-5-76

ENVIRONMENTAL HEALTH - SUPERVISOR COPY