

12/27/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

Mecklenburg County

Health Department

Betty S. Snow, R.N., M.A.
Health Director

March 25, 1994

Crescent Resources, Inc.
P. O. Box 1003
Charlotte, NC 28214

RE: Property located on Windy Grove Road (Lot #7)
FILE: 2166B/9337A
PARCEL: ~~217-085-04~~ 113-291-01 PO

Dear Sir:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The property was found to contain a limited area of soils which were classified as PROVISIONALLY SUITABLE for such an installation. A copy of the Site Evaluation Report (Serial Number 20259) is enclosed for your information.

While this classification indicates the site is acceptable for the installation of a septic tank system, no specific system or plans have been approved. The area available for such an installation may impose limitations on the size and/or type construction permitted on the lot. Specific plan approval will be provided upon submission of an Application for an Improvement Permit with an **ACCURATELY** dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems and determination that the area is adequate to accommodate the proposed construction.

Please note that this classification may be revoked if any filling, grading or construction (including the drilling of a well) is performed on the lot which in the opinion of this department renders any area previously designated suitable for system installation, unsuitable. Furthermore, this approval may be revoked should any changes occur in the regulations under which it was granted, if such changes would have prevented its approval had they been in effect on the date of issuance.

If there are any questions concerning this matter, please contact Bill Marlin, Soil Scientist at 336-5574.

Sincerely,

Kelly Randall

Kelly Randall, R.S., Soil Scientist
Individual Water and Wastewater Systems

Enclosure

MECKLENBURG COUNTY HEALTH DEPARTMENT
SITE EVALUATION REPORT
SERIAL NUMBER 20259

File: 21660/ 9337A Action 1

Parcel: PO 113-291-01 ☐ PC

Location: Windy Grove Rd

Subdivision:


Lot: 7 Block: Acres: .65±

Owner: Crescent Resources, Inc.
Address: PO Box 1003
Charlotte, N.C. 28214

Comments: 100% Repair, 3 gal/ft/day LTAR, additional area possibly available on rear

Described by: William R. Mauldin

Date: 3-23-94



*** EVALUATION KEY ***

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	(S) PS U 2-10%	S PS (U) complex slopes	S PS U	S PS U	S PS U	S PS U
Texture	S (PS) U slightly Expansive clay	S PS U —	S PS U	S PS U	S PS U	S PS U
Structure	S (PS) U Blocky subt	S PS U —	S PS U	S PS U	S PS U	S PS U
Drainage	S (PS) U 73" to mottle	S PS U	S PS U	S PS U	S PS U	S PS U
Depth	S (PS) U 73"	S PS U	S PS U	S PS U	S PS U	S PS U
Restrictive Horizons	S (PS) U 73"	S PS U	S PS U	S PS U	S PS U	S PS U
Available Space	S (PS) U	S PS U	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	IV Cecil-Like	complex slopes				
Area Classification	S (PS) U	S PS (U)	S PS U	S PS U	S PS U	S PS U

Pd #50 2/3/94 #270

[] CRT

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR SERVICES

216B/9337A

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr., Suite 211
700 N. Tryon St.
Charlotte, NC 28202

(704)336-5102

PERSON FILING APPLICATION:
NAME: Perry (last) Daniel (first) H. (mi)
ADDRESS: 8620 Wilkinson Blvd PHONE: (704) 3946319
CITY: Charlotte STATE: NC ZIPCODE: 28214

Date: Feb 3 1994

PROPERTY OWNER:
NAME: Crown Restorations Inc Pon-Boat-Up (last) (first) (mi)
ADDRESS: PO-Box 1003 PHONE: 704 382 1362
CITY: Charlotte STATE: NC ZIPCODE: 28214

PROPERTY INFORMATION (FROM ENGINEERING FORM):
TAX/PARCEL NUMBER: pre 113-291-01
STREET ADDRESS: Windy Grove Rd Charlotte Co
ZONING:

SUBDIVISION OR MOBILE HOME PARK NAME:

Township (check one):
[X] 0 Mecklenburg County [] 2 Davidson [] 4 Pineville [] 6 Huntersville
[] 1 Charlotte [] 3 Cornelius [] 5 Matthews [] 7 Mint Hill

LOT NUMBER: 17 LOT SIZE (in acres): 3.36

TYPE APPLICATION (check one):
[X] SOIL TEST - INDIVIDUAL LOT (D)
[] NEW CONSTRUCTION ON VACANT LOT - 4 BEDROOMS OR LESS (N)
[] EXCHANGE MOBILE HOME - SAME # BEDROOMS (Y)
[] ADDITION - INCREASE ROOMS/OCCUPANCY/MOBILE HOME SIZE (A or M)
[] COMMERCIAL OR INDUSTRIAL (N)
[] SOIL TEST DEVELOPMENT (P)
[] ADDITION - GARAGE OR RENOVATION/NO MAJOR CHANGES (X)
[] MODIFIED /ALTERNATIVE/ OR RESIDENCE > 4 BEDROOMS (Z)
[] REPAIR TO SYSTEM (R)

RESIDENTIAL PROPERTY (Type Building, check one):
[] SINGLE MOBILE HOME (S) [X] HOUSE (H) [] MULTIPLE FAMILY (U)
[] DOUBLE WIDE (D) [] MODULAR HOME (M) [] OTHER _____ (O)

NUMBER BEDROOMS: NUMBER OCCUPANTS:

SYSTEM CLASSIFICATION:

COMMERCIAL/INDUSTRIAL PROPERTY:
Type Business _____ # Employees ___ Per Shift ___ ___ ___
Industrial Wastes (Y/N) ___
Underground Storage Tanks On Property (Y/N) ___ Type _____

WATER SUPPLY (check one):
[] Community (C) [] Shared Well (S)
[] Municipal (M) [] Other 'spring' (O)
[X] Private Well (P)

FUTURE ADDITIONS - ALL PLANNED ADDITIONS MUST BE ENTERED (check all that apply):
[] Swimming Pool [] Jacuzzi [] Stable/Barn [] Workshop [] None
[] Garage [] Storage Building [] Deck/Patio [] Bedrooms [] Other

The undersigned, owner, or legal agent for the owner, of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Date: Feb. 3-1994

NOTICE:

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

...No work shall be conducted on the septic tank system until an installation, Construction, Alteration and/or Repair approval is granted by this Department.

...This permit is not transferable.


...

[] IMPROVEMENT PERMIT - VALID 60 MONTHS FROM ISSUANCE
[] MOBILE HOME EXCHANGE APPROVAL - VALID 6 MONTHS FROM ISSUANCE
[] ADDITION/RENOVATION APPROVAL - VALID 1 YEAR FROM ISSUANCE

Environmentalist Date


Director or Authorized Section Head Date

WWATER : 122791


WALKER'S FERRY ROAD (S. R. 1184)
DUKE POWER COMPANY
LAKE WYLIE
LOT 8
LOT 7
LOT 6
LOT 5
LOT 4
LOT 3
LOT 2
LOT 1
LESS R/W
P.A. TO LOW
DUKE POWER ROAD (S.R. 1418)
DUKE POWER COMPANY
LAKE WYLIE
OREGON RESOURCES, INC.
LOCATION MAP NOT TO SCALE
GRAPHIC SCALE
(IN FEET)
Lucas-Forman
Incorporated
Land Surveying
Planning & Engineering
645 Pressley Road, Suite N
Charlotte, North Carolina 28217
P.O. Box 11386 28220-0386
(704) 527-6626 Fax 527-9640

ROAD
(R/W)
N. 160

BIT MAP SHOWING
ARY SUBDIVISION PLAN
OF
RESOURCES, INC. TRACT
DY GROVE ROAD
Mk, Mecklenburg County, N.C.



LINE	BEARING	LENGTH
L1	S 01°37'00" E	30.00'
L2	S 01°37'00" E	30.00'
L3	S 01°37'00" E	30.00'
L4	S 01°37'00" E	30.00'
L5	S 01°37'00" E	30.00'
L6	S 01°37'00" E	30.00'
L7	S 01°37'00" E	30.00'
L8	S 01°37'00" E	30.00'
L9	S 01°37'00" E	30.00'
L10	S 01°37'00" E	30.00'
L11	S 01°37'00" E	30.00'
L12	S 01°37'00" E	30.00'
L13	S 01°37'00" E	30.00'
L14	S 01°37'00" E	30.00'
L15	S 01°37'00" E	30.00'
L16	S 01°37'00" E	30.00'
L17	S 01°37'00" E	30.00'
L18	S 01°37'00" E	30.00'
L19	S 01°37'00" E	30.00'
L20	S 01°37'00" E	30.00'
L21	S 01°37'00" E	30.00'
L22	S 01°37'00" E	30.00'
L23	S 01°37'00" E	30.00'
L24	S 01°37'00" E	30.00'
L25	S 01°37'00" E	30.00'
L26	S 01°37'00" E	30.00'
L27	S 01°37'00" E	30.00'
L28	S 01°37'00" E	30.00'
L29	S 01°37'00" E	30.00'
L30	S 01°37'00" E	30.00'
L31	S 01°37'00" E	30.00'
L32	S 01°37'00" E	30.00'
L33	S 01°37'00" E	30.00'
L34	S 01°37'00" E	30.00'
L35	S 01°37'00" E	30.00'
L36	S 01°37'00" E	30.00'
L37	S 01°37'00" E	30.00'
L38	S 01°37'00" E	30.00'
L39	S 01°37'00" E	30.00'
L40	S 01°37'00" E	30.00'
L41	S 01°37'00" E	30.00'
L42	S 01°37'00" E	30.00'
L43	S 01°37'00" E	30.00'
L44	S 01°37'00" E	30.00'
L45	S 01°37'00" E	30.00'
L46	S 01°37'00" E	30.00'
L47	S 01°37'00" E	30.00'
L48	S 01°37'00" E	30.00'
L49	S 01°37'00" E	30.00'
L50	S 01°37'00" E	30.00'
L51	S 01°37'00" E	30.00'
L52	S 01°37'00" E	30.00'
L53	S 01°37'00" E	30.00'
L54	S 01°37'00" E	30.00'
L55	S 01°37'00" E	30.00'
L56	S 01°37'00" E	30.00'
L57	S 01°37'00" E	30.00'
L58	S 01°37'00" E	30.00'
L59	S 01°37'00" E	30.00'
L60	S 01°37'00" E	30.00'
L61	S 01°37'00" E	30.00'
L62	S 01°37'00" E	30.00'
L63	S 01°37'00" E	30.00'
L64	S 01°37'00" E	30.00'
L65	S 01°37'00" E	30.00'
L66	S 01°37'00" E	30.00'
L67	S 01°37'00" E	30.00'
L68	S 01°37'00" E	30.00'
L69	S 01°37'00" E	30.00'
L70	S 01°37'00" E	30.00'
L71	S 01°37'00" E	30.00'

CURVE	RADIUS	LENGTH
C1	1000.00'	30.00'
C2	1000.00'	30.00'
C3	1000.00'	30.00'
C4	1000.00'	30.00'
C5	1000.00'	30.00'
C6	1000.00'	30.00'
C7	1000.00'	30.00'
C8	1000.00'	30.00'
C9	1000.00'	30.00'
C10	1000.00'	30.00'
C11	1000.00'	30.00'
C12	1000.00'	30.00'
C13	1000.00'	30.00'
C14	1000.00'	30.00'
C15	1000.00'	30.00'
C16	1000.00'	30.00'
C17	1000.00'	30.00'
C18	1000.00'	30.00'
C19	1000.00'	30.00'
C20	1000.00'	30.00'
C21	1000.00'	30.00'
C22	1000.00'	30.00'
C23	1000.00'	30.00'
C24	1000.00'	30.00'
C25	1000.00'	30.00'
C26	1000.00'	30.00'
C27	1000.00'	30.00'
C28	1000.00'	30.00'
C29	1000.00'	30.00'
C30	1000.00'	30.00'
C31	1000.00'	30.00'
C32	1000.00'	30.00'
C33	1000.00'	30.00'
C34	1000.00'	30.00'
C35	1000.00'	30.00'
C36	1000.00'	30.00'
C37	1000.00'	30.00'
C38	1000.00'	30.00'
C39	1000.00'	30.00'
C40	1000.00'	30.00'
C41	1000.00'	30.00'
C42	1000.00'	30.00'
C43	1000.00'	30.00'
C44	1000.00'	30.00'
C45	1000.00'	30.00'
C46	1000.00'	30.00'
C47	1000.00'	30.00'
C48	1000.00'	30.00'
C49	1000.00'	30.00'
C50	1000.00'	30.00'
C51	1000.00'	30.00'
C52	1000.00'	30.00'
C53	1000.00'	30.00'
C54	1000.00'	30.00'
C55	1000.00'	30.00'
C56	1000.00'	30.00'
C57	1000.00'	30.00'
C58	1000.00'	30.00'
C59	1000.00'	30.00'
C60	1000.00'	30.00'
C61	1000.00'	30.00'
C62	1000.00'	30.00'
C63	1000.00'	30.00'
C64	1000.00'	30.00'
C65	1000.00'	30.00'
C66	1000.00'	30.00'
C67	1000.00'	30.00'
C68	1000.00'	30.00'
C69	1000.00'	30.00'
C70	1000.00'	30.00'
C71	1000.00'	30.00'

Lucas-Forman Incorporated
Land Surveying
Planning & Engineering
645 Pressley Road, Suite N
Charlotte, North Carolina 28217
P.O. Box 11386 28220-0386
(704) 527-6626 Fax 527-9640

EXHIBIT MAP SHOWING
PRELIMINARY SUBDIVISION PLAN
OF
CRESCENT RESOURCES, INC. TRACT
WENDY GROVE ROAD
Berryhill Township, Mecklenburg County, N.C.

Surveyed by:		Date:	10-01-03
Drawn by:		Scale:	1" = 200'
A.F. Forman	93857	Job:	1 of 1