Date Received 3-21-84

MECK COUNTY DEPARTMENT OF
RECEIVED

SIR No. 20830 ✓

T. C. No. 023-052-05

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Blythe (LAST) Charles (FIRST) Harold (MIDDLE)

2) ADDRESS OF OWNER Rt. 3 Box 1307 Huntersville NC ZIP 28078

3) PHONE NO. Home 992-3743 Office none


4) LOCATION OF PROPERTY Rt. 3 Box 1307 Huntersville NC At End of Alma St.
(STREET OR COUNTY ROAD)

5) SUBDIVISION none LOT NO 3 BLOCK NO. 57

MAP BOOK NO 23 PAGE NO 5

6) DEED REFERENCE DEED BOOK 1404 PAGE NO 76

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

C. H. Blythe
OWNER

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20830

T.C. NO. 023-052-93

(Ground Absorption Sewage Disposal)

OWNER: Charles W. Blyth
ADDRESS: Rt. 3, Box 130-9, Huntersville, N.C. 28078
LOCATION OF SITE: Pilton St

PLAT NO:
LOT SIZE: Approx. 40,000 sq. ft.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U 2-10%	S PS U 2-8%	S (PS) U 2-8%	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U Clay	S (PS) U Clay	S PS U 2-1 Clay	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) U Blocky	S (PS) U Blocky	S (PS) U Blocky	S PS U
4. SOIL DEPTH (inches)	S (PS) U 36-40"	S (PS) U 36-40"	S (PS) U 36-40"	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) U >36"	S (PS) U >36"	S (PS) U >36"	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) U >36" to seasonal water	S (PS) U >36" to groundwater	S Perched PS water table U 24-36"	S PS U
7. OTHER (Specify)	S (PS) U Limited Area	S (PS) U Limited Area	S PS U	S PS U
8. SOIL GROUP	IIA	IIA	IIB	
9. SITE CLASSIFICATION	Provisionally suitable	Provisionally suitable	unsuitable	
10. SOIL SERIES	Applison L. Mc	Cecil-Urban L. Mc	Helena L. Mc	

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: System may require 1 Ft Stations Limited Area

Described by: William R. Mullis
Title: Soil Scientist

Date: 5-26-93

14



additions
Area checked, adequate area for supplier
installation present. [illegible] 8-20-65

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SIR. NO. 20830
T.C. NO. PO 023-052-08
DATE: 5-3-84

Charles H. Blythe
Route 3, Box 1307
Huntersville, NC 28078

RE: Property located at Alton Street

Dear Mr. Blythe:

At your request, a field investigation was conducted on the property designated above. The soils on the property were found to contain a limited area of provisionally suitable soil for the installation of a ground absorption sewage disposal system. A copy of the site evaluation report is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit plot plans for the proposed construction, well, and ground absorption sewage disposal system to this office. They will be reviewed and if it is found that there is an adequate area of provisionally suitable soil to accommodate the proposed installation, an Improvements Permit will be issued by this office.

If I may be of assistance, please feel free to call.

Sincerely,

Bill D. Hardister, Jr.
Environmental Health Supervisor

BDH/kbg

Enclosure

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

RECEIVED
DEC 5 1985
ENVIRONMENTAL HEALTH

(OFFICE USE ONLY)
FILE: 20830
TC: 023-152-08

JOB LOCATION

① ADDRESS: 3711 (STREET NO) Alton (STREET) STREET ② FILE: 20830
③ CITY: Huntersville ④ TAX PARCEL NO: 023-52-05 (?)
⑤ SUBDIVISION: ⑥ LOT: ⑦ BLOCK:

OWNER

⑧ NAME: LLOYD (FIRST) WANE (MIDDLE) CROWELL (LAST)
⑨ MAILING ADDRESS: Rt. 2 Box 215
⑩ CITY: DAVIDSON ⑪ STATE: NC ⑫ ZIP: 28036
⑬ PHONE: (WORK) ⑭ (HOME) 597-3460

REQUEST

This request is for a(n):

⑮ ☒ New installation permit
⑯ ☐ Repair or alteration permit
⑰ ☐ Authorization for mobile home exchange
⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☒ Residence ⑳ ☐ Mobile home
㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms? 3
㉕ Type?
㉓ Maximum occupancy? 4
㉖ Maximum number of employees?
㉔ Basement? ☐ yes ☒ no
㉗ Maximum number of seats?

enclosure

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☒ Individual well
B ☐ Municipal system
C ☐ Community well
D ☐ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Lloyd W Crowell
Date: 12-2-85

㉘ Accurately dimensioned plot

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

APPLICATION FOR AN IMPROVEMENT PERMIT

RECEIVED
AUG 6 1985
ENVIRONMENTAL HEALTH

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)
FILE: 20830
PC 023-052-08

JOB LOCATION

① ADDRESS: RT 3 3711 Celton St. (STREET NO / STREET) ② FILE:
③ CITY: Huntersville ④ TAX PARCEL NO.: P.C. 023-052-08
⑤ SUBDIVISION: ⑥ LOT: ⑦ BLOCK:

OWNER

⑧ NAME: Charles (FIRST) H. (MIDDLE) Blythe (LAST)
⑨ MAILING ADDRESS: R.F.D. 3 Box 1307
⑩ CITY: Huntersville, ⑪ STATE: N.C. ⑫ ZIP: 28078
⑬ PHONE: (WORK) — ⑭ (HOME) 399-3743

REQUEST


This request is for a(n):

⑮ ☑ New installation permit
⑯ ☐ Repair or alteration permit
⑰ ☐ Authorization for mobile home exchange
⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☑ Residence ⑳ ☐ Mobile home
㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms? 3
㉕ Type?
㉓ Maximum occupancy? 3-4
㉖ Maximum number of employees?
㉔ Basement? ☐ yes ☑ no
㉗ Maximum number of seats?



㉘ Accurately dimensioned plot

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☑ Individual well
B ☐ Municipal system
C ☐ Community well
D ☐ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Charles H. Blythe
Rick Honeycutt (as agent)
Date: 8-5-85

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

Date Issued 8-27-85

Serial No. 8839

SIR No. 20830

T. C. No. PO 023-052-08

Map Date L CR1

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

IMPROVEMENT PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Blythe, (LAST) Charles (FIRST) H. (MIDDLE)

ADDRESS OF OWNER Rt. 3, Box 1307, Huntersville, NC ZIP 28078

LOCATION OF LOT 3711 Alton Street (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 20830. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-S-76

Environmental Health Department's Copy

Date Issued 11-27-85

Serial No. 08693


ICAR(S) Permit No. 20830

T. C. No PO 023-052-00

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 20830, dated 8-5-85 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 12-27-85, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1500

Tank Construction PCC

Absorption and/or Nitrification Lines

Total Line Length 400'

Number of Lines 5 x 80'

Distance from House 5'+

Distance from Property Line 10'+

Distance from Well 50'+

NAME OF OWNER BLYTHE, CHARLES

LOCATION OF PROPERTY 3711 ALTON ST

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

5 lines x 80' long x 3' wide x 12" stone

Comments:

B. Handsyther
Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 20930

Date Issued 12-6-95 **Serial** 8101 T. C. No. PO 023 of 2 08

2 CKT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner BLYTHE (LAST) CHARLES (FIRST) (MIDDLE)

Location of Property 3211 OLTON ST

Application Number 20830 Permit Number 20830

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material FCC

Total Length of Drain Tile 40' Number of Lines 5

Depth of Filter Material 12" Cover Depth 2'

Water Supply Source well not in yet Distance from Water Source Appx 100'

Excavation Inspected 12-6-95 (DATE) Tank Inspected 12-6-95 (DATE)

Nitrification Field Inspected 12-6-95 (DATE)

Washing Machine Line Inspected, If Applicable (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 1995 1500 ST CON 120 LFT 12 CECIL APPROX.

Environmentalist

EHD-S-76

Environmental Health Department's Copy