Date Received 5/23/15 APT No. 9305

T. C. No.

Map Date

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER BoB McLemore & Co
LAST FIRST MIDDLE

2) ADDRESS OF OWNER 7204 Matthews Mint Hill Rd ZIP

3) PHONE NO Home Office 545 6111


4) LOCATION OF PROPERTY 9740 Lawyers Rd.
STREET OR COUNTY ROAD

5) SUBDIVISION LOT NO. BLOCK NO.

MAP BOOK NO. PAGE NO.

6) DEED REFERENCE: DEED BOOK PAGE NO.

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Alan Smith Eng.
OWNER

FORM NO. E-1-8-1-72

HEALTH DEPARTMENT'S COPY

SOIL INVESTIGATION REPORT

Date of Investigation May 29 1975 APT NO. 9500

Owner Bob McKenzie & Co.

Location of Property 9740 Lawyers Rd. TCN PID 135-251-25

Soil Suitability Ratings

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series	Helena	Cecil		
2. Soil Slope	suitable 2-7%	suitable 2-7%		
3. Soil Depth	suitable >48"	suitable >48"		
4. Soil Texture	unsuitable silty clay	~~suitable~~ marginal clayey		
5. Soil Structure	marginal soil	marginal soil		
6. Restrictive Horizons	N.A.	N.A.		
7. Soil Drainage	unsuitable poorly drained	suitable ~ 7.5%		
8. Soil Permeability (Percolation Rate)	unsuitable >200 min/in	marginal ~ 60 min/in		
9. Other	N.A.	N.A.		
10. Overall Rating	unsuitable	marginal		


Recommendations Based on this investigation, the lot is recommended for approval for installation of a septic tank system. System design should be based on limiting soil and system should be placed in the area of Cecil soils.

See diagram on back

E. Edward Casavant
Soil Scientist

3/18/75
HMD 539

DIAGRAM OF PROPERTY



3/18/75

KMD 533

Serial No. 5306

PTR No. 9500

Date Issued May 30, 1975

T C No P.O. 135-251-25

Map Date -

Do Not Issue A Building Permit Based On This Form

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION


PERCOLATION TEST REPORT

NAME OF OWNER Bob McLemore & Company
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER 7204 Matthews-Mint Hill Road ZIP

LOCATION OF PROPERTY 9740 Lawyers Road
(STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that a percolation test has been run and an on site inspection made by the Mecklenburg County Health Department on the lot described above. The said test was conducted on that portion of the lot as indicated on above plot.

The percolation rate determined by the test was *60Min./In. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Health Department prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Health Department prior to installation based on the percolation rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area where the percolation test was run.
4. This approval is void if any grading, filling, or construction (including the drilling of a well) is performed on the lot which, in the opinion of the Health Department, renders the area where the percolation test was run unsuitable for the installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina State Board of Health and the Mecklenburg County Board of Health which were in effect on the date of issuance and is void if at any time in the future, prior to the completion of the system, these laws, rules, and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

*Results determined by soil analysis

W. Eakes Environmental Engineering
Soil Scientist

John R. Henderson
Director, Environmental Health Division or Authorized Section Head

FORM NO. E-2-9-1-72

HEALTH DEPARTMENT'S COPY

Date Received 5/26/75

ICAR (S) Application No. 9500

T. C. No. ___

Map Date ___


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Health Department for a permit to:

1. ✓ Install or Construct 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) No of Bedrooms 4

5) Business Use — Max No Employees ___

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ✓ Yes ___ No

9) Water Supply
- A) Individual Well ___
- B) Governmental System ___
- C) Community System:
  - 1. Well source ___
  - 2. Governmental source ___

10) Sewage System:
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No. ___

12) VA Case No. ___

13) NAME OF OWNER [illegible] (LAST) (FIRST) (MIDDLE)

14) ADDRESS OF OWNER [illegible] Rd.

15) PHONE NO Home ___ Office ___

16) LOCATION OF SYSTEM 9740 Lawyers Rd. (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A PERCOLATION TEST BEEN RUN? ___ YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

___
DATE OF APPLICATION

Adrian Smith Eng.
OWNER

FORM NO E-4-4-1-71

HEALTH DEPARTMENT'S COPY

Date Issued May 30, 1975

Serial No. 5011

IMPROVEMENTS PERMIT

LA No. 9500

T.C No P.O. 135-251=25

Map Date -

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Bob McLemore & Company
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER 7204 Matthews-Mint Hill Road ZIP _____

LOCATION OF LOT 9740 Lawyers Road
(STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Health Department for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the percolation test results which yielded a percolation rate of 30Min./In, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration and/or Repair Permit", number 9500. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered, and/or repaired in the same area where the percolation test was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

A.M. Reynolds
Environmentalist

John R. Robinson
Director, Environmental Health Division or Authorized Section Head

FORM NO E-3-8-1-72

HEALTH DEPARTMENT'S COPY

Date Received 3/19/77

APT. No. 9500
P.O.
T. C. No. 135-251.25

Map Date 4.1977

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER DELLINGER (LAST) BRATHEL (FIRST) L. (MIDDLE)

2) ADDRESS OF OWNER P.O. Box 25734 ZIP 28212

3) PHONE NO Home 545-1994 Office


4) LOCATION OF PROPERTY LAWYERS ROAD (STREET OR COUNTY ROAD)

5) SUBDIVISION LOT NO 1.675 ACRES BLOCK NO.

MAP BOOK NO PAGE NO.

6) DEED REFERENCE DEED BOOK 3729 PAGE NO 0366

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Luther L. Dellinger
OWNER

EHD-S-76

Environmental Health Department's Copy

Date Received 11/28/77

ICAR (S) Application No. 9500

T C No. 135-25125


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No
Recharge ___ Yes ___ No
4 No. of Bedrooms 4
5 Business Use - Max No Employees
6 Washing Machine ✓ Yes ___ No
7 Garbage Disposal ___ Yes ✓ No
8 Dishwasher ✓ Yes ___ No
9 Water Supply
A Individual Well ___
B Governmental System ___
C Community System
1 Well source ✓
2 Governmental source ___
10 Sewage System
House located within 200 feet of public sewer ___ Yes X No
House located within 200 feet of community sewer ___ Yes X No
11 FHA Case No ___
12 VA Case No ___

13) NAME OF OWNER DELLINGER (LAST), BRATHEL (FIRST), L. (MIDDLE)

14) ADDRESS OF OWNER P.O. Box 25731, CHARLOTTE 28212

15) PHONE NO Home 545-1994 Office 568-7755

16) LOCATION OF SYSTEM LAWYERS ROAD (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No 1.67 ACRES Block No. ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK 3729 AT PAGE 0366

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN 5/3/75

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

6-21-77
DATE OF APPLICATION

Luther L. Dellinger
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 0938

LA No. 9500

Date Issued June 22, 1977

T. C. No. P.0.135-251-25

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Dellinger (LAST) Brathel (FIRST) L. (MIDDLE)

ADDRESS OF OWNER P. O. Box 25734, Charlotte, NC ZIP 28212

LOCATION OF LOT Lawyers Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO 1,67 acres BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration and/or Repair Permit", number 9500 This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-74

Environmental Health Department's Copy


Date Issued 6/16/77 Serial No. 0999 ICAR (S) Permit No. 9500

T.C No. 135-251-26

Map Date 8/9/77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to X install or Construct, ____Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 9500, dated 6/7/77 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 7/15/77, after which date this permit shall be null and void.



LAYOUT PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1500 gal

Tank Construction PC

Absorption and or Nitrification Lines

Total Line Length 660 167

Number of Lines 5 3

Distance from House 10

Distance from Property Line 10'

Distance from Well 100' MIN

NAME OF OWNER B. L. DELLINGER

LOCATION OF PROPERTY WILKERSON LOT 47

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person** Comments **now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

Serial No. 1024

C of A (s) No. 9500

Date Issued 9-22-77

T C No 135-25-26

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner DELLINGER (LAST) B. (FIRST) L. (MIDDLE)

Location of Property LOT 47 LAWYERS RD

Application Number 9500 Permit Number 9500

Inspection Data:

Liquid Capacity of Tank 1500gal Tank Material PC

Total Length of Drain Tile 660 167 Number of Lines 4 0 3

Depth of Filter Material 17" Cover Depth 2'

Water Supply Source NOT IN. Distance from Water Source COMM?

Excavation Inspected 9-22-77 (DATE) Tank Inspected 9-22-77 (DATE)

Nitrification Field Inspected 9-22-77 (DATE)

Washing Machine Line Inspected, If Applicable 9-22-77 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been X installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

L R Buchanan
Environmentalist

BHD-6-76

Environmental Health Department's Copy