Date Received_____

APT No. 12322
T. C. No. P.O. 231-101-01

Map Date_____

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER BOB McLEMORE (LAST) & (FIRST) CO., INC. (MIDDLE)

2) ADDRESS OF OWNER P.O. Box 25746 CHAR. ZIP 28212

3) PHONE NO. Home_____ Office 545-6111


4) LOCATION OF PROPERTY BUCKBOARD LANE (STREET OR COUNTY ROAD)

5) SUBDIVISION PROVIDENCE RIDGE LOT NO. 5 BLOCK NO. A

MAP BOOK NO _____ PAGE NO._____

6) DEED REFERENCE: DEED BOOK_____ PAGE NO._____

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Peter L. Bobel
OWNER

FORM NO. E1-11-3M-6-75

HEALTH DEPARTMENT'S COPY

SOIL INVESTIGATION REPORT

Date of Investigation May 5, 1977 APT NO. 12322

Owner Bob McLendon & Co, Inc.

Location of Property Backboard LN. Lot No 5 Block A

Soil Suitability Ratings Tax Code No P.O. 231-101-01

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series	Cecil			
2. Soil Slope	Suitable 2-8%			
3. Soil Depth	Suitable >48"			
4. Soil Texture	provisionally suitable clay			
5. Soil Structure	provisionally suitable blocky			
6. Restrictive Horizons	———			
7. Soil Drainage	suitable Water table 20"			
8. Soil Permeability (Percolation Rate)	provisionally suitable moderate			
9. Other	60 min/in ———			
10. Overall Rating	provisionally suitable			

Remarks Recommendations Based on this investigation, the lot was found to have an acceptable area of provisionally suitable soils for installation of a septic tank system. System design should be based on a percolation rate of 60 min/in.


[illegible]

W. Edward Casement

[illegible]

3/10/75
[illegible]

DIAGRAM OF PROPERTY



3/18/75
EHD 539

Serial No. 0739

PTR No. 12382

Date Issued May 12, 1977

T. C. No. P.O.231-101-01

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Bob McLemore & Company, Inc.
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER P.O.Box 25746, Charlotte, NC ZIP 28212

LOCATION OF PROPERTY Buckboard Lane
(STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 5 BLOCK NO A



PLOT PLAN

The [illegible] Mecklenburg County Department of Environmental Health was conducted on [illegible]. Provisionally Suitable 60 min/in. The said lot is approved for the installation of an individual subsurface wastewater treatment system with subsurface soil absorption of effluent or sewage subject to the following terms and conditions:

1. [illegible] Mecklenburg County Department of Environmental Health and wastewater treatment system [illegible].
2. The [illegible] Mecklenburg County Department of Environmental Health and [illegible] the type and size as noted above, and [illegible].
3. [illegible] stable for system installation [illegible].
4. [illegible] the Mecklenburg County Department of Environmental Health [illegible] considered as acceptable for system installation until [illegible] system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

[signature] Soil Scientist

EHD-5-76

John R. Atkinson
Environmental Health Director or Authorized Section Head

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received MAR 6 1978

(CAR (S) Application No. 12322

T. C. No. 231-101-01


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No
4) No. of Bedrooms 3
5) Business Use Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ✓ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply
A) Individual Well ___
B Governmental System ___
C) Community System
1 Well source ✓
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER Tate Del Company
LAST FIRST MIDDLE

14) ADDRESS OF OWNER P.O. Box 33134 Charlotte, N.C. 28212

15) PHONE NO. Home ___ Office 563-9733

16) LOCATION OF SYSTEM Stonemede Lane
STREET OR COUNTY ROAD

17) SUBDIVISION Pinehurst Forest Lot No. 5 Block No. A

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK 4637 AT PAGE 238

19. HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 2/12/77

20) PTR NUMBER (See Instructions) 12322

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

3-2-78
DATE OF APPLICATION

OWNER

EHD-5-76

Environmental Health Department's Copy

Date Issued 3/6/78 **Serial No. 1587** LA No. 12322

T. C. No. P.O. 231-101-01

Map Date -

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER The Del Company
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER P. O. Box 25734, Charlotte, N. C. ZIP 28212

LOCATION OF LOT Stonemede Lane
(STREET OR COUNTY ROAD)

SUBDIVISION Providence Ridge LOT NO. 5 BLOCK NO. A

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 12322. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Date Issued 23 June 1978 **Serial No. 1742** ICAR(S) Permit No. 12323

T. C No. 231-401-01

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, __ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied on application 12323, dated 3/4/78 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 23 July, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate P.S.

Liquid Capacity of Tank 1500 gal

Tank Construction Pre Cast

Absorption and or Nitrification Line:

Total Line Length 495' & 125'

Number of Lines 5 & 4

Distance from House 10'

Distance from Property Line 10'

Distance from Well N/A

NAME OF OWNER The Del Company

LOCATION OF PROPERTY 10410 Stonemede Ln. (5 A)

The system shall meet all the construction requirements as set forth in the Regulations of the Mecklenburg County Health Ordinance in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered unavailable for use. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Comments: (15'x99'x17" stone) (12'x32'x17" stone) & (9'x42'x17" stone)

Stephen J Wood
Environmentalist

Division or Section Head

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where on existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued 28 June 78 Serial No. 1674

C of A (s) No. 12322

T. C. No. P.O. 231-101-01

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner The Del Company (LAST, FIRST, MIDDLE)

Location of Property 10410 Stonecode Ln. (5A)

Application Number 12322 Permit Number 12322

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material Pre Cast

Total Length of Drain Tile 495', 125' Number of Lines 5, 3

Depth of Filter Material 17" Cover Depth 18"

Water Supply Source Community Distance from Water Source N/A

Excavation Inspected 28 Jun (DATE) Tank Inspected 28 Jun (DATE)

Nitrification Field Inspected 28 Jun (DATE)

Washing Machine Line Inspected, If Applicable 28 Jun (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments Installed as permitted — Bragg

Environmentalist Stephen J. Ward

EHD-5-76

Environmental Health Department's Copy