Date Received 6-6 84

MECK CO. HEALTH DEPT OF
RECEIVED
ENVIRONMENTAL HEALTH

SIR No. 21122
T/C No. 107 394-07
Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Thurm (LAST) Clifford (FIRST) C (MIDDLE)

2) ADDRESS OF OWNER 1126 Albemarle Road ZIP 28212

3) PHONE NO Home 545-6368 Office 332-8953


4) LOCATION OF PROPERTY Dundon - Central Road (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO. 9 BLOCK NO. _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

_____
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 21122

T.C. NO. P.O. 007-201-07

(Ground Absorption Sewage Disposal)

OWNER: Clifford Parsons
ADDRESS: 11206 Albemarle Rd 28217
PLAT NO: —
LOT SIZE: 20,020 sq ft

LOCATION OF SITE: Hyway 73 East Concord Davidson Rd
Lot 9

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-6 U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U Clayey	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 36-48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) Adequate U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IVa			
9. SITE CLASSIFICATION	Provisionally Suitable			
10. SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: _____

Described by: Willard Ramsey
Title: Soil Scientist

Date: 6-18-84

2 of 9



Serial No. 5703

SIR No. 21122

T C. No. PO 007-201-07

Date Issued 6-19-84

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Parsons, (LAST) Clifford (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 11230 Albemarle Road, Charlotte, NC ZIP 28212

LOCATION OF PROPERTY Davidson-Concord Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and onsite investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. PROVISIONALLY SUITABLE

The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit application must be made prior to construction of the system and must be approved by the Mecklenburg County Department of Environmental Health prior to the system being installed. The wastewater treatment system for the lot is:
2. The size of the septic tank and waste treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to the issuance of the permit and will be based on the size and type of building constructed there.
3. The approved soil absorption system is only valid if the system is located as indicated on the system installation on the above plot.
4. The approved soil absorption system is only valid if the soil type encountered during the construction of the system is the same as that on which the approval was granted by the Mecklenburg County Department of Environmental Health. If soil type encountered is not suitable for system installation, the permit will be revoked and a new system must be designed.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

Soil Scientist

Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Received 6-21

SEE INSTRUCTIONS ON BACK

ICAR(S) Application No. 21122

T. C. No. 02-007-201-07


Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ___ Install or Construct 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ___ Yes ___ No
4) No. of Bedrooms 3
5) Business Use — Max. No. Employees ___
6) Washing Machine ___ Yes ___ No
7) Garbage Disposal ___ Yes ___ No
8) Dishwasher ___ Yes ___ No
9) Water Supply
A) Individual Well ___
B) Governmental System ___
C) Community System
1 Well source ✓
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No. ___
12) VA Case No. ___

13) NAME OF OWNER ~~Clifford~~ Jason Clifford C
LAST FIRST MIDDLE

14) ADDRESS OF OWNER 1956 Albemarle Rd

15) PHONE NO. Home 535-6366 Office 332-9958

16) LOCATION OF SYSTEM Winston Forest Rd 15524
STREET OR COUNTY ROAD

17) SUBDIVISION ___ Lot No. 4 Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK 5150 AT PAGE 0363

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 6-19-84

20) PTR NUMBER (See Instructions) 21122

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

6-25-84
DATE OF APPLICATION

Jason Clifford
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 7633

SIR No. 21122

Date Issued June 26, 1984

T. C. No. PO 007-201-07

Map Date L CLT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Parsons (LAST) Clifford (FIRST) C (MIDDLE)

ADDRESS OF OWNER 11200 Albemarle Rd. ZIP 28212

LOCATION OF LOT 15524 Davidson Concord Rd. (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. 9 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21122. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit/s which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Ralph Hilles
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Date Issued JULY 12TH 1984 Serial No. 07404 ICAR(S) Permit No. 21122 P.O. 07

T C No 007-201-

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to X Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 21122, dated 6-25-84 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before AUG 15TH 1984, after which date this permit shall be null and void.



PLOT OF SYSTEM DAVIDSON-LOWLORD RD

Permeability Rate PS IVA

Liquid Capacity of Tank 1500 gal

Tank Construction Pre Cast Concrete

Absorption and or Nitrification Lines

Total Line Length 300 LIN. FT.

Number of Lines SIX

Distance from House 5 FT

Distance from Property Line 1.5 FT

Distance from Well 640 FT

NAME OF OWNER PETERSONS, CLIFFORD

LOCATION OF PROPERTY 15524 DAVIDSON-LOWLORD ROAD LOT #9

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

SIX TRENCHES TILE 24" X 24" 12 INCHES STONE

WITH 24" CAP. COVER - STAKE HOMES

Comments:

B. Hardister
Division or Section Head

Ralph White
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department Copy

C of A (s) No. 21122

Date Issued 11-15-84 **Serial** 7127 T C No 077-201-07 L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Parsons (LAST) Clifford (FIRST) (MIDDLE)

Location of Property 15524 Davidson-Concord Rd.

Application Number 21122 Permit Number 21122

Inspection Data:

Liquid Capacity of Tank 1500 gal. Tank Material PCC

Total Length of Drain Tile 300' Number of Lines 5

Depth of Filter Material 12" Cover Depth 24"

Water Supply Source Well Comm Distance from Water Source >100

Excavation Inspected 11-15-84 (DATE) Tank Inspected 11-15-84 (DATE)

Nitrification Field Inspected 11-15-84 (DATE)

Washing Machine Line Inspected If Applicable _____ (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Jim Ervin
Environmentalist

EHD-S-76

Date Received _____

MECK COUNTY DEPARTMENT OF
RECEIVED
JUN 6 1984
ENVIRONMENTAL HEALTH

SIR No. _____

T. C. No _____

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER PENCE (LAST) GROVER (FIRST) E. (MIDDLE)

2) ADDRESS OF OWNER 205 Ridge Drive, Mt. Holly, N. C. ZIP 28120

3) PHONE NO. Home 827-6328 Office _____

4) LOCATION OF PROPERTY Extension of Thompson Avenue (SR # 2201) Partially opened (STREET OR COUNTY ROAD)


5) SUBDIVISION n/a LOT NO. _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK 3952 PAGE NO 980

Tax Code: 037-022-23 (Tax map attached)

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Grover E Pence
OWNER GROVER E. PENCE

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY