Date Received _____ Apt. No. (S) _____ Application No. (W) 14330

RECEIVED
JAN 15 19[illegible]

T. C. No. P.O.001-403-01

Map Date 5-23-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER McGuire Construction Company, Inc.
LAST FIRST MIDDLE

ADDRESS OF OWNER P. O. Box 5829, Winston-Salem, NC 27103 ZIP 27103

PHONE NO. Home (919) 768-5488 Office (919) 722-9344

LOCATION OF PROPERTY Sandy Cove Road
STREET OR COUNTY ROAD


WELL CONTRACTOR McCall Bros. LICENSE NO. 30

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of X individual, _____ semi public, or _____ public water supply

McGuire Const Co Inc
by A D McGuire Jr

1-12-79
DATE OF APPLICATION

OWNER



ACCURATELY DIAGRAM & DIMENSION LOT

Remark

Application for well water supply permit hereby granted

Permit No. _____

Marshall Edwards
ENVIRONMENTALIST

EHS 5-76

Environmental Health Department's Copy

Date Received 7/19/78

APT No. 14330

T. C. No PO 001-403-01

Map Date 5-28-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Cline (LAST) Marvin (FIRST) Bobby (MIDDLE)

2) ADDRESS OF OWNER PO Box 511 Statesville NC ZIP 28677

3) PHONE NO. Home _____ Office 872-8274


4) LOCATION OF PROPERTY Savoy Cove Rd (STREET OR COUNTY ROAD)

5) SUBDIVISION Rockridge Shores LOT NO 11 BLOCK NO B

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and on-site inspection of the lot hereinafter described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

MB Cline
OWNER

EHD 5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

APT 14330
PO 101-40301
Lot 11, Block B

OWNER: Marvin Bobby Chinn
ADDRESS: Box 511
COUNTY: Statesville, N.C. 28677
LOCATION OF SITE: Sandy Cove Road

DATE REQUESTED:
PLAT NO.:
LOT SIZE: 20,000

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 2-10% U	S complex PS slopes (U)	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) clay U	S (PS) clay U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) blocky U	S (PS) blocky U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) 48" PS U	S Depth PS variable (U)	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	(S) None PS U	(S) None PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) well to PS ground U water	S Eroded PS Areas Channel (U) outlets water	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S Moderate (PS) U	S (PS) Moderate U	S PS U	S PS U
8. OTHER (Specify)	S Limited (PS) Area U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	Provisionally suitable	unsuitable		
SOIL SERIES	Cecil	Cecil Eroded		

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: William R Martin

Title: Soil Scientist Date: 1-5-78

DHS Form 2601 (2/77)
Sanitation

Serial No. 2155

PTR No 14330

Date Issued September 6, 1978

T. C. No. P.0.001-403-01

Map Date 5-28-78


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Cline (LAST) Marvin (FIRST) Bobby (MIDDLE)

ADDRESS OF OWNER P.O. Box 511, Statesville, NC ZIP 28677

LOCATION OF PROPERTY Sandy Cove Road (STREET OR COUNTY ROAD)

SUBDIVISION Rockridge Shores LOT NO 11 BLOCK NO B



PLOT PLAN

The soil investigation report for the site described above was made by the Mecklenburg County Department of Environmental Health on the date described above and was conducted in that portion of the lot as indicated on the above plot. **Provisionally Suitable**

The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. [illegible] the Mecklenburg County Department of Environmental Health [illegible] wastewater treatment system [illegible]
2. [illegible] the Mecklenburg [illegible]
3. [illegible] system installation [illegible]
4. [illegible] the Mecklenburg [illegible]

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services, and the Mecklenburg County Health Department in effect on the date of issue and is void if at any time in the future any of the provisions of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William B. Mercer
Soil Scientist

John R. Robinson
Environmental Health Director or
Authorized Section Head

Environmental Health Department

Date Received _____

SEE INSTRUCTIONS ON BACK

RECEIVED

JAN 1 [illegible]

ICAR(S) Application No. 14330

T C. No. P.O.001-403-01


Map Date 5-28-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) X Install or Construct 2. _____ Alter or Repair on individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge



3 PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___Yes ___No
Residence X Yes ___No
4) No of Bedrooms 3
5) Business Use Max No. Employees
6) Washing Machine X Yes ___No
7) Garbage Disposal ___Yes X No
8) Dishwasher ___Yes X No
9) Water Supply
A Individual Well
B Governmental System
C Community System
1 Well source
2 Governmental source
Sewage System
Is property within 200 feet of public sewer ___Yes ___No
Is property within 200 feet of community sewer ___Yes ___No
EHA Case No
LA Case No

13) NAME OF OWNER McGuire Construction Company, Inc. (LAST, FIRST, MIDDLE)

14) ADDRESS OF OWNER P. O. Box 5339, Winston-Salem, NC 27103

15) PHONE NO Home (919) 769-5192 Office (919) 722-9344

16) LOCATION OF SYSTEM Sandy Cove Road (STREET OR COUNTY ROAD)

17) SUBDIVISION Rockridge Shores Lot No 11 Block No 3

Map Book No _____ Page No _____

18) DEED REFERENCE -- DEED BOOK _____ AT PAGE

19) HAS A SOIL INVESTIGATION BEEN RUN? X YES NO DATE RUN 3-6-78

20) PTR NUMBER (See Instructions) 1-222

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

1-12-79
DATE OF APPLICATION

McGuire Const Co Inc.
Floyd McGuire Jr
OWNER

EHD-5 76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 2614

LA No 14330

Date Issued January 16, 1979

T. C. No. po 001-403-01

Map Date 5/23/78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER McGuire Construction Company
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER PO Box 5829, Winston-Salem, N.C. ZIP 27103

LOCATION OF LOT Sandy Cove Road
(STREET OR COUNTY ROAD)

SUBDIVISION Rockridge Shores LOT NO. 11 BLOCK NO. B

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 14330. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with sume

This approval may be revoked and the building inspection department requested to revoke any building permits which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and or repaired in accordance with a valid Installation, Construction Alteration, and/or Repair Permit

Marshall Edwards
Environmentalist

John R Dennison
Environmental Health Director, or Authorized Section Head

EHD 5-76

Environmental Health Department's Copy

R

Date Issued 4 June 1979

Serial No. 2465


ICAR(S) Permit No. 14330

P. I. C. No. 001-407-01

Map Date 5-20-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14330, dated 1-12-79 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 1 Aug 79, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate: prov suit

Liquid Capacity of Tank: 1500 gal

Type of Material: pre cast

Area of Absorption Lines:

Total Length: 495

Number of Lines: 5

Distance from Structure: 10

Distance from Property Line: 10

Distance from Well: 50'

NAME OF OWNER McGuire Const Co

LOCATION OF PROPERTY Sandy Cove Rd. 11-B

The system shall meet all of the construction requirements set forth in the Regulations of the Mecklenburg County Board of Commission which are in effect on the date of the granting of this permit. A certificate of approval may be issued by the Environmental Health Director before any system can be covered up or otherwise rendered inaccessible or can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.** 15'x95'x17"

John N. Hussain

Division or Section Head

Environmentalist

If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-74

Environmental Health Department's Copy

Date Issued 23 Oct 1980 Serial 4119

C of A (s) No. 14330

P.O.T. C No. 001-403-01

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner McGuire Const Co. (LAST FIRST MIDDLE)

Location of Property Sandy Cove Rd Lot 11-B

Application Number _____ Permit Number 14330

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material pre cast

Total Length of Drain Tile 495 Number of Lines 5

Depth of Filter Material 17" Cover Depth 18"

Water Supply Source well Distance from Water Source 50'

Excavation Inspected — Tank Inspected 11 June 1979 (DATE)

Nitrification Field Inspected 11 June 1979 (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been — installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments —

John R Atkinson
Environmentalist

HDS 5 76

Environmental Health Department's Copy