Date Received 3-1-84

SIR No. 20698
P.O.
T. C. No. 231-111-04

Map Date 8/83

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Providence Woods Inc.
(LAST FIRST)

2) ADDRESS OF OWNER 1746 E. Independence Blvd, Charlotte, NC 28205
(CITY ZIP)

3) PHONE NO. Home — Office 704-372-2565

4) LOCATION OF PROPERTY County Court
(STREET OR COUNTY ROAD)

5) SUBDIVISION Providence Woods LOT NO 24 BLOCK NO. K

MAP BOOK NO — PAGE NO.

6) DEED REFERENCE DEED BOOK 4571 PAGE NO. 693-694

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

T. P. Newman
OWNER Agent

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 25698

T.C. NO. PO 231-11484

(Ground Absorption Sewage Disposal)

OWNER: Providence Woods Dev.
ADDRESS: 1440 E. Independence Blvd.
Charlotte, NC 28205
LOCATION OF SITE: County Wide

PLAT NO: 107 34-V
LOT SIZE: Approx 13,000

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS 3-10% U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S PS Clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S PS Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S PS 36-46" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S PS 36" To saprolite U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S PS 36"+ to ground water U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U

8. SOIL GROUP: IVA

9. SITE CLASSIFICATION: Provisionally Suitable

10. SOIL SERIES: Cec. F Lilla

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: _____

Described by: William H. Mayfield
Title: Soil Scientist

Date: 9-3-84


2'10'
Cerit Lake
400'
4'10'
County Court
100'

Serial No. 5730

SIR No. 20698

Date Issued 7-5-34

T C No. PO 231-111-04

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER (LAST) (FIRST) (MIDDLE) Providence Woods, Inc.

ADDRESS OF OWNER 1740 E. Independence Blvd., Charlotte, NC 28205 (ZIP)

LOCATION OF PROPERTY County Court (STREET OR COUNTY ROAD)

SUBDIVISION Providence Woods LOT NO 24 BLOCK NO. 5



PLOT PLAN

This is to certify that a soil investigation and onsite investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on that portion of the lot as indicated on the above plot. PROVISIONALLY SUITABLE
The permeability rate determined by the investigation was . The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit for the construction of the wastewater treatment system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the construction of the said wastewater treatment system on the said lot.
2. The size of the septic tank and the system shall be installed in accordance with the Mecklenburg County Department of Environmental Health regulations in effect at the time of construction and the size and type of building constructed thereon.
3. This approval shall be void if the system has not been constructed and placed in operation within five years from the date of approval.
4. This approval is granted to the owner of the property at the time of approval and is for the lot in the name of the owner only. It does not assure approval by the Environmental Health Section for any other owner or for any other lot. Any change in the plan of the system as approved must be submitted to the Environmental Health Section for approval before any such change is made.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the newer revised laws, rules and regulations been in effect on the issue date.

William G. Mullen
Soil Scientist

Dick D. Hardister
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 3-14-85

Serial No. 8287

SIR No. 20698

T. C. No. PO 231-111-04

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Hayslett, (LAST) Richard (FIRST) Reid (MIDDLE)

ADDRESS OF OWNER 320 Wilcrest Dr., Matthews, NC ZIP 28105

LOCATION OF LOT 3701 Bounty Court (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 20698. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Cynthia G Bass
Environmentalist

Environmental Health Director, or Authorized Section Head

BHD-5-76

Environmental Health Department's Copy

Date Received 3-5-85

MECK COUNTY DEPARTMENT OF
RECEIVED
MAR 5 1985
ENVIRONMENTAL HEALTH

20698

SIR No. 39A

T. C. No. PC 231-111-04

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Hayslett (LAST), Richard (FIRST) Reid (MIDDLE)

2) ADDRESS OF OWNER 320 Wilcrest Dr, Matthews, N.C. ZIP 28105

3) PHONE NO. Home 847-5110 Office 847-9131

4) LOCATION OF PROPERTY 3701 Bounty Court (STREET OR COUNTY ROAD)

5) SUBDIVISION Providence Woods, Phase V LOT NO. 24 BLOCK NO.

MAP BOOK NO 20 PAGE NO. 775

6) DEED REFERENCE DEED BOOK PAGE NO.

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge

(See attached sheets)



7) ACCURATELY DIAGRAM & DIMENSION LOT

Richard R Hayslett
OWNER

EHD-5-76

Environmental Health Department's Copy

MECK COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH
RECEIVED
MAR 5 1985

Date Received 3-5-85 — SEE INSTRUCTIONS ON BACK

20698

ICAR(S) Application No. 394

T. C. No. Portion of 231-111-04

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge

(See attached sheets)

3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No

4) No of Bedrooms 4
5) Business Use — Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ✓ Yes ___ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No. ___

13) NAME OF OWNER Haslett, (LAST) Richard (FIRST) Reid (MIDDLE)

14) ADDRESS OF OWNER 320 Wilcrest Dr, Matthews, N.C. 28105

15) PHONE NO. Home 847-5110 Office 847-9131

16) LOCATION OF SYSTEM 3701 County Court (STREET/OR COUNTY ROAD)

17) SUBDIVISION Providence Woods Phase I Lot No. 24 Block No. ___

Map Book No. 20 Page No. 775

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

3/4/85
DATE OF APPLICATION

Richard R Haslett
OWNER

EHD-5-76

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to ethnic origin, age, or disabilities.

(OFFICE USE ONLY)
FILE: 20698
TC: 231-111-39
SERIAL: № 11139
☑ L ☐ CRT

JOB LOCATION

① ADDRESS: 3617 (STREET NO) Bounty (STREET) COURT ② FILE:
③ JURISDICTION: ④ TAX PARCEL NO.:
⑤ SUBDIVISION: PROVIDENCE WOODS ⑥ LOT: 24 ⑦ BLOCK: Phase II

OWNER

⑧ NAME: Richard (FIRST) + Beth (MIDDLE) Hayslett (LAST) (DONALD PARKER - DON PARKER CONST CO)
⑨ MAILING ADDRESS: 7100 Lawyers Rd
⑩ CITY: Charlotte ⑪ STATE: NC ⑫ ZIP: 28212
⑬ PHONE: (WORK) 563-0719 ⑭ (HOME) 567-2841

REQUEST

This request is for a(n):

⑮ ☑ New permit
⑯ ☐ Repair or alteration permit
⑰ ☐ Authorization for mobile home exchange
⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☑ Residence ⑳ ☐ Mobile home ㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms? THREE ㉕ Type?
㉓ Maximum occupancy? four ㉖ Maximum number of employees?
㉔ Basement? ☐ yes ☑ no ㉗ Maximum number of seats?

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☑ Individual well
B ☐ Municipal system
C ☐ Community well
D ☐ Community system

㉙ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Donald Parker
Date: 7-7-86

IMPROVEMENT PERMIT

The undersigned an authorized agent of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and/or Repair permit is issued by this Department.

This permit is not transferable, and shall become null and void 36 months from the date of issuance.

Environmentalist — Date

Director or Authorized Section Head — Date

*This permit must be signed by the Director of Environmental Health or an authorized section head in order to be valid.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 20698 DATE: 7-8-86

TC: 231-111-39 pl

SERIAL № 10125

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated _____. All work shall be completed on or before 8-8-86, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank — gallons

Tank Construction PCC

Absorption and or Nitrification Lines:

Trench Width 3' feet

Total Line Length 533' feet

Number of Lines 5 x 107' _____

Depth of Stone 12" inches

Distance from House 5'+ feet

Distance from Property Line 10'+ feet

Distance from Well 50'+ feet

NAME OF OWNER HAYSLETT, RICHARD

LOCATION OF PROPERTY 5700 BLK BOUNTY CT.

Comments: 5 lines x 107' long x 3' wide x 12"s tone

J R Adkisson
Division or Section Head

Kelly Randall
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER OR AGENTS COPY

C of A (s) No. 20698

Date Issued 1-5-87 **Serial** 9073 T. C. No. 231-111-39

✓ CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner HAYSLETT RICHARD
LAST FIRST MIDDLE

Location of Property 3701 ~~[illegible]~~ COUNTY CT

Application Number 20698 Permit Number 20698

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PCC

Total Length of Drain Tile 535 Number of Lines 5

Depth of Filter Material 12 Cover Depth 1'

Water Supply Source well Distance from Water Source 50'+

Excavation Inspected 1-5-87 DATE Tank Inspected 1-5-87 DATE

Nitrification Field Inspected 1-5-87 DATE

Washing Machine Line Inspected, If Applicable DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system

Comments 1987, 1500 ST, CON, 1605 SFT, 120, CELIC

D.F.

Kelly Randall
Environmentalist

EHD-5-76

Environmental Health Department's Copy