Date Received 5/11/78

APT No. 14076

T. C. No. 139.011.06

Map Date 4.5.78

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER Garland (LAST) Issac (FIRST) J. (MIDDLE)

2) ADDRESS OF OWNER 8009 Fairview Rd(#218 Mint Hill) Charlotte, NC ZIP 28212

3) PHONE NO. Home 545-4063 Office 545-6181


4) LOCATION OF PROPERTY Fairview Rds & Wilgrove-Mint Hill Rds, Bain School Rds (STREET OR COUNTY ROAD)
Hwy #218

5) SUBDIVISION TC 139 LOT NO. 011 BLOCK NO. 06

MAP BOOK NO 2114 PAGE NO 85 125x250x125x250 ZONED B-2

6) DEED REFERENCE DEED BOOK 2114 PAGE NO. 85

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and on on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER Issac J. Garland
Issac J. "Ike" Garland

FORM NO. E1-11-3M-6-75

HEALTH DEPARTMENT'S COPY

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

S.I.R. No. 14570

(Ground Absorption Sewage Disposal)

OWNER: [illegible]
ADDRESS: [illegible]
COUNTY: [illegible]
LOCATION OF SITE: [illegible]

DATE REQUESTED: [illegible]
PLAT NO.: [illegible]
LOT SIZE: [illegible]

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S PS U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 in.) (Clayey Soils)	S PS U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	S PS U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	S PS U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S PS U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S PS U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	✓			
SOIL SERIES				

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns)

Recommendations/Comments: Some grading done - No Real Harm [illegible]

Described By: William B. Ramsey

Title: Sanitarian Date: 3-20-78

dhs form 2601 (1/79)
Sanitation


Fernview Rd

Serial No. 2603

PTR No. 14076

T C No. 139-011-06

Date Issued March 20, 1979

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Garland, Isaac J.
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER 8009 Fairview Road, Charlotte 28212

LOCATION OF PROPERTY Fairview Road and Wilgrove-Mint Hill Road
(STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 011 BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot.

The permeability rate determined by the investigation was **Provisionally Suitable** and said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or construction, including the drilling of a well, is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

Willard Ramsey
EHD-5-76 Soil Scientist

John R Adkisson
Environmental Health Director or Authorized Section Head

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 3/13/79

ICAR (S) Application No 14076

T C No 139-01-06


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___Yes ___No
Residence ___Yes ___No
4) No. of Bedrooms _____
5) Business Use? Yes No
Employees Veterinary Clinic
6) Washing Machine ___Yes ___No
7) Garbage Disposal ___Yes ___No
8) Dishwasher ___Yes ___No
9) Water Supply
A) Individual well 4
B) Governmental System _____
C) Community System
1) Well source _____
2) Governmental source _____
10) Sewage System
Main located within 200 feet
of public sewer ___Yes ___No
House located within 200 feet of
common sewer ___Yes ___No
11) FHA Case No _____
12) VA Case No _____

13) NAME OF OWNER Fincher, Curtis R.
(LAST FIRST MIDDLE)

14) ADDRESS OF OWNER 1311 Burton Wood Cir. 28212

15) PHONE NO Home 524-4282 Office 537-2272

16) LOCATION OF SYSTEM 8009 Fairview, Mint Hill
(STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 5/11/78

20) PTR NUMBER (See Instructions) 14076

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

_____
DATE OF APPLICATION

Curtis R Fincher
OWNER By Carl W Reynolds

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued March 20, 1979 Serial No. 2783

LA No. 14076

T C. No. 139-011-06

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Fincher, (LAST) Curtis (FIRST) R. (MIDDLE)

ADDRESS OF OWNER 1311 Burtonwood Circle ZIP 28212

LOCATION OF LOT 8009 Fairview Road (at Wilgrove-Mint Hill Road) (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 14076. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

John R Adkisson

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Serial No. 2707

Date Issued _____


ICAR (S) Permit No. 14076

T C No 139-011-04

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14076, dated 13 Mar 79 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before _____, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate 15

Liquid Capacity of Tank 1500

Tank Construction 1"

Absorption and/or Nitrification Lines

Total Line Length 330'

Number of Lines 4(12'x2'x12')

Distance from House 10'

Distance from Property Line 10'

Distance from Well >50'

NAME OF OWNER Fowler, Carter R.

LOCATION OF PROPERTY 5009 Fair acres Rd. Charlotte

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

Comments Fair Acres

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THE SYSTEM AUTHORIZED TO BE CONSTRUCTED WILL COMPLETELY OR EFFECTIVELY ANY PERSON NOW OR HEREAFTER OWNING, CONTROLLING OR USING SUCH SYSTEM FROM ANY LIABILITY RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHM-5-76

Environmental Health Department's Copy

Serial No. 2606

C of A (s) No 14076

Date Issued 5 May 79

T C No 139-41-06

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Lester Curtis R
LAST FIRST MIDDLE

Location of Property 8009 Fairview Road (Mint Hill)

Application Number 14076 Permit Number 14076

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PC

Total Length of Drain Tile 330' Number of Lines 4

Depth of Filter Material 12" Cover Depth 18-24"

Water Supply Source Well Distance from Water Source >50'

Excavation Inspected 5 May 79 Tank Inspected 5 May 79
DATE DATE

Nitrification Field Inspected 5 May 79
DATE

Washing Machine Line Inspected, If Applicable ———
DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ——— altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments Floyd Kingsett (Cont.)

Note: This is the Extension Office.

M. M. Kirby
Environmentalist

EHD-5-76

Environmental Health Department's Copy

Date Issued 8 May 24

Serial No. 2708


ICAR(S) Permit No. 14076

T C No. 139-011-06

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14076, dated 8 May 24 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before ___, after which date this permit shall be null and void



PLOT OF SYSTEM

Permeability Rate P5

Liquid Capacity of Tank 1000

Type Construction PC

Absorption and or Nitrification Lines

Total Line Length 300'

Number of Lines 4 @ 125'

Distance from House 10'

Distance from Property Line 10'

Distance from Well ≥ 50'

NAME OF OWNER Kinsley, Curtis B.

LOCATION OF PROPERTY 5009 Fairmeadow Rd (Mint Hill)

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used

Comments Steph Honeycutt

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THE SYSTEM ANTICIPATED TO BE CONSTRUCTED WILL OPERATE PROPERLY OR RELIEVE ANY PERSON NOW OR HEREAFTER OWNING, CONTROLLING OR USING SUCH SYSTEM FROM ANY LIABILITY RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

Note: This system is for the Basement bath only.

Division or Section Head

Environmentalist Mike Kelly

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued 8 May 79

Serial No. 2608

C of A (s) No 14076

T C No 139-011-06

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Hinkle (LAST) Curtis (FIRST) R (MIDDLE)

Location of Property 8609 Fairmont Rd. (Mint Hill)

Application Number 14076 Permit Number 14076

Inspection Data:

Liquid Capacity of Tank 1000 Tank Material PC

Total Length of Drain Tile 300 ft Number of Lines 4 (12' x 85' x 12")

Depth of Filter Material 12" Cover Depth 18"

Water Supply Source Well Distance from Water Source 750'

Excavation Inspected 8 May 79 (DATE) Tank Inspected 8 May 79 (DATE)

Nitrification Field Inspected 8 May 79 (DATE)

Washing Machine Line Inspected, If Applicable ____ (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system

Comments Adapt Manufacturer (Carlon)

Note: This system is for the front wash

Environmentalist

EHD-S-76

Environmental Health Department's Copy