Date Received July 25, 1978

Copy:

APT No. 14371

T. C. No. 201-072.04

Map Date 8-9-77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER COCHRAN (LAST) WILLIAM (FIRST) FLOYD (MIDDLE)

2) ADDRESS OF OWNER Route 2, Box 11345 York Co. ZIP

3) PHONE NO. Home 588-1430 Office


4) LOCATION OF PROPERTY Steele Creek Road (NC 160) (STREET OR COUNTY ROAD)

5) SUBDIVISION — LOT NO 1 acre + BLOCK NO

MAP BOOK NO PAGE NO

6) DEED REFERENCE DEED BOOK 2158 PAGE NO 361

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and on-site inspection of the property described for the purpose of determining if the lot is suitable for the installation of a subsurface sewage and/or water treatment system with subsurface soil absorption effluent disposal.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Send copy to
TED R. HELMS
2608 ASHLEY ROAD
CHAR. N.C. 28208

+ William F. Cochran
OWNER

EHD 5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

#14371

(Ground Absorption Sewage Disposal)

OWNER: Cochran, William F.
ADDRESS: Rt 2 Box 11344
COUNTY:
LOCATION OF SITE: Steele Creek Road

DATE REQUESTED: —
PLAT NO.: 201-077.06
LOT SIZE: 45,000 +

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U 2-8%	S PS U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) U clayey	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) U blocky	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	S (PS) U >36"	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In. (Imprevious Strata, Rock)	S (PS) U none noted	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S (PS) U good	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) U moderate	S PS U	S PS U	S PS U
8. OTHER (Specify)	S (PS) U adequate area	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	prov suitable			
SOIL SERIES	—			

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: _____

Described By: John R Atkinson

Title:

Date: July 25, 1978

DHS Form 2601 (2/77)
Sanitation

Serial No. 2087

PTR No. 14371

Date Issued 7/26/78

T. C. No. 201-072-06

Map Date -


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Cochran (LAST) William (FIRST) Floyd (MIDDLE)

ADDRESS OF OWNER Route 2, Box 11344, York Road, Charlotte, N. C. ZIP

LOCATION OF PROPERTY Steele Creek Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 1 Acre + BLOCK NO



PLOT PLAN

This [illegible] Mecklenburg County Department [illegible] was conducted on that [illegible] described on the above plot. **Provisionally Suitable**

The permit, [illegible] determined by the soil type [illegible]. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

[illegible] Mecklenburg County Department [illegible] wastewater treatment [illegible]

[illegible] the Mecklenburg [illegible] required above, and on [illegible]

[illegible] system installation [illegible]

[illegible] is the lot which [illegible] acceptable for [illegible]

This [illegible] and regulations [illegible] and the Mecklenburg [illegible] at any time [illegible] are changed such that the said lot would not have been granted had the new revised laws, rules and regulations been in effect on the issue date.

Environmentalist

John R. Adamson
Environmental Health Director or
Authorized Section Head

Environmentalist's Department Copy

RECEIVED
MAR 7 1983
ENVIRONMENTAL HEALTH

SEE INSTRUCTIONS ON BACK

Date Received 3-7-83

ICAR (S) Application No. 14371

T. C. No. 201-072-06


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) X Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home _____ Yes _____ No
Residence X Yes _____ No
4) No. of Bedrooms 3
5) Business Use — Max No Employees _____
6) Washing Machine X Yes _____ No
7) Garbage Disposal X Yes _____ No
8) Dishwasher X Yes _____ No
9) Water Supply:
A) Individual Well X
B) Governmental System _____
C) Community System
1 Well source _____
2 Governmental source _____
10) Sewage System
House located within 200 feet of public sewer _____ Yes X No
House located within 200 feet of community sewer _____ Yes X No
11) FHA Case No _____
12) VA Case No _____

13) NAME OF OWNER Henderson (LAST) James, JR. (FIRST) W (MIDDLE)

14) ADDRESS OF OWNER 1118 Scaly bark Rd., Apt. 10c, Charlotte, N.C. 28209

15) PHONE NO Home 523-2354 Office _____

16) LOCATION OF SYSTEM 8831 Steel Creek RD., Charlotte, (STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No ~~44-11~~ Page No. ~~106~~

18) DEED REFERENCE — DEED BOOK 44-11 AT PAGE 106

19) HAS A SOIL INVESTIGATION BEEN RUN? X YES NO DATE RUN _____

20) PTR NUMBER (See Instructions) 14371

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

3-2-83
DATE OF APPLICATION

James W. Henderson Jr.
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

BL 3-8-83

Serial No. 6251

SIR No. 14371

Date Issued 3-7-83

T. C. No. 201-072-06

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
IMPROVEMENT PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPRCVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE. SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Henderson, Jr. (LAST) James (FIRST) W. (MIDDLE)

ADDRESS OF OWNER 1118 Scalybark Road, Apt. 101-C, Charlotte, NC 28209

LOCATION OF LOT 8831 Steele Creek Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO _____

MAP BOOK NO. _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 14371. This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit (s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Mike Sexton
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 7/27/83

Serial No. 6447


ICAR(S) Permit No. 14371

T. C. No. 201-072-016

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14371, dated 3/2/83 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 8/27/83, after which date this permit shall be null and void.



Permit to Pump PS

Liquid Capacity of Tank 1500 gal

Type pr concrete

[illegible] 300 ft (min)

[illegible] ~~300'~~ min 3

[illegible] >5'

[illegible] >10'

[illegible] >100'

NAME OF OWNER Henderson James Jr & W.

LOCATION OF PROPERTY 9331 Steele Creek Rd

The system shall [illegible] requirements set forth in the Regulations of the Mecklenburg County Health Department. No [illegible] the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable. [illegible] This issuance of this permit does not in any way guarantee that the system anticipated [illegible] relieve any person now or hereafter owning, controlling or using [illegible] for the failure of the system to operate properly.

3 12' lines 3' wide 12" stone 3' cover mat

Comments:

Division or Section Head _____ Randy C Parker RS
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD 5-76

BI 7-1-83

C of A (s) No. 14371

Date Issued 7/29/83 Serial 6001 T C No 201-072-06

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Henderson (LAST) James (FIRST) Jr W (MIDDLE)

Location of Property 8831 Steele Creek Rd.

Application Number 14371 Permit Number 14371

Inspection Date:

Liquid Capacity of Tank 1,500 gal Tank Material Pc Concrete

Total Length of Drain Tile 300' Number of Lines 3

Depth of Filter Material 12" stone Cover Depth 2' - 1'

Water Supply Source Well Distance from Water Source 100'


Excavation Inspected 7/29/83 (DATE) Tank Inspected 7/29/83 (DATE)

Nitrification Field Inspected 7/29/83 (DATE)

Washing Machine Line Inspected, If Applicable plumbed in main (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been V installed / constructed altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly, or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments change from permit due to phone lines & owners request to save trees



Randy C Poole RS
Environmentalist

EHD-5-76