Date Received 11-3-82

COUNTY DEPARTMENT OF
RECEIVED
NOV - 3 1982
ENVIRONMENTAL HEALTH

SIR No. 19041

T. C. No 113-031-02

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Eudy (LAST) Brenda (FIRST) Watts (MIDDLE)

2) ADDRESS OF OWNER Rt 9 Bx 196-S Charlotte ZIP 28208

3) PHONE NO. Home 392-5103 Office 392-0797


4) LOCATION OF PROPERTY 8425 Wilkinson Boulevard (STREET OR COUNTY ROAD)

5) SUBDIVISION Berryhill Township LOT NO. BLOCK NO.

MAP BOOK NO 941 PAGE NO. 51

6) DEED REFERENCE DEED BOOK 3215 PAGE NO

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Brenda Watts Eudy
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 4752

PTR No. 19081

Date Issued 11-9-82

T. C. No. 113-031-02

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Eudy, (LAST) Brenda (FIRST) Watts (MIDDLE)

ADDRESS OF OWNER Rt. 9, Box 196-S, Charlotte, NC ZIP 28208

LOCATION OF PROPERTY 8425 Wilkinson Blvd. (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on that portion of the lot as indicated on the above plot. **Provisionally Suitable**

The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install a septic tank wastewater treatment system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the construction of any part of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed shall be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building construction thereon.
3. This approval is valid only for the system specified in the immediately preceding paragraph and only for the system installation on the above plot.
4. This approval is not and cannot be construed to be a guarantee that the installation of a wastewater treatment system on the lot which, in the opinion of the Mecklenburg County Department of Environmental Health, meets the criteria stated as acceptable for system installation, is suitable for installation, construction, or operation of a wastewater treatment system.

This approval is granted based on the laws of the State of North Carolina, and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William G. Mullin
Soil Scientist

Mike Sexton
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 19091

T.C. NO. 113-031-02

(Ground Absorption Sewage Disposal)

OWNER: Brenda W. Purdy
ADDRESS: Rt. 7 Box 111-05 Charlotte, N.C. 28215

PLAT NO:
LOT SIZE: Acres 49,005

LOCATION OF SITE: 8425 Wilkinson Blvd.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 2-8%	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	(S) PS 48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	(S) None PS U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	(S) >48" PS To ground U water	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS See Note U	S PS U	S PS U	S PS U
8. SOIL GROUP	1VA			
9. SITE CLASSIFICATION	Provisionally Suitable			
10. SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: Plan for building & system locations to be submitted prior to issuance of permit to Building Insp.

Described by: William A. Mullis
Title: Soil Scientist

Date: 11-8-82

EHD 539 (Revised: 6/82)


Proposed Building
255'
Existing Building
Gravel
Sam Wilson Rd
Approx 150'
Fill, paved Area
Tanks, etc
206'
163'
Wilkinson Blvd.

Date Received 11-3-82

RECEIVED NOV - 3 1982 ENVIRONMENTAL HEALTH

ICAR(S) Application No 1908

T. C. No. 113-031-02


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

- Mobile Home ____Yes ✓No
- Residence ____Yes ✓No
- 4) No of Bedrooms _____
- 5) Business Use ✓ Max No Employees 4 + 20 seat restaurant
- 6) Washing Machine ____Yes ✓No
- 7) Garbage Disposal ____Yes ✓No
- 8) Dishwasher ____Yes ✓No
- 9) Water Supply:
  - A) Individual Well _____
  - B) Governmental System City
  - C) Community System:
    - 1. Well source _____
    - 2. Governmental source _____
- 10) Sewage System:
  - House located within 200 feet of public sewer ____Yes ✓No
  - House located within 200 feet of community sewer ____Yes ✓No
- 11) FHA Case No. _____
- 12) VA Case No. _____

13) NAME OF OWNER Eudy (LAST) Bonda (FIRST) Watts (MIDDLE)

14) ADDRESS OF OWNER Rt 4, Box 196-S Charlotte NC 28208

15) PHONE NO. Home 342-3163 Office 342-0797

16) LOCATION OF SYSTEM 9425 Wilkinson Boulevard (STREET OR COUNTY ROAD)

17) SUBDIVISION Berryhill Lot No. _____ Block No. _____

Map Book No. _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ____ YES ✓ NO DATE RUN _____

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

11-5-82
DATE OF APPLICATION

Bonda Watts Eudy
OWNER

EHD-S-76

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

RECEIVED ... DEPARTMENT OF ENVIRONMENTAL HEALTH

FILE: 19081

TC: 113-031-02 L

JOB LOCATION

① ADDRESS: 3115 (STREET NO.) Sam Wilson Rd (STREET) ② FILE:

③ CITY: Charlotte ④ TAX PARCEL NO.: 113-031-02

⑤ SUBDIVISION: ⑥ LOT: ⑦ BLOCK:

OWNER

⑧ NAME: Brenda (FIRST) Watts (MIDDLE) Eudy (LAST)

⑨ MAILING ADDRESS: 5335 Marengo Cir

⑩ CITY: Charlotte ⑪ STATE: N.C. ⑫ ZIP: 28208

⑬ PHONE: (WORK) 392-0797 ⑭ (HOME) 392-5103

REQUEST

This request is for a(n):

⑮ ☑ New installation permit ⑰ ☐ Authorization for mobile home exchange

⑯ ☐ Repair or alteration permit ⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☐ Residence ⑳ ☐ Mobile home

㉑ ☑ Business or place of public assembly

㉒ Number of bedrooms?

㉕ Type? Body Shop

㉓ Maximum occupancy?

㉖ Maximum number of employees?

㉔ Basement? ☐ yes ☐ no

㉗ Maximum number of seats?

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☐ Individual well

B ☑ Municipal system

C ☐ Community well

D ☐ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Brenda Watts Eudy

Date: Oct. 16, 1985

㉘ Accurately dimensioned plot

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to race, color, sex, religion, national origin, age, or disability

(OFFICE USE ONLY)

FILE: 19081

TC: 113-031-02 L

JOB LOCATION

① ADDRESS: 8425 (STREET NO) Wilkinson Blvd (STREET) ② FILE:

③ CITY: Charlotte ④ TAX PARCEL NO.:

⑤ SUBDIVISION: ⑥ LOT: ⑦ BLOCK:

OWNER

⑧ NAME: Brenda (FIRST) W. (MIDDLE) Elroy (LAST)

⑨ MAILING ADDRESS: 1400 Ashley Rd

⑩ CITY: Charlotte ⑪ STATE: N.C. ⑫ ZIP: 28205

⑬ PHONE: (WORK) 332-0292 ⑭ (HOME)

REQUEST

This request is for a(n):

⑮ ☐ New installation permit

⑯ ☒ Repair or alteration permit

⑰ ☐ Authorization for mobile home exchange

⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☐ Residence ⑳ ☐ Mobile home

㉑ ☒ Business or place of public assembly

㉒ Number of bedrooms?

㉓ Maximum occupancy?

㉔ Basement? ☐ yes ☐ no

㉕ Type? ~~Carwash, Store, Body Shop~~

㉖ Maximum number of employees? 4

㉗ Maximum number of seats? 0

See attached plot and water usage figures.

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☐ Individual well

B ☒ Municipal system

C ☐ Community well

D ☐ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Brenda W. Elroy

Date: 3-4-96

㉘ Accurately dimensioned plot

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY