Date Received 3-13-84

MECK COUNTY DEPARTMENT OF
RECEIVED
MAR 1 [illegible]
ENVIRONMENTAL HEALTH

SIR No. 20789

T. C. No. 20 015-081-01

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER [illegible] (LAST) (FIRST) (MIDDLE)

2) ADDRESS OF OWNER [illegible] ZIP 28205

3) PHONE NO. Home _____ Office 377-6544

4) LOCATION OF PROPERTY [illegible] (STREET OR COUNTY ROAD) [illegible]

5) SUBDIVISION [illegible] LOT NO. 5 BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

[signature]
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20789

T.C. NO. PO 015-081-01

(Ground Absorption Sewage Disposal)

OWNER: Donco Property Inc.
ADDRESS: 1720 East Independence Charlotte 28205
PLAT NO:
LOT SIZE: 32,000
LOCATION OF SITE: 12012 McIntosh Dr. Lot 8

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-6 U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) Clayey U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 36-48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (S) None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) Adequate U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IIa			
9. SITE CLASSIFICATION	Pisuitable			
10. SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by: Willard B. Ramsey
Title: Soil scientist

Date: 5-16-84


Main Street
200
160
Cecil
2-6
36-48"
Cecil
2-4
36-48"

Serial No. 5634

SIR No. 20789

T. C. No PO 015-081-01

Date Issued 5-15-84

Map Date /

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Donco Properties, Inc.
LAST FIRST MIDDLE

ADDRESS OF OWNER 1720 E. Independence Blvd., Charlotte, NC ZIP 28205

LOCATION OF PROPERTY 12012 McIntosh Drive
STREET OR COUNTY ROAD

SUBDIVISION Applewood LOT NO 8 BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on that portion of the lot as indicated on the above plot PROVISIONALLY SUITABLE

The permeability rate determined by the investigation was [illegible] The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit to install [illegible] the Mecklenburg County Department of Environmental Health [illegible] of the wastewater treatment system on the said lot.
2. The [illegible] be determined by the Mecklenburg County Department of Environmental Health [illegible] permeability rate obtained above and on the size and type of building [illegible]
3. [illegible] system installation [illegible]
4. [illegible] is performed on the lot which [illegible] acceptable for [illegible] system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

W. B. Ramsey
Soil Scientist

Bill D. Henderson Jr.
Environmental Health Director or
Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 5-04-81

ICAR(S) Application No. 20789

T. C. No. P0015-081-01

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home X Yes ___ No
Residence Yes ___ No

4) No of Bedrooms 2
5) Business Use — Max No Employees ___
6) Washing Machine X Yes ___ No
7) Garbage Disposal ___ Yes X No
8) Dishwasher ___ Yes X No
9) Water Supply
A) Individual Well X
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER Daniel (LAST) Daniel M. (FIRST) + Angela H. (MIDDLE)

14) ADDRESS OF OWNER Rt 6 Box 42 Concord NC 28025

15) PHONE NO. Home 455-[illegible] Office 594-1196

16) LOCATION OF SYSTEM [illegible] McIntosh Drive (STREET OR COUNTY ROAD)

17) SUBDIVISION Applied [illegible] Lot No. 8 Block No. ___

Map Book No. [illegible] Page No. #8[illegible]

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? X YES ___ NO DATE RUN 5/15/8[illegible]

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

5-14-85
DATE OF APPLICATION

Daniel M Sabel
OWNER Angela H Sabel

BHB-5-76

Environmental Health Department's Copy

Date Issued 5-15-85

Serial No. 8539

SIR No. 20789

T. C. No. PO 015-081-01

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Sabor, (LAST) Daniel M. & Angela H. (FIRST, MIDDLE)

ADDRESS OF OWNER Rt. 6, Box 42, Concord, NC ZIP 28025

LOCATION OF LOT 12012 McIntosh Drive (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 20789. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit (s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHB-5-76

Environmental Health Department's Copy

11

Tim Erickson

Mecklenburg County

Department Of Building Standards And Code Enforcement

P. O. Box 31097

Charlotte, North Carolina 28231-1097

MECK COUNTY DEPARTMENT OF
RECEIVED
FEB 20 1985
ENVIRONMENTAL HEALTH

Environmental Health Department
1200 Blythe Boulevard
Charlotte, North Carolina 28203

Attention: Mr. Sexton

Subject: Mobile Home Placement

Dear Mr. Sexton:

The parcel of land located at McILWAINE

and further identified by tax parcel number 013-081-01

is zoned RU (RURAL).

Permitted uses in this district include: Mobile Homes

LOTS MUST HAVE A MINIMUM OF 15,000 #

If this office can be of further assistance, please contact us.

Sincerely,

S. L. Shanton
Zoning Inspector

Form B-152 NS
59/bbb

Date Issued 6-3-85

Serial No. 08186

ICAR(S) Permit No. 20789

T. C. No 015-081-01

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 20789, dated 5-04-85 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 7-3-85, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate IV a

Liquid Capacity of Tank 1500

Tank Construction PCC

Absorption and/or Nitrification Lines

Total Line Length 270'

Number of Lines Three

Distance from House 5'

Distance from Property Line 10'

Distance from Well 750'

NAME OF OWNER Sabol, Daniel M.

LOCATION OF PROPERTY 12012 McIntosh Dr.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Three Trenches 90'X3'X12" Stone

Comments:

B. Hudson
Division or Section Head

Sam Ervin
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 20789

Date Issued 6-6-85 **Serial** 7609 T. C. No. 015-081-01

L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Sobol, Daniel
LAST FIRST MIDDLE

Location of Property 12012 McIntosh Dr.

Application Number 20789 Permit Number 20789

Inspection Date:

Liquid Capacity of Tank 1500 gal Tank Material PCC

Total Length of Drain Tile 270' Number of Lines Three

Depth of Filter Material 12" Cover Depth 12'

Water Supply Source Well Distance from Water Source 750'

Excavation Inspected 6-6-85 DATE Tank Inspected 6-6-85 DATE

Nitrification Field Inspected 6-6-85 DATE

Washing Machine Line Inspected, If Applicable — DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 1500 ST, Con, 810 SFT, 12G, Cond

Jim Ervin
Environmentalist

EHD-5-76

Environmental Health Department's Copy

APPLICATION FOR AN IMPROVEMENT PERMIT

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

(OFFICE USE ONLY)

FILE: 30739

TC: 515-081-01

SERIAL: № 22000

04/11/91
CK 410693
TP 25.00

☐ L ☒ CRT

JOB LOCATION

① ADDRESS 12012 McIntosh Dr Huntersville NC (STREET NO / STREET) ② FILE:

③ JURISDICTION: ④ TAX PARCEL NO.:

⑤ SUBDIVISION: ⑥ LOT: ⑦ BLOCK:

OWNER

⑧ NAME: Sim & Peg Elliott (FIRST / MIDDLE / LAST)

⑨ MAILING ADDRESS: 4711 Westridge Dr

⑩ CITY: Charlotte NC ⑪ STATE: N.C ⑫ ZIP: 28208

⑬ PHONE: (WORK) 704-336-4393 ⑭ (HOME) 704-392-1591

REQUEST

This request is for a(n):

⑮ ☐ New permit ⑰ ☒ Authorization for mobile home exchange

⑯ ☐ Repair or alteration permit ⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☐ Residence ⑳ ☒ Mobile home ㉑ ☐ Business or place of public assembly

㉒ Number of bedrooms? 3 ㉕ Type?

㉓ Maximum occupancy? 2 ㉖ Maximum number of employees?

㉔ Basement? ☐ yes ☒ no ㉗ Maximum number of seats?

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☒ Individual well

B ☐ Municipal system

C ☐ Community well

D ☐ Community system

㉙ The undersigned owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Joann K. Elliott

Date: 4-11-91

IMPROVEMENT PERMIT

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

... No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and/or Repair permit is issued by this Department.

... This permit is not transferable, and shall become null and void ~~[illegible]~~ 60 months from the date of issuance.

Jim Whitaker 4/17/91

~~Joann K. Elliott 4/17/91~~

Environmentalist Date

[signature] 4-18-91

Director or Authorized Section Head Date

*This permit must be signed by the Director of Mecklenburg County Health Department or an authorized section head in order to be valid.