Date Received 1/28/80

MECK COUNTY DEPARTMENT OF
RECEIVED
JAN 28 1980
ENVIRONMENTAL HEALTH

APT No. 16501

T. C. No. 139-081-14

Map Date

Property account number for property tax -
139-C 81-14-C

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Elliotte (LAST) John + Charlotte (FIRST) Junious (MIDDLE)

2) ADDRESS OF OWNER Rt 2 Box 420 Midland N.C ZIP [redacted]

3) PHONE NO. Home 888-4079 Office 545-5833

4) LOCATION OF PROPERTY Connell Road # 3113 (STREET OR COUNTY ROAD)


5) SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO [redacted] PAGE NO [redacted]

6) DEED REFERENCE: DEED BOOK 4043 PAGE NO 0006

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.

Connell Road # 3113 is located off Highway 51 - beside bridge on the 51



7) ACCURATELY DIAGRAM & DIMENSION LOT

John J Elliotte
OWNER
Charlotte R. Elliotte

EHD-S-74

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX II
SITE EVALUATION

S. I. R. NO. 16501
T. C. # 139-081-14

(Ground Absorption Sewage Disposal)

OWNER: Jerry Charles Elliott
ADDRESS: Rt 2, Box 420
COUNTY: Midland, N.C. 28107
LOCATION OF SITE: Connell Road

DATE REQUESTED:
PLAT NO.:
LOT SIZE: 82,764

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 2-8%	(S) PS U 2-8%	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1 Clay)	S (PS) clay U	S PS 2-1 clay (U)	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) blocky U	S PS Massive (U)	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 40" U	(S) PS 40" U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	(S) PS None U	(S) PS None U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & internal)	(S) PS 24+ to ground water U	(S) PS 24+ to ground water U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) moderate U	S PS U. slow (U)	S PS U	S PS U
8. OTHER (Specify)	S (PS) somewhat limited Area U	S PS See Note U	S PS U	S PS U
9. SITE CLASSIFICATION	✓ Provisionally suitable	unsuitable		
SOIL SERIES	Enon	Enon		

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies wet areas, fill areas, wells, water bodies, slope patterns, etc.

Recommendations/Comments: Area of Enon soil has a small drainageway included

Described By: William A. Merlin

Title: Soil Scientist Date: 2-6-80

DHS Form 2601
Sanitation
EHD 539 (3/79)


144'
672
Drainageway
From
570'
Approx 100'
Crest
Connell Road
130'

Serial No. 3330

PTR No. 16501

Date Issued February 6, 1980

T C No 139-081-14

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER (LAST) Elliott, (FIRST) John and Charlotte (MIDDLE)

ADDRESS OF OWNER Route 2, Box 420, Midland, NC ZIP 28107

LOCATION OF PROPERTY CONNELL ROAD (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO. BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. **Provisionally Suitable** The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction including the drilling of a well is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William A. Marlin
Soil Scientist

John R. Atkisson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Received 8/11/80

SEE INSTRUCTIONS ON BACK

AUG 1 8 1980

ICAR(S) Application No. 16501

T. C. No. 139-081-14


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ____ Yes ____ No
Residence ✓ Yes ____ No

5) No. of Bedrooms 2

6) Business Use - Max No Employees 2

7) Washing Machine ✓ Yes ____ No

8) Garbage Disposal ✓ Yes ____ No

9) Dishwasher ✓ Yes ____ No

10) Water Supply:
A) Individual Well ✓
B) Governmental System _____
C) Community System:
1. Well source _____
2. Governmental source _____

11) Sewage System:
House located within 200 feet of public sewer ____ Yes ____ No
House located within 200 feet of community sewer ____ Yes ____ No

12) FHA Case No. _____

13) VA Case No. _____

13) NAME OF OWNER Elliotte (LAST) John + Charlotte (FIRST, MIDDLE)

14) ADDRESS OF OWNER Rt 1 Box 420 Midland N. Car 28107

15) PHONE NO. Home 888-4879 Office 545-5833

16) LOCATION OF SYSTEM #3113 Connell Road (STREET OR COUNTY ROAD) 2.13 acres

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No. 3923 Page No. 792

18) DEED REFERENCE — DEED BOOK 4043 AT PAGE 0006-0007 PS

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ____ NO DATE RUN 2/6/80 (somewhat limited Area)

20) PTR NUMBER (See Instructions) 16501

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

8/13/80
DATE OF APPLICATION

Mr & Mrs John J. Elliotte
OWNER

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued August 18, 1980

Serial No. 4341

LA No. 16501

T C No. 139-081-14

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Elliotte, (LAST) John and Charlotte (FIRST) (ELLIOTTES REST HOME) (MIDDLE)

ADDRESS OF OWNER Route 1, Box 420 Midland, North Carolina 28107

LOCATION OF LOT Connell Road (co. rd. 3113) (STREET OR COUNTY ROAD)

SUBDIVISION none LOT NO. 2.13 acres BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 16501 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

John R Adkisson

Environmental Health Director, or Authorized Section Head

EHD-S-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 5-31-82

ICAR(S) Application No. 16501

T. C. No. 134-081-[illegible]14


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to Re Rout washing machine water.

1) (Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___Yes___No
Residence ✓Yes___No

4) No. of Bedrooms 6
5) Business Use — Max No Employees 4
6) Washing Machine ✓ Yes ___No
7) Garbage Disposal ✓ Yes ___No
8) Dishwasher ✓ Yes ___No
9) Water Supply
A) Individual Well ✓ 20 gpm
B) Governmental System ___
C) Community System:
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___Yes ✓No
House located within 200 feet of community sewer ___Yes ✓No
11) FHA Case No. ___
12) VA Case No. ___

13) NAME OF OWNER Elliott (LAST) John (FIRST) J (MIDDLE)

14) ADDRESS OF OWNER 4021 Bluck Rd Charlotte, N C 28212

15) PHONE NO Home 704-545-3651 Office 704-545-5120

16) LOCATION OF SYSTEM Elliott Trailer - 6201 Council Rd. Charlotte N C 28212
STREET OR COUNTY ROAD

17) SUBDIVISION _____ Lot No _____ Block No. _____

Map Book No _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN _____

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

8-30-82
DATE OF APPLICATION

John J. Elliotte
OWNER

EHD-5-76

[illegible] ARTMENT COPY


Date Issued SEPT 1ST 1982 Serial No. 5706 ICAR(S) Permit No. 16501

T. C. No 139-081-14

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ___ Install or Construct, 1 Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 16501, dated 8-31-82 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before SEPT 15 82 after which date this permit shall be null and void.



Permeability Rate P.S. IIIA

Liquid Capacity of Tank 2000 gal

Tank Construction Pre Cast Concrete

Absorption and/or Nitrification Lines

Total Line Length 200 lin ft

Number of Lines TWO

Distance from House 40 FT

Distance from Property Line 20 FT

Distance from Well 125 FT

NAME OF OWNER ELLIOTT JOHN

LOCATION OF PROPERTY 10201 Connell Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

WASH line to be separated from Stop system & new DIST. Box with 200 lin ft of French installed. Leak at Pump outlet line to be repaired or tank sealed

Comments: 12 inches stone & HAY

Division or Section Head

Ralph Mullis
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

C of A (s) No. 16501 /

Date Issued 9-18-82 **Serial** 5389 T C No. 134-081-14

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner ELLIOTT JOHN
LAST FIRST MIDDLE

Location of Property 10201 Cownell Rd

Application Number 16501 Permit Number 16501

Inspection Data:

Liquid Capacity of Tank — Tank Material —

Total Length of Drain Tile 200 lin ft Number of Lines two

Depth of Filter Material 12 inches Cover Depth 12 inches

Water Supply Source well Distance from Water Source 125 FT

Excavation Inspected 9-18-82 DATE Tank Inspected — DATE

Nitrification Field Inspected 9-18-82 DATE

Washing Machine Line Inspected, If Applicable 9-18-82 DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been _____ installed or constructed, ~~altered~~ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments: _____

Ralph Miller
Environmentalist

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY