Date Received 9/17/19

MECK COUNTY DEPARTMENT OF
RECEIVED
SEP 17 19
ENVIRONMENTAL HEALTH

APT No. 16172

T. C. No. 139-181-10

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Campbell (LAST) Bertha (FIRST) Jane (MIDDLE)

2) ADDRESS OF OWNER 406 Newburg Lane Matthews N.C. ZIP 28105

3) PHONE NO. Home 847-6349 Office 378-6100 ask for MRS HORD

4) LOCATION OF PROPERTY Rocky River Road (Co Rd 3101) (STREET OR COUNTY ROAD)

5) SUBDIVISION none LOT NO ___ BLOCK NO ___

MAP BOOK NO ___ PAGE NO. ___

6) DEED REFERENCE DEED BOOK 2940 PAGE NO 147


Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge

Old Camden Rd

California Rd

2nd lot to left

(629 ft.)



7) ACCURATELY DIAGRAM & DIMENSION LOT

(628 ft.)

Bertha Jane Campbell Hord
OWNER

EHD-5-76

Environmental Health Department's Copy

S. I. R. NO. [illegible]

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX II
SITE EVALUATION
(Ground Absorption Sewage Disposal)

T. C. # [illegible]

OWNER: [illegible]
ADDRESS [illegible]
COUNTY: [illegible]
LOCATION OF SITE: [illegible]

DATE REQUESTED: [illegible]
PLAT NO.: [illegible]
LOT SIZE: [illegible]

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U	(S) PS U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2 1 Clay)	S (PS) Clay U	S (PS) Clay U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) Blocky U	S (PS) Blocky U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) 48" PS U	(S) 48" PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	(S) None PS U	(S) None PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & internal)	(S) Well drained PS U Well drained	S Depressional PS Gleyed U Saturated	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate PS U	S (PS) Moderate PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	✓ provisionally suitable	unsuitable suitable		
SOIL SERIES	Cecil	Cecil Depressional		

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies wet areas, fill areas, wells, water bodies, slope patterns, etc

Recommendations/Comments: [illegible]

Described By: [illegible]

Title: [illegible] Date: 9-19-79

DHS Form 2601
Sanitation
EHD 539 (3/79)


Circ. 1
629
628
Circ. 1 Depression
Rocky River Road

Serial No. 3128

PTR No. 16172

T C. No. 139-181-10

Date Issued Sept. 20, 1979

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Campbell, (LAST) Bertha (FIRST) Jane (MIDDLE)

ADDRESS OF OWNER 406 Newburg Lane, Matthews, NC ZIP 28105

LOCATION OF PROPERTY Rocky River Road (STREET OR COUNTY ROAD) Co. Road 3101

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. The permeability rate determined by the investigation was **Provisionally Suitable** The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit must be obtained before installing the system. This permit must be obtained from the Mecklenburg County Department of Environmental Health prior to the construction, repair or change of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to the issuance of the permit at the rate obtained above, and on the size and type of building to be served.
3. This approval is valid only for the system as installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or other activity including the drilling of a well is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration and or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

William H. Blasius
Soil Scientist

John B. Atkinson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 12/7/79

RECEIVED
DEC 7 1979
ENVIRONMENTAL HEALTH

ICAR(S) Application No. 1612

T. C. No 159-181-


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to.

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No
4) No of Bedrooms 3
5) Business Use — Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ✓ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1) Well source ___
2) Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER Hord, Ernest Cleo + Bertha Cambell
LAST FIRST MIDDLE

14) ADDRESS OF OWNER 406 Newburg Lane, Matthews, N.C. 28105

15) PHONE NO Home ___ Office ___

16) LOCATION OF SYSTEM Rocky River Rd (Co. Rd. 3101)
STREET OR COUNTY ROAD

17) SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 9/20/79

20) PTR NUMBER (See Instructions) 1612a

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

Dec. 5, 1979
DATE OF APPLICATION

Ernest C Hord Bertha Campbell Hord
OWNER

EHD-5-74

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 3777

LA No. 16172

Date Issued December 10, 1979

T. C. No. 139-181-10

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Hord, (LAST) Ernest (FIRST) Cleo and Bertha C. (MIDDLE)

ADDRESS OF OWNER 406 Newburg Lane, Matthews, NC ZIP 28105

LOCATION OF LOT Rocky River Road (STREET OR COUNTY ROAD) Co. Rd. #3101

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 16172. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Bob Wilson
Environmentalist

John R. Atkinson
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Serial 3835

ICAR(S) Permit No. 16172


Date Issued 4-22-80

T C No 139-181-10

Map Date ____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 16172, dated 12-7-79 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before June 22, 1980 after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate P.S.

Liquid Capacity of Tank 1500 gallon

Tank Construction P.C.

Absorption and/or Nitrification Lines

Total Line Length 495' + 125'

Number of Lines 5 + 4

Distance from House 10'

Distance from Property Line 10'

Distance from Well 50'

NAME OF OWNER Hord, Ernest Cleo & Bertha Cambell

LOCATION OF PROPERTY Rocky River Rd. (Flow Store Rd off Albemarle Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

16' X 90' X 17" of stone

12 X 32' X 17" of stone

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

C of A (s) No. 16172

Serial 3589

Date Issued 5-1-80

T C No 139-181-10

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Hord (LAST), Ernest Cleo (FIRST) & Bertha Campbell (MIDDLE)

Location of Property Rocky River Rd.

Application Number 16172 Permit Number 16172

Inspection Data:

Liquid Capacity of Tank 1500 gallon Tank Material P.C.

Total Length of Drain Tile 495' + 125' Number of Lines 5 + 4

Depth of Filter Material 17" Cover Depth 15"

Water Supply Source well Distance from Water Source 50'

Excavation Inspected — (DATE) Tank Inspected 5-1-80 (DATE)

Nitrification Field Inspected 5-1-80 (DATE)

Washing Machine Line Inspected, If Applicable 5-1-80 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ——— altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

John Fiesselman
Environmentalist

EHD-5-76

Environmental Health Department's Copy