Date Received 5 May 1974

APT No 2573

P.O. T C No 193-311-09

Map Date 9-3-73

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER T+E, INC (Pres is T.R. Wolfe Jr.)
LAST FIRST MIDDLE

2) ADDRESS OF OWNER P.O. Box 132, Albemarle N.C ZIP 28001

3) PHONE NO Home 982-3717 (704) Office 982-1351 (704)


4) LOCATION OF PROPERTY 610' North of Intersection of U.S. 74 and N.C #51 (East side)
STREET OR COUNTY ROAD

5) SUBDIVISION LOT NO BLOCK NO

MAP BOOK NO PAGE NO

6) DEED REFERENCE DEED BOOK 3646 PAGE NO 0197

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption, effluent discharge



T+E Inc. by J.R. Wolfe Jr. Pres.
OWNER

FORM NO E-1-9-1-72 Robert Hall Co.

HEALTH DEPARTMENT'S COPY

MECKLENBURG COUNTY
Department of Public Health

1200 Blythe Boulevard
Charlotte, North Carolina 28203

Telephone 374-2113

Date Issued
1. [illegible]
2. _____ 71
3. _____

SDR No. 73
T.C. No. [illegible]

SITE DISAPPROVAL REPORT
INDIVIDUAL SEPTIC TANK SYSTEM WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

[illegible] of -73

NAME OF OWNER _____ [illegible] R., Jr.)

ADDRESS OF OWNER _____ ZIP [illegible]

LOCATION OF LOT _____

The lot described above has been disapproved for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge due to the following:

FAILURE TO PASS PERCOLATION TEST (60 minutes per inch or less)

	Test No.	Date of Test	Percolation Rate
[illegible]	1.	_____	_____ min/in
[illegible]	2.	_____	_____ min/in
_____	3.	_____	_____ min/in

_____ ON SITE INSPECTION REVEALED LOT TO BE UNSUITABLE FOR THE FOLLOWING REASON(S) _____

_____

_____

_____

John R Jackson
Environmentalist

(Stencil No.)
EHD 398
8/70

FORM NO.
E-19-8-14-70

Date Received 5 Mar 1974

ICARIS Application No 2553

P.O.T.C No 193-311-09

Map Date 9-5-73


150 @ $6.00 = $9.00

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

Application for an
Installation, Construction, Alteration, and/or Repair Permit
Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge

The owner of the property described hereinafter hereby applies to the Mecklenburg County Health Department for a permit to:

1. ✓ Install or Construct 2. ____ Alter or Repair an individual septic tank wastewater treatment system with subsurface soil absorption, effluent discharge



NONE

11 of 13

3. PLOT PLAN (ACCURATELY DIMENSIONED)

13. NAME OF OWNER T.+E., INC (Pres is T.R. Wolfe Jr.)
(LAST) (FIRST) (MIDDLE)

14. ADDRESS OF OWNER P.O. Box 132, ALBEMARLE, N.C. 28001
(STREET OR RFD) (CITY) (STATE) (ZIP)

15. PHONE NO. Home 982-3717 (704) Office 982-1351 (704)

16. LOCATION OF SYSTEM Adjacent U.S. #74 near
(STREET OR COUNTY ROAD)

17. SUBDIVISION ____ Lot No ____ Block No ____

Map Book No ____ Page No ____

18. DEED REFERENCE - DEED BOOK 364 AT PAGE 197

19. HAS A PERCOLATION TEST BEEN RUN? YES NO DATE RUN

20. PTS NUMBER See Instructions

The above named person hereby agrees that he has read the foregoing application and that the statements of same are true. It is understood that any permit applied for herein may be revoked and is of no effect if any of the above facts are not true.

3-5-74
DATE OF APPLICATION

T.+E. INC. by J.R. Wolfe Pres.
OWNER

REV. 11-E-4-8-1-72

HEALTH DEPARTMENT'S COPY

Date Received 3/16/77

APT No. 7573

T C. No. 193-311-09

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER WEBB, (LAST) G. (FIRST) HOWARD (MIDDLE)

2) ADDRESS OF OWNER 1125 QUEENS RD. CHARLOTTE N.C. ZIP 282

3) PHONE NO Home 334-6691 Office 333-2703


4) LOCATION OF PROPERTY NORTH SIDE OF U.S. 74, JUST WEST OF HGWY. 51 (STREET OR COUNTY ROAD)

5) SUBDIVISION MORNINGSTAR TOWNSHIP LOT NO BLOCK NO

MAP BOOK NO PAGE NO

6) DEED REFERENCE PORTION DEED BOOK 3646 PAGE NO 195

A [illegible] for the Mecklenburg County Environmental Health Department to enter upon the above described property for the purpose of [illegible] and agrees to indemnify and hold harmless the Mecklenburg County Environmental Health Department from any and all claims, suits, or liability of any kind which may arise from the entry upon the above described property for the purpose of [illegible]



G. Howard Webb
By R. D. Broome
OWNER

EHS-176

Environmental Health Department's Copy

Date Received RECEIVED

APT No 2523

T C No 193-311-09

Map Date 8-17-77

Please mail copy results to Howard Webb
1051 City Arcade
Charlotte N.C. 28202

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER (LAST) Dawent (FIRST) Realty Company (MIDDLE) (one of the owners)

2) ADDRESS OF OWNER 5200 Park Road Charlotte N.C. ZIP 28209

3) PHONE NO Home — Office 525-3523


4) LOCATION OF PROPERTY U.S. Highway # 74 (East Independence Blvd) (STREET OR COUNTY ROAD) Vacant lot. Located next to Robert Hall Bldg on Charlotte side

5) SUBDIVISION Morningside (See tax map attached) LOT NO BLOCK NO Tax Code (a portion of)

MAP BOOK NO PAGE NO

6) DEED REFERENCE DEED BOOK 3646 PAGE NO 195 193 311-9 (portion of)

Application must be made by the owner or his duly authorized agent. The person signing this application should contact the Health Department to arrange a time for the investigation. It is necessary that a representative be present at the time of the investigation for determining the suitability of the soil for sewage disposal. Additional information may be required before a permit can be issued. Please read application carefully and be sure that all questions are answered completely. You will be notified in writing as to whether your property is suitable for the proposed system. If unsuitable, the reasons will be stated.



[Scale 1 block = 20']

DAWENT REALTY, INC.
By: Eugene M Dawent
OWNER

EHE - 76

Environmental Health Department's Copy

Apt. 75 73

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

OWNER: G. H. Wall
ADDRESS: 1125 Greens Rd.
COUNTY: Mecklenburg
LOCATION OF SITE: North 74 Tax Code No. 193-311-09

DATE REQUESTED: August 3 1977
PLAT NO.: Not available
LOT SIZE: 30,020 Sq. Ft.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS 3-6% U	S PS 3-6% U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S PS (U)	S PS Sandy Clay (U)	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S PS massive (U)	S PS Massive (U)	S PS U	S PS U
4. SOIL DEPTH (In.)	S PS more than 30 in soil (U)	S PS 20-30" (U)	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	(S) PS None U	(S) PS None U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) PS U	(S) PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S PS (U) >120 min/in	S PS (U) >120 min/in	S PS U	S PS U
8. OTHER (Specify)	(S) lot PS U	(S) lot PS U	S PS U	S PS U
9. SITE CLASSIFICATION				
SOIL SERIES	fill material	Enon or Wedowee		

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: Based on this investigation, this lot was found to be currently unsuitable for installation of a septic tank system.

Described By: W. Edward Grant

Title: Soil Scientist Date: August 12 + 16, 1977

DHS Form 2601 (2/77)
Sanitation

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SITE INVESTIGATION REPORT
INDIVIDUAL SEPTIC TANK SYSTEM
WITH SUBSURFACE,
SOIL ABSORPTION,
EFFLUENT DISCHARGE

SIR.NO. 7573
T.C. NO. 193-311-09
MAP DATE
DATE 8-17-77

NAME OF OWNER Webb, G. Maynard

ADDRESS OF OWNER 1125 Queens Road, Charlotte, NC

LOCATION OF LOT Highway 74

As determined under the Rules and Regulations promulgated by the Commission for Health Services, Division of Health Services, North Carolina Department of Human Resources, Raleigh, North Carolina, the soils on the lot described above were found to be unsuitable for the installation of an individual septic tank-soil absorption system. This site cannot be approved for a septic tank system due to the following reason:

Soil Structure Unsuitable.

Soil Permeability Unsuitable.

John R. Adkisson

John R. Adkisson, Environmentalist
On Premises Waste Disposal Section

JRA:glr

EHD 398
7/77

Date Issued 19 September 1977 **Serial No. 1190**

LA No. 7573

T C. No. p.0. 193-311-09

Map Date 9-5-73

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER DAVANT REALTY COMPANY
LAST FIRST MIDDLE

ADDRESS OF OWNER 5200 Park Road Charlotte, N.C. ZIP 28209

LOCATION OF LOT East Independence Blvd
STREET OR COUNTY ROAD

SUBDIVISION _____ LOT NO _____ BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number
This approval is subject to the following terms and conditions

1. That the nitrification field be installed constructed altered and/or repaired in the same area where the soil investigation was run

2. That an Installation Construction, Alteration, and/or Repair Permit be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and or Repair Permit" is not correct or untrue or that the septic-tank system is not being installed, constructed altered and or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

John R Atkisson
Environmentalist

Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy