Date Received 7/7/[illegible] Apt. No. (S) _____ Application No. (W) P.D. 12523

T. C. No. 017-134-03

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER Childs, Lawrence
LAST FIRST MIDDLE

ADDRESS OF OWNER Rt #2 Box 134 Hunt ZIP 28078


PHONE NO Home _____ Office _____

LOCATION OF PROPERTY Stumptown Road
STREET OR COUNTY ROAD

WELL CONTRACTOR Carolina Well LICENSE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of _____ individual, semi public, or _____ public water supply

DATE OF APPLICATION _____ OWNER _____



ACCURATELY DIAGRAM & DIMENSION LOT

Application approved and permit hereby granted

Permit No: _____

EHS-376

B.M Reynolds
ENVIRONMENTALIST

Environmental Health Department's Copy

Date Received 6/31/77
Send copy to:

APT No. 12523

T. C. No. P.0.017-134-03

Map Date 4-19-77

Seabourne Lawrence Childs, Jr. 333-5108 875-6631
Rt.2, Box 134, Huntersville, NC 28078

Charlie Helms Builders
7907Albemarle Rd. 28212

MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Alexander (LAST) Jones (FIRST) HOUSTON (MIDDLE)

2) ADDRESS OF OWNER RFD 2 Box 131 HUNTERSVILLE ZIP 28078

3) PHONE NO. Home _____ Office _____


4) LOCATION OF PROPERTY STUMPTOWN RD (STREET OR COUNTY ROAD) PAST STUMPVIEW CT.

5) SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO 17 PAGE NO 278

6) DEED REFERENCE DEED BOOK 3009 PAGE NO 149

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and on-site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Jones H Alexander
OWNER

EHD-5-74

Environmental Health Department's Copy

24000sq ft.

SOIL INVESTIGATION REPORT

Date of Investigation June 16, 1977 APT NO. 12523

Owner [illegible] 86-017-134-13

Location of Property [illegible]

Soil Suitability Ratings

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series	[illegible]	[illegible]		
2. Soil Slope	[illegible]	[illegible]		
3. Soil Depth	[illegible]	[illegible]		
4. Soil Texture	[illegible]	[illegible]		
5. Soil Structure	[illegible]	[illegible]		
6. Restrictive Horizons				
7. Soil Drainage	[illegible]	[illegible]		
8. Soil Permeability (Percolation Rate)	[illegible]	[illegible]		
9. Other				
10. Overall Rating	[illegible]	[illegible]		


Recommendations [illegible]

[illegible]

[illegible]

[illegible]

DIAGRAM OF PROPERTY



3/18/75
EHD 539

Serial No. 0965

PTR No. 12523

T C No. P.0.017-134-03

Map Date 4-19-77

Date Issued June 22, 1977


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Alexander (LAST) Jones (FIRST) Houston (MIDDLE)

ADDRESS OF OWNER RFD 2, Box 131, Huntersville, NC ZIP 28078

LOCATION OF PROPERTY Stumptown Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLAN

Provisionally Suitable
60 min/in.

This [illegible] granted based on the [illegible] State of North Carolina rules and regulations of the North Carolina Department of Human Resources, Division of Health Services, and the Mecklenburg County Commissioners Ordinances in effect at the date of issuance and is void if at any time in the future it is determined that the system fails to perform adequately or conditions are changed such that this approval would not have been granted had the new conditions been in effect on the issue date.

William A. Marlow
Soil Scientist

John R. Atkinson
Environmental Health Director or
Authorized Section Head

Environmental Health Department's Copy

MECK COUNTY DEPARTMENT OF ... SEE OTHER SIDE ON BACK

Date Received 6/27/77 RECEIVED JUN 27 1977

ICAR(S) Application No 12522

T C No [illegible]-134-[illegible]


Map Date 6/17/77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

Install or Construct a ... Alter or Repair an individual septic tank wastewater treatment system with a ... subsurface ... absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Water Home Yes ... No
Yes ... No
4 No of bedrooms 3
5 Building ... Map No
Emp Loan
6 Washing Machine Yes ... No
7 Garbage Disposal Yes ... No
8 Dishwasher Yes ... No
9 Water Supply
A Individual well
B Governmental System
C Community System
1 Well source
2 Governmental source
10 Sewage System
House located within 200 feet of public sewer Yes ... No
House located within 200 feet of community sewer Yes ... No
11 FHA Case No
12 VA Case No

13 NAME OF OWNER [illegible] LAST FIRST MIDDLE

14) ADDRESS OF OWNER

15) PHONE NO Home Office

16) LOCATION OF SYSTEM STREET OR COUNTY ROAD

17 SUBDIVISION Lot No Block No.

Map Book No Page No.

18) DEED REFERENCE — DEED BOOK AT PAGE

19) HAS A SOIL INVESTIGATION BEEN RUN? YES NO DATE RUN

20) PTR NUMBER (See Instructions

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

DATE OF APPLICATION

OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 0956

LA No. 12523

Date Issued June 28, 1977

T. C. No. P.O.017-134-03

Map Date 4-19-77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Childs (LAST) Lawrence (FIRST) (MIDDLE)

ADDRESS OF OWNER Route 2, Box 134, Huntersville, NC ZIP 28078

LOCATION OF LOT Stumptown Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO 5 acres BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption effluent discharge based on the soil investigation, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 12523. This approval is subject to the following terms and conditions

1. That the nitrification field be installed constructed altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration and or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration and or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

R. M. Reynolds
Environmentalist

Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Date Issued 16 Nov 77 Serial No. 1231 ICAR(S) Permit No. 12523

T C No 017-134-03

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby granted ✓ Install or Construct _ Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge as applied for in the described location. This permit is granted based upon the information supplied on application 12523 dated [illegible] and is void and of no effect if the information supplied in the application is found to be false. All work shall be completed on or before 16 Dec 77 after which date this permit shall be void.



S Stumptown Rd

LOCATION OF SYSTEM

Number of Bedrooms	60
Liquid Capacity of Tank	1500gal
Tank Construction	Precast Concrete
Absorption Area Determination	
Trench Length	495'-125'
Number of Lines	5-3
Distance between Lines	10'
Distance from Property Lines	10'
Distance from Wells	100'

NAME OF OWNER Childs, L.

LOCATION OF PROPERTY Stumptown Road

This permit is issued subject to the requirements as set forth in the Regulations of the Mecklenburg County Board of Health governing the disposal of sewage. This permit expires one year from the date of the granting of this permit. A certificate of satisfactory completion must be issued by the Health Director before any system may be covered up or put in use. Any system installed and/or used contrary to the provisions of the Regulations governing the disposal of sewage is subject to condemnation. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

A. M. Reynolds
Environmentalist

Division or Section Head*

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued 16 NOV 77 Serial No. 1187 C of A (s) No. 12523

T C No 017-134-03

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION
CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner CHILDS, LAWRENCE (LAST, FIRST, MIDDLE)

Location of Property STUMPTOWN ROAD

Application Number 12523 Permit Number 12523

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material Precast Concrete

Total Length of Drain Tile 495' - 125' Number of Lines 5-3

Depth of Filter Material 17" Cover Depth 24"

Water Supply Source well Distance from Water Source 100'

Excavation Inspected 16 NOV 77 (DATE) Tank Inspected 16 NOV 77 (DATE)

Nitrification Field Inspected 16 NOV 77 (DATE)

Washing Machine Line Inspected If Applicable 16 NOV 77 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect at the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, occupying or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown in the permit in addition to those listed below under Comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

J. M. Reynolds
Environmentalist

EHD-5-76

Environmental Health Department's Copy