Date Received 2 Mar 1979

APT No. 15275

T. C. No 215-151-01

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Taylor (LAST) Hassie (FIRST) ___ (MIDDLE)

2) ADDRESS OF OWNER 14417 Idlewild Rd. Matthews-N.C. ZIP 28105

3) PHONE NO. Home 847-6132 Office _____


4) LOCATION OF PROPERTY 14308 Idlewild Rd (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

I J. H. Taylor
OWNER

EHD-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

S.I.R. No. 15276
215-151-01

(Ground Absorption Sewage Disposal)

OWNER: Hassle Suster
ADDRESS: 1H417 Idlewild Rd
COUNTY: Wake
LOCATION OF SITE: 1H303 Idlewild Rd

DATE REQUESTED: 3-21-79
PLAT NO.:
LOT SIZE: 34356

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-10 U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) Clayey U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 in.) (Clayey Soils)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	S (PS) >48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	S PS None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S (PS) Adequate U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	~~S~~ Provisionally Suitable			
SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns)

Recommendations/Comments:

Described By: William B. Ramsey

Title: Soil Scientist Date: 3-28-79

dhs form 2601 (1/79)
Sanitation

Cecil
R-10
Idlewild Rd
IN308

Serial No. 2632

PTR No. 15275

Date Issued March 29, 1979

T. C. No. 215-151-01

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Sustar, Hassie Taylor
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER 14417 Idlewild Road ZIP 28105

LOCATION OF PROPERTY 14308 Idlewild Road
(STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot.

The permeability rate determined by the investigation **Provisionally Suitable** said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction (including the drilling of a well) is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William Ramsey — Soil Scientist

John R. Robinson — Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

R

SEE INSTRUCTIONS ON BACK

Date Received 4/2/79

ICAR(S) Application No. 15275

T. C No. 215-151-01

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.

Mobile Home



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ___ Yes ___ No
4) No of Bedrooms 2
5) Business Use -- Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ✓ No
8) Dishwasher ___ Yes ✓ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ___ No
House located within 250 feet of community sewer ___ Yes ___ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER Suston, Hassie T.
(LAST, FIRST, MIDDLE)

14) ADDRESS OF OWNER 14417 Idlewild Rd 28105

15) PHONE NO Home 847-6132 Office ___

16) LOCATION OF SYSTEM 14308 Idlewild Rd
(STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

___ Taylor Hassie Suston
DATE OF APPLICATION OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

SEE INSTRUCTIONS ON BACK

Date Received 1/27/81

ICAR (S) Application No. 15275

T. C. No. 215-151-01


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to: use the existing system

1) _____ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No
No of Bedrooms 2

5) Business Use Max No Employees _____

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ___ Yes ✓ No

9) Water Supply:
A. Individual Well ✓
B. Governmental System _____
C. Community System
1. Well source _____
2. Governmental source _____

10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No _____

12) VA Case No _____

13) NAME OF OWNER Sustar (LAST) Taylor (FIRST) Hassie (MIDDLE)

14) ADDRESS OF OWNER 4411 Idlewild Rd Matthews 28105

15) PHONE NO. Home 821-6152 Office _____

16) LOCATION OF SYSTEM 4411 Idlewild Road (STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No. _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____ P.S.

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN? Oct 21, 1979

20) PTR NUMBER (See Instructions) 15215

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

_____
DATE OF APPLICATION

Mrs. T. H. Sustar
OWNER

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Mecklenburg County

Department Of Building Standards
And Code Enforcement

P. O. Box 16040

Charlotte, North Carolina 28216

JANUARY 27, 1981

To: ENVIRONMENTAL HEALTH DEPARTMENT
BLYTH BLVD.
MECKLENBURG COUNTY
CHARLOTTE, N.C.

Reference: MOBILE HOME PLACEMENT

Dear MR. SEXTON,

The parcel of land located at 14416 IDLEWILD ROAD
and further identified by tax parcel number 215-151-01
is zoned R-15 (SINGLE-FAMILY RESIDENTIAL)

Permitted uses in this district include: MOBILE HOMES ON
BONA FIDE FARMS.

If this office can be of further assistance, please contact us..

Very truly yours,

Robert L. Caddell

Zoning Inspector

Date Issued Jan. 27, 1981

Serial No. 4732

LA No. 15275

T. C. No. 215-151-01

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Sustar, (LAST) H. (FIRST) Taylor (MIDDLE)

ADDRESS OF OWNER 1441/ Idlewild Road, Matthews, NC ZIP 28105

LOCATION OF LOT 14416 Idlewild Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO _____

MAP BOOK NO. _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number _____. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit ***MAY USE THE EXISTING SYSTEM***MOBILE HOME *****ZONING LETTER IS ON FILE**

Environmentalist

John R. Atkinson

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued April 18, 1979 **Serial No. 2936**

LA No. 15275

T. C. No. 215-151-01

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Sustar, (LAST) Hassie (FIRST) T. (MIDDLE)

ADDRESS OF OWNER 14308 Idlewild Road ZIP 28212

LOCATION OF LOT 14308 Idlewild Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 15275. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Steve Wood
Environmentalist

John R Atkinson
Environmental Health Director, or Authorized Section Head

EHD-5-76


Environmental Health Department's Copy

R

Date Issued 5 April 79 Serial No. 2551 ICAR(S) Permit No. 15275
T C No 215-151-01
Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 15275 dated 4/2/79 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 5 May, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate P.S.

Liquid Capacity of Tank 1500 gal

Tank Construction S.C. Conc.

Absorption and or Nitrification Lines

Total Line Length 330'

Number of Lines 5

Distance from House 10'

Distance from Property Line 10'

Distance from Well 100'

NAME OF OWNER Hassie T. Sustar

LOCATION OF PROPERTY 14305 Idlewild Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THE SYSTEM ANTICIPATED TO BE CONSTRUCTED WILL OPERATE PROPERLY OR RELIEVE ANY PERSON NOW OR HEREAFTER OWNING, CONTROLLING OR USING SUCH SYSTEM FROM ANY LIABILITY RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

Comments:

(15'x66'x17" Stone)

Division or Section Head

Steve Wood
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued 17 April 79 **Serial No. 2502** C of A (s) No. 15275

T C No. 215-151-01

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION
CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Sustar (LAST) Hessie (FIRST) T (MIDDLE)

Location of Property 14308 Idlewild Rd

Application Number 15275 Permit Number 15275

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material F.C. Concrete

Total Length of Drain Tile 330' Number of Lines 5

Depth of Filter Material 17" Cover Depth 18-36"

Water Supply Source well Distance from Water Source to lr 100'

Excavation Inspected — (DATE) Tank Inspected 17 Apr (DATE)

Nitrification Field Inspected 17 Apr (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Indiviaual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments Squirrels

Steve Wood
Environmentalist

EHD-S-76

Environmental Health Department's Copy