Date Received 5/16/78

APT No 1495

T C. No 043-038 02

Map Date 3-27-V

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Walker (LAST) Cleland (FIRST) M.E. (MIDDLE)

2) ADDRESS OF OWNER 5824 Harvard St. ZIP 28213

3) PHONE NO Home 596-0473 Office 525-2991 work


4) LOCATION OF PROPERTY Anderson St. (STREET OR COUNTY ROAD), Derita, Charlotte, N.C. 28213

5) SUBDIVISION [illegible] LOT NO 21 & 21 BLOCK NO B

MAP BOOK NO ____ PAGE NO ____

6) DEED REFERENCE DEED BOOK ____ PAGE NO ____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Cleveland Walker
OWNER

EHD-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

14095

(Ground Absorption Sewage Disposal)

OWNER: Walker, Cleveland
ADDRESS: 5824 Haywood St 28213
COUNTY: Meck
LOCATION OF SITE: Anderson St.

DATE REQUESTED: /
PLAT NO.: 043-C58-01802
LOT SIZE:

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 2%	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) CLAY U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) BLOCKY U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	(S) 76 to rock PS U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) 76 to water PS U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) MOD U	S PS U	S PS U	S PS U
8. OTHER (Specify)	(S) marginal area PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	→ Prov. Suitable			
SOIL SERIES	Cecil			


S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: _____

Described By: A M Reynolds
Title: Environmentalist Date: 17 May 78

DHS Form 260i (2/77)
Sanitation


351
CECIL
243
CECIL
325
73
Anderson Street
207

Serial No. 1874

PTR No. 14095

Date Issued 5/18/78

T C No. 043-038-01 & 02

Map Date 3-22-78


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Walker (LAST) Cleveland (FIRST) NMI (MIDDLE)

ADDRESS OF OWNER 5824 Haward Street, Charlotte, N. C. ZIP 28213

LOCATION OF PROPERTY Anderson Street (STREET OR COUNTY ROAD)

SUBDIVISION Ford Acres LOT NO 20 & 21 BLOCK NO B



This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot **PROVISIONALLY SUITABLE**

The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit to install, construct, alter or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The type of the septic tank wastewater treatment system which must be installed as determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or construction including the operation of heavy equipment is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration and or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

J M Reynolds
Environmentalist

Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

MECK. COUNTY DEPARTMENT OF
RECEIVED
JUN 27 1978
ENVIRONMENTAL HEALTH

Date Received _____ Apt. No. (S) _____ Application No. (W) 1495

T. C. No. 043-038-02

Map Date 3-22-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER [illegible] (LAST) [illegible] (FIRST) [illegible] (MIDDLE)

ADDRESS OF OWNER [illegible] ZIP [illegible]

PHONE NO. Home [illegible] Office _____


LOCATION OF PROPERTY [illegible] STREET OR COUNTY ROAD

WELL CONTRACTOR [illegible] LICENSE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of individual, semi public, or public water supply

[illegible]
DATE OF APPLICATION

[illegible]
OWNER



Remarks: [illegible]

ACCURATELY DIAGRAM & DIMENSION LOT

Application approved and permit hereby granted

Permit No: _____

Marshall Edwards
ENVIRONMENTALIST

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 5/27/75

ICAR(S) Application No 1495

T C No 3-338

Map Date 3-27-13


RECEIVED JUN 2 1975 ENVIRONMENTAL HEALTH

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1. X Install or Construct 2. ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes ___ No
Residence X Yes ___ No

4) No of Bedrooms 3

5) Business Use - Max No Employees ___

6) Washing Machine X Yes ___ No

7) Garbage Disposal ___ Yes X No

8) Dishwasher ___ Yes X No

9) Water Supply
A. Individual Well 425
B. Governmental System ___
C. Community System
1. Well source ___
2. Governmental source ___

10) Sewage System
House located within 200 feet of public sewer ___ Yes ___ No
House located within 200 feet of community sewer ___ Yes X No

11) FHA Case No ___

12) VA Case No ___

13) NAME OF OWNER Bliss (LAST) Cleveland (FIRST) L (MIDDLE)

14) ADDRESS OF OWNER [illegible]

15) PHONE NO Home [illegible] Office ___

16) LOCATION OF SYSTEM [illegible] (STREET OR COUNTY ROAD)

17) SUBDIVISION [illegible] Lot No. 21 & 21 Block No. E

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK 1[illegible]2 AT PAGE 0199

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN ___

20) PTR NUMBER (See Instructions ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

5/26/75
DATE OF APPLICATION

X Cleveland Bliss
OWNER

EHD-5-74

Environmental Health Department's Copy

Date Issued 6/27/78

Serial No. 1987

LA No. 14095

T. C. No. 043-038-01 & 02

Map Date 3-22-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Walker (LAST) Cleveland (FIRST) _____ (MIDDLE)

ADDRESS OF OWNER 5824 Howard Street ZIP _____

LOCATION OF LOT Anderson Street (STREET OR COUNTY ROAD)

SUBDIVISION Ford Acres LOT NO 20 & 21 BLOCK NO. B

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 14095 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

J M Reynolds
Environmentalist

John R Adkinson
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Date Issued 9-21-78 Serial No. 2000 ICAR(S) Permit No. 14095

T C No. 43-038-02

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14095, dated 6-27-78 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before _____, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate P/4

Liquid Capacity of Tank 1000

Tank Construction Precast

Absorption and or Nitrification Lines

Total Line Length 330-125

Number of Lines 5-3

Distance from House 10'

Distance from Property Line 10'

Distance from Well 75' (Not in)

NAME OF OWNER Cleveland Walker

LOCATION OF PROPERTY Anderson St.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person** Comments **now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Division or Section Head

Marshall Edwards
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health **Department's Copy**

Date Issued 9-22-78 Serial No. 1942 C of A (s) No. 14095

T C 043-038-02

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner WALKER (LAST) Cleveland (FIRST) ___ (MIDDLE)

Location of Property Anderson St

Application Number 14095 Permit Number 14095

Inspection Data:

Liquid Capacity of Tank 1000 Tank Material PRECAST

Total Length of Drain Tile 380-125 Number of Lines 5-3

Depth of Filter Material 17" Cover Depth 20"

Water Supply Source Well Distance from Water Source 50'

Excavation Inspected 9-22-78 (DATE) Tank Inspected 9-22-78 (DATE)

Nitrification Field Inspected 9-22-78 (DATE)

Washing Machine Line Inspected, If Applicable 9-22-78 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ___ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Marshall Edwards
Environmentalist

EHD-5-76

Environmental Health Department's Copy