Date Received 7-21-83

RECEIVED
JUL 21 1983
ENVIRONMENTAL HEALTH

SIR No. 19847
T.C. No 015-121-07

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER PARDUE (LAST) RALPH (FIRST) DONALD (MIDDLE) SR.

2) ADDRESS OF OWNER 7501 NEAL Rd-LOT 7 CHARLOTTE ZIP 28213

3) PHONE NO. Home 548-7672 Office 377-3421

4) LOCATION OF PROPERTY 5317 HAMBRIGHT ROAD (STREET OR COUNTY ROAD) AT MCCOY

5) SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK 4683 PAGE NO 0230

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge

7) ACCURATELY DIAGRAM & DIMENSION LOT

Ralph D Pardue Sr
OWNER

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 7-21-83

ICAR (S) Application No. 19847

T. P. No. 015-121-07


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No

4) No. of Bedrooms 3

5) Business Use — Max No Employees _____

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ___ Yes ✓ No

9) Water Supply:
A) Individual Well _____
B) Governmental System _____
C) Community System: ✓
1. Well source ✓
2. Governmental source _____

10) Sewage System:
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No _____

12) VA Case No. _____

13) NAME OF OWNER PARDUE (LAST) RALPH (FIRST) DONALD (MIDDLE) SR

14) ADDRESS OF OWNER 7501 NEAL Rd. LOT 7. CHARLOTTE 28213

15) PHONE NO. Home 578-7672 Office 377-3421

16) LOCATION OF SYSTEM 5517 HAMLIGHT Road (STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No. _____ Page No. _____

18) DEED REFERENCE — DEED BOOK 4683 AT PAGE 0230

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 7-5-1979

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

7-20-83
DATE OF APPLICATION

Ralph D Pardue Sr.
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

d Blue Lt

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 19847

T.C. NO. P.0.015-121-07

(Ground Absorption Sewage Disposal)

OWNER: Ralph Pardue
ADDRESS: 7561 Neal Rd Lot 7 28213
PLAT NO:
LOT SIZE: 2.12a

LOCATION OF SITE: Hambright Rd

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U — 2-4	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U — Clayey	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) U — Blocky	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) U — 45-48	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) U — None	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) U — Mod.	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U

8. SOIL GROUP — IVa

9. SITE CLASSIFICATION — Questionable

10. SOIL SERIES — Cecil

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by: W.B. Kamsey
Title: Soil Scientist

Date: 7-25-83

EHD 539 (Revised: 6/82)


211
Ceci
2-4
Pisuitable
446
309
200
Hembright Rd

Serial No. 5132

SIR No. 19847

T. C. No. PO 015-121-07

Date Issued 7-26-83

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Pardue, Sr. (LAST) Ralph (FIRST) Donald (MIDDLE)

ADDRESS OF OWNER 7501 Neal Rd., Lot 7, Charlotte, NC ZIP 28213

LOCATION OF PROPERTY 8817 Hambright Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO. BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot **Provisionally Suitable**
The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions.

1. A permit to install construct alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot
4. This approval is void if any grading, filling or construction including the drilling of a well) is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

Willard Kennedy
Soil Scientist

John R Adkisson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

ST-7-2783

SIR No. 19847

Serial No. 6624

Date Issued 7-26-83

T. C. No. PO 015-121-07

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Pardue, Sr. (LAST) Ralph (FIRST) Donald (MIDDLE)

ADDRESS OF OWNER 7501 Neal Road, Lot 7, Charlotte, NC ZIP 28213

LOCATION OF LOT 8817 Hambright Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO._____ BLOCK NO._____

MAP BOOK NO._____ PAGE NO._____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 19847. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

John R Adkisson

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Date Issued 1-13-84 Serial No. 6890 (CARIS) Permit No. 19847

T C No 015-121-07

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to X Install or Construct, ___Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 19847, dated 7-20-83 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before FEB 15th 1984, after which date this permit shall be null and void



PLOT OF SYSTEM

Permeability Rate PS. INF

Liquid Capacity of Tank 1500 gal

Tank Construction Pre Cast Concrete

Absorption and/or Nitrification Lines

Total Line Length 300 LinFT

Number of Lines THREE

Distance from House 10FT

Distance from Property Line 10FT

Distance from Well KEEP 100 FROM STATE COMMUNITY SOIL OR WILL NOT INSPECT

NAME OF OWNER PARDUE, RALPH

LOCATION OF PROPERTY 8817 HAMBRIGHT ROAD

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Comments: Three trenches be 100 FT X 3 FT, X 12 inches stone trayonstone. COVER- grade b/s - plumb w/a BRIGHT DIST BOX.

B. Hambright
Division or Section Head

Ralph Mullis
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

B-2-2-84

C of A (s) No. 19847

Date Issued Feb. 17, 1984 Serial 6422 T. C. No 015-121-07

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Pardue (LAST) Ralph (FIRST) (MIDDLE)

Location of Property 8817 Hamlright Rd.

Application Number 19847 Permit Number 19847

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material Pre Cast Conc.

Total Length of Drain Tile 300' Number of Lines 3

Depth of Filter Material 12" Cover Depth 1'

Water Supply Source well Distance from Water Source not in yet dug 100' away

Excavation Inspected 2-17-84 (DATE) Tank Inspected 2-17-84 (DATE)

Nitrification Field Inspected 2-17-84 (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments: _____


Ralph Miller
Environmentalist

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

THIS IS TO CERTIFY THAT ON THE 11th DAY OF JUNE 1983 I, SURVEYED THE PROPERTY SHOWN ON THIS PLAT, AND THAT THE TITLE LINES AND THE WALLS OF THE BUILDINGS IF ANY ARE SHOWN HEREON.

SIGNED Robert C. Lowery
REGISTERED SURVEYOR
L-926



NORTH CAROLINA
MECKLENBURG COUNTY

I certify that this map was drawn from an actual survey made by me and was prepared in accordance with G.S. 47-30 as amended; and that the ratio of closure as calculated is 1:10,000+. Boundaries not surveyed are shown as broken lines. Deed descriptions are recorded in Book 4323, Page 521.

Witness my hand and seal this 13th day of June, 1983

Robert C. Lowery
Surveyor L-926

NORTH CAROLINA REGISTERED SEAL L926 LAND SURVEYOR ROBERT C. LOWERY

STATE OF NORTH CAROLINA
Forsyth COUNTY

I, Clarence J. Triplette, a Notary Public of Forsyth County, North Carolina do certify that Robert C. Lowery the maker of the foregoing instrument appeared before me this day and acknowledged the due execution of the foregoing instrument.

Witness my hand and Notarial Seal this 15th day of June, 1983

Clarence J. Triplette
Notary Public

OFFICIAL SEAL
Notary Public, North Carolina
County of Forsyth
CLARENCE J. TRIPLETTE
MY COMM. EXPIRES 2-19-84

BOUNDARY SURVEY
OF
2.12 Ac TRACT

SCALE 1"=100'

THE PROPERTY OF RALPH D. PARDUE SR.

MAP RECORDED IN BOOK AT PAGE DEED RECORDED IN BOOK 4323 PAGE 521

LONG CREEK TWSP., MECKLENBURG CO. N.C.