Date Received 8-13-84

RECEIVED
AUG 15 1984
ENVIRONMENTAL HEALTH

SIR No. 21329
T. C. No. Po 135-391-94
Map Date 1

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

## APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER (LAST, FIRST, MIDDLE) BOB McLEMORE CO. INC.

2) ADDRESS OF OWNER PO BOX 75746 CHAR. ZIP 28212

3) PHONE NO. Home — Office 545-6111


4) LOCATION OF PROPERTY 6224 OLD WILKINSON (STREET OR COUNTY ROAD)

5) SUBDIVISION PARKWOOD SEC 20 LOT NO. 37 BLOCK NO. W

MAP BOOK NO 20 PAGE NO. 612

6) DEED REFERENCE: DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.




7) ACCURATELY DIAGRAM & DIMENSION LOT

BOB McLEMORE CO INC.
OWNER
7-16-84

EHS-S-76

Environmental Health Department's Copy

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 21329

T.C. NO. PA 135-3917

(Ground Absorption Sewage Disposal)

OWNER: Carl McLemore Corp. Inc.
ADDRESS: P.O. Box 25746 Charlotte, N.C. 28212
PLAT NO: 37-W
LOT SIZE: Approx 25,000 SF
LOCATION OF SITE: 6224 Old Nation Ford

| FACTORS | AREA 1 | AREA 2 | AREA 3 | AREA 4 |
|---|---|---|---|---|
| 1. SLOPE (%) | S (PS) U 2-15% | S PS (U) complex slopes | S PS U — | S PS U |
| 2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay) | S PS (U) 2:1 clay | S PS (U) 2-1 clay | S PS U — | S PS U |
| 3. SOIL STRUCTURE (12-36 inches) | S (PS) U weak blocky | S (PS) U weak blocky | S PS U — | S PS U |
| 4. SOIL DEPTH (inches) | S PS (U) 15-24" | S PS (U) 15-24" | S PS U — | S PS U |
| 5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock) | S PS (U) < 36" | S PS (U) < 36" to saprolite | S PS U — | S PS U |
| 6. SOIL DRAINAGE/GROUNDWATER (external and internal) | S (PS) U > 36" to ground water | S PS (U) Area channel runoff | S PS (U) Drainage-way Depression | S PS U |
| 7. OTHER (Specify) | S PS U See note | S PS U | S PS U | S PS U |
| 8. SOIL GROUP | IUB | IUB | — | |
| 9. SITE CLASSIFICATION | unsuitable | unsuitable | unsuitable | |
| 10. SOIL SERIES | Wilkes Like | complex slopes | Drainageway | |

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: B horizon not well developed on portions of lot.

Described by: William R. Martin
Title: Soil Scientist

Date: 11-17-84

3H


120'
Wilkes-Like
90'
90'
Drainageway
Gold Wagon
120'

# MECKLENBURG COUNTY
Department of Environmental Health

November 2, 1984

Bob McLemore Company, Inc.
P.O. Box 25746
Charlotte, NC 28212

Re: Property located at 6224 Gold Wagon Lane, SIR 21329, TC #PO 135-391-99

Dear Sir:

At your request a soils investigation was conducted on the property designated above. Results of this investigation showed the site to be classified as unsuitable under criteria as set forth in Section .1900 of the North Carolina Administrative Code, Title 10, Department of Human Resources, Chapter 10, Division of Health Services; Sanitary Engineering Section, Subchapter 10A, Sanitation.

The soil on this property is not suitable for use with any conventional system, modified or alternative, with which I am aware.

If I can be of assistance, please feel free to call.

Sincerely,

Bill D. Hardister, Jr.

Bill D. Hardister, Jr.
Environmental Health Supervisor

Enclosure