Date Received 8-21-73

MECK COUNTY HEALTH DEPT.
RECEIVED
AUG 21 1973
ENVIRONMENTAL HEALTH DIVISION

APT No. 6891
T. C. No. 105-166-38
Map Date 4-27-73

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER Hodges (LAST) James (FIRST) Franklin (MIDDLE)

2) ADDRESS OF OWNER Rt 9 Bugs Charlotte NC ZIP 28212

3) PHONE NO Home 596-0772 Office


4) LOCATION OF PROPERTY Rolling Acres Rd & Middlestreet (STREET OR COUNTY ROAD)

5) SUBDIVISION Rolling Acres LOT NO. 2 BLOCK NO. C

MAP BOOK NO 15 PAGE NO 239

6) DEED REFERENCE DEED BOOK PAGE NO

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER

FORM NO E-1-11-1-70

HEALTH DEPARTMENT'S COPY

MECKLENBURG COUNTY
Department of Public Health

1200 Blythe Boulevard
Charlotte, North Carolina 28203
Telephone 374-2113

6891

Date Issued
1. October 23, 1973 — SITE DISAPPROVAL REPORT
2. _____ — INDIVIDUAL SEPTIC TANK SYSTEM WITH SUBSURFACE,
3. _____ — SOIL ABSORPTION, EFFLUENT DISCHARGE

SDR No. ~~7119~~
T.C. No. 105-186-37
4-27-73

NAME OF OWNER Hodges, James Franklin

ADDRESS OF OWNER Route 8, Box 95 ZIP 28212

LOCATION OF LOT Middlestream Road, Lot 3-C

The lot described above has been disapproved for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge due to the following:

FAILURE TO PASS PERCOLATION TEST (60 minutes per inch or less)

	Test No.	Date of Test	Percolation Rate
____	1.	_____	_____ min/in
____	2.	_____	_____ min/in
____	3.	_____	_____ min/in

X ON SITE INSPECTION REVEALED LOT TO BE UNSUITABLE FOR THE FOLLOWING REASON(S) 10-18-73 - Soils were found to be of the Helena series. These soils have very plastic and sticky clay subsoils which contain swelling clay minerals. In addition, they may have a perched high water table during periods of high rainfall. These factors result in inadequately slow percolation rate and permeability.

W. Scott Lamm Jr. — Soil Scientist
John R Atkinson — Environmentalist

(Stencil No.)
EHD 398
8/70

FORM NO.
E-19-8-14-70

MECKLENBURG COUNTY HEALTH DEPARTMENT
INTER-OFFICE COMMUNICATION

DATE: October 22, 1973

TO: John Adkisson
Environmentalist

FROM: W. Everette Lynn, Jr. WEL
Soil Scientist

SUBJECT: APT #6891 (J. F. Hodges)
Lot No. 2-C, Middle Stream Road
Rolling Acres Subdivision
10-18-73

Soils were found to be of the Helena and Appling series. The Helena soils have very plastic and sticky clay subsoils which contain swelling clay minerals. In addition, they may have a perched high water table during periods of high rainfall. These factors result in inadequately slow percolation rate and permeability.

An area of Appling soils was located on the front of the lot (adjacent to Middle Stream Road). These soils have good drainage, good aeration and moderate permeability.

It is recommended that the lot be granted conditional approval for installation of a septic tank system. The system must be located in the area of Appling soils as indicated on the "Percolation Test Report." Design should be based on a 60 min./in. perc. rate.

WEL:jdg

MECKLENBURG COUNTY
Department of Public Health

1200 Blythe Boulevard
Charlotte, North Carolina 28203

Telephone 374-2113

L-811

Date Issued
1. October 23, 1973 — SITE DISAPPROVAL REPORT
2. _____ — INDIVIDUAL SEPTIC TANK SYSTEM WITH SUBSURFACE,
3. _____ — SOIL ABSORPTION, EFFLUENT DISCHARGE

SDR No. ~~6882~~
T.C. No. 105-188-36
4-27-73

NAME OF OWNER Rodgers, James Franklin

ADDRESS OF OWNER Route 8, Box 95 ZIP 28212

LOCATION OF LOT Middlestream Road, lot 4-C

The lot described above has been disapproved for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge due to the following:

FAILURE TO PASS PERCOLATION TEST (60 minutes per inch or less)

	Test No.	Date of Test	Percolation Rate
____	1.	_____	_____ min/in
____	2.	_____	_____ min/in
____	3.	_____	_____ min/in

__X__ ON SITE INSPECTION REVEALED LOT TO BE UNSUITABLE FOR THE FOLLOWING REASON(S) 10-18-73 - Soils were found to be of the Helena series. These soils have very plastic and sticky clay subsoils which contain swelling clay minerals. In addition, they may have a perched high water table during periods of high rainfall. These factors result in inadequately slow percolation rate and permeability.

W. Crosby Lynch, Jr. — Soil Scientist
John R. Atkisson — Environmentalist

(Stencil No.)
EMD 398
8/70

FORM NO.
E-19-8-14-70

MECKLENBURG COUNTY HEALTH DEPARTMENT

INTER-OFFICE COMMUNICATION

DATE: October 22, 1973

TO: John Adkisson
Environemntalist

FROM: W. Everette Lynn, Jr.
Soil Scientist

SUBJECT: APT ~~#7119~~ 6811 (J. F. Hodges)
Lot No. 3-C, Middle Stream Road
Rolling Acres Subdivision
10-18-73

Soils were found to be of the Helena series. These soils have very plastic and sticky clay subsoils which contain swelling clay minerals. In addition, they may have a perched high water table during periods of high rainfall. These factors result in inadequately slow percolation rate and permeability.

Based on this investigation, it appears that the lot is unsuitable for installation of a septic tank system.

WEL:jdg

Serial No. 3699

PTR No. 6891

T C No. 105-166-38

Date Issued October 23, 1973

Map Date 4-27-73

Do Not Issue A Building Permit Based On This Form

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION


PERCOLATION TEST REPORT

NAME OF OWNER Hodges (LAST) James (FIRST) Franklin (MIDDLE)

ADDRESS OF OWNER Route 8, Box 95 ZIP 28212

LOCATION OF PROPERTY Rolling Acres Rd. & Middlestream Rd. (STREET OR COUNTY ROAD)

SUBDIVISION Rolling Acres LOT NO 2 BLOCK NO. C



PLOT PLAN

This is to certify that a percolation test has been run and an on site inspection made by the Mecklenburg County Health Department on the lot described above The said test was conducted on that portion of the lot as indicated on above plot

The percolation rate determined by the test was 60 min/in* The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Health Department prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Health Department prior to installation based on the percolation rate obtained above, and on the size and type of building constructed thereon
3. This approval is valid only if the system is installed in the immediate area where the percolation test was run.
4. This approval is void if any grading, filling, or construction (including the drilling of a well) is performed on the lot which, in the opinion of the Health Department, renders the area where the percolation test was run unsuitable for the installation, construction alteration, and/or repair of such a system

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina State Board of Health and the Mecklenburg County Board of Health which were in effect on the date of issuance and is void if at any time in the future, prior to the completion of the system, these laws, rules, and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

*Results determined by soil analysis.

W. Everette Lyons, Jr. Soil Scientist

John R. Adkisson

Director, Environmental Health Division or Authorized Section Head

FORM NO. E-2 4-1-71

HEALTH DEPARTMENT'S COPY

Date Received 2/4/77

APT No. 5419

T. C. No. 105-166-37

Map Date 1/24/77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER HODGES, J. FRANK.
(LAST, FIRST, MIDDLE)

2) ADDRESS OF OWNER ROCKY RIVER RD. CHARLOTTE, NC ZIP 28212

3) PHONE NO Home 536-0772 Office same


4) LOCATION OF PROPERTY MIDDLE STREAM RD.
(STREET OR COUNTY ROAD)

5) SUBDIVISION ROLLING ACRES LOT NO 3 BLOCK NO C

MAP BOOK NO 105 PAGE NO 16

6) DEED REFERENCE DEED BOOK 3100 PAGE NO 283

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

J. Frank Hodges
OWNER

EHD-5 76

Environmental Health Department's Copy

Date Received 2/4/77

APT No. 6891 6892

T. C. No. 105-166-36

Map Date 1/14/77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER HODGES, (LAST) J. (FIRST) FRANK (MIDDLE)

2) ADDRESS OF OWNER Rocky River Rd, Charlotte, NC ZIP 28212

3) PHONE NO Home 596-0772 Office Same


4) LOCATION OF PROPERTY Middle Stream Rd. (STREET OR COUNTY ROAD)

5) SUBDIVISION Rolling Acres LOT NO 4 BLOCK NO C

MAP BOOK NO 105 PAGE NO 16

6) DEED REFERENCE DEED BOOK 3100 PAGE NO 283

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

J. Frank Hodges
OWNER

EHD-5-76

Environmental Health Department's Copy

SOIL INVESTIGATION REPORT Combined 6891

Date of Investigation FEB. 7, 1977 APT NO. 749

Owner J. F. Hodges

Location of Property Middle Stream Rd. lot NO. 3 Block C

Soil Suitability Ratings Tax Code No. 105-166-37

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series	HELENA		Chewacla	
2. Soil Slope	suitable 2-6%		—	
3. Soil Depth	unsuitable <46"		—	
4. Soil Texture	unsuitable 2:1 Expanding Clay		—	
5. Soil Structure	unsuitable massive		—	
6. Restrictive Horizons	—		—	
7. Soil Drainage	unsuitable perched high		unsuitable poorly drained	
8. Soil Permeability (Percolation Rate)	water table unsuitable very slow >2 min/in		unsuitable seasonal	high water table <18" from surface
9. Other	—		unsuitable floods	
10. Overall Rating	unsuitable		unsuitable	


Recommendations Based on this investigation, the lot is not recommended for approval for installation of a septic tank system.

See diagram on back

C. Edmund Cesaretti
Soil Scientist

3/13/75
EHD 539

DIAGRAM OF PROPERTY



3/18/75

EHS 539

SOIL INVESTIGATION REPORT

6891

Date of Investigation FEB. 8, 1977 APT NO. 6892

Owner J. F. Hodges

Location of Property Middle Stream Rd. Lot No. 4 Block C

Tax Code No. 105-166-36

Soil Suitability Ratings

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series	HELENA		Chewacla	
2. Soil Slope	Suitable 2-6%		—	
3. Soil Depth	unsuitable <40"		—	
4. Soil Texture	unsuitable 2:1 expanding clay		—	
5. Soil Structure	unsuitable massive		—	
6. Restrictive Horizons	—		—	
7. Soil Drainage	unsuitable lateral water movement perched high water table		unsuitable poorly drained	
8. Soil Permeability (Percolation Rate)	unsuitable very slow >72 00min/in		unsuitable seasonal high water table <18" from surface	
9. Other	—		unsuitable floods	
10. Overall Rating	unsuitable		unsuitable	


Recommendations Based on this investigation, the lot is Not recommended for approval for installation of a septic tank system.

See diagram on back

W. Edward Caramont
Soil Scientist

3/13/75
HHD 539

DIAGRAM OF PROPERTY



3/18/75

FHD 539

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

DATE ISSUED
1.
2. 2/8/77
3.

SITE INVESTIGATION REPORT
INDIVIDUAL SEPTIC TANK SYSTEM
WITH SUBSURFACE,
SOIL ABSORPTION,
EFFLUENT DISCHARGE

SIP NO. ~~2119~~
T.C. NO. ~~105-166-37~~
MAP DATE ~~1-24-77~~

NAME OF OWNER **Hodges, J. Frank**

ADDRESS OF OWNER **Rocky River Road, Charlotte, N. C. 28212**

LOCATION OF LOT **Middle Stream Road, Lot 3, Block C**

The lot described above is not recommended for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge due to the following:

Unsuitable Soil drainage

Soil permeability unsuitable

Percolation rate in excess of 200 min./in.

John R. Atkisson, Environmentalist
On Premises Waste Disposal Section

JRA:jjk

(Stencil No.)
END 389
8/74

FORM NO.
E-19-8-21-74

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

6891

DATE ISSUED
1. ~~2/8/77~~
2. _____
3. _____

SITE INVESTIGATION REPORT
INDIVIDUAL SEPTIC TANK SYSTEM
WITH SUBSURFACE,
SOIL ABSORPTION,
EFFLUENT DISCHARGE

SIR NO. ~~6882~~
T.C. NO. ~~105-168-35~~
M.P. DATE ~~1-14-77~~

NAME OF OWNER **Hodges, J. Frank**

ADDRESS OF OWNER **Rt. 8, Box 95, Charlotte, N. C. 28212**

LOCATION OF LOT ~~Middlestream Road, Lot 4, Block C~~

The lot described above is not recommended for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge due to the following:

Soil drainage unsuitable

percolation rate in excess of 200 min./in.

John R. Adkisson, Environmentalist
On Premises Waste Disposal Section

JRA:jjk

(Stencil No.)
EHD 389
8/74

FORM NO.
E-2[illegible]-8-2[illegible]-74

Date Received 4/23/74 Apt. No. (S) _____ Application No. (W) 6891

T. C. No. _____

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER Pigg (LAST) Stephen (FIRST) Wayne (MIDDLE)

ADDRESS OF OWNER 9409 Sandbobs Ave Charlotte ZIP 28213

PHONE NO. Home 596-5728 Office 376-3070 or 376-2111 X295 Mr. Adlestream


LOCATION OF PROPERTY Lots 2, 3, 4, & B of C Rolling Acres
STREET OR COUNTY ROAD

WELL CONTRACTOR Stewart Pump & Well Co. LICENSE NO. 70

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of ( ) individual, ( ) semi public, or ( ) public water supply

DATE OF APPLICATION

OWNER Stephen Wayne Pigg



ACCURATELY DIAGRAM & DIMENSION LOT

Remarks

Application approved and permit hereby granted

Permit No: _____

ENVIRONMENTALIST

EHD-5-74

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 5/23/78

ICAR (S) Application No. 6891

T. C. No. 105-1663?


Map Date 105 166-3?

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) X Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge



Mobile Home ___Yes ___No
Residence X ___Yes ___No
4) No of Bedrooms 3
5) Business Use - Max No Employees ___
6) Washing Machine ✓ Yes ___No
7) Garbage Disposal ✓ Yes ___No
8) Dishwasher ✓ Yes ___No
9) Water Supply
A) Individual Well X
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___Yes X No
House located within 200 feet of community sewer ___Yes X No
11) FHA Case No ___
12) VA Case No ___

13) PLOT PLAN (ACCURATELY DIMENSIONED)

13) NAME OF OWNER PIGG (LAST) STEPHEN (FIRST) WAYNE (MIDDLE)

14) ADDRESS OF OWNER 9407 SANDBURG AVE CHARLOTTE, NC 28212

15) PHONE NO Home 536-5728 Office 376 3090 or 376 2711 X 211

16) LOCATION OF SYSTEM ROLLING ACRES Dr. & MIDDLE STREAM Dr.
STREET OR COUNTY ROAD

17) SUBDIVISION ROLLING ACRES Lot No 243 Block No. C

Map Book No 4053 Page No. 220

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN 10-23-73

20) PTR NUMBER (See Instructions) 6871

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true

5-23-78
DATE OF APPLICATION

Stephen Wayne Pigg
OWNER

EHD-5-76

Environmental Health Department's Copy

Date Issued 5/23/78

Serial No. 1848

LA No. 6891

T. C. No. 106-166-38 ~~106-166-37~~

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Pigg (LAST) Stephen (FIRST) Wayne (MIDDLE)

ADDRESS OF OWNER 9409 Sandburg Avenue, Charlotte, N. C. ZIP

LOCATION OF LOT Rolling Acres Drive & Middlestream Drive (STREET OR COUNTY ROAD)

SUBDIVISION Rolling Acres LOT NO 2 &3 BLOCK NO. C

MAP BOOK NO. 4053 PAGE NO 220

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 6891 This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Eddie Reynolds
Environmentalist

John R. Gibson
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Date Issued 18 Sept 1978 Serial No. 1965 ICAR (S) Permit No. 6891

T C No 105-116-30 #37

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 6891 dated 5-23-78 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 1 Nov 78, after which date this permit shall be null and void



PLOT OF SYSTEM

Permeability Rate provasit

Liquid Capacity of Tank 1500

Tank Construction precast

Absorption and/or Nitrification Lines

Total Line Length 495 & 125

Number of Lines 5 & 4

Distance from House 10'

Distance from Property Line 10'

Distance from Well 50'

NAME OF OWNER Pigg, Stephen Wayne

LOCATION OF PROPERTY Rollings Acres Drive Lot 243 C & Middle Stream Road

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Comments: in bed 15'x99'x15" stone wash line in bed 12'x42'x15"

Division or Section Head

John R Hutchison
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued Oct. 5 1978 Serial No. 1952

C of A (s) No. 6891

T. C No 105-166-38-31

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION
CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Rigg (LAST) Stephen (FIRST) Wayne (MIDDLE)

Location of Property Rolling Acres Drive

Application Number 6891 Permit Number 6891

Inspection Data:

Liquid Capacity of Tank 1500 gal. Tank Material PC

Total Length of Drain Tile 495 + 125 Number of Lines 5 + 4

Depth of Filter Material 17" Cover Depth 18"

Water Supply Source Well Distance from Water Source 50'

Excavation Inspected — (DATE) Tank Inspected 10-5-78 (DATE)

Nitrification Field Inspected 10-5-78 (DATE)

Washing Machine Line Inspected, If Applicable 10-5-78 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Edward Reynolds
Environmentalist

EHD-5-76

Environmental Health Department's Copy