C of A (s) No. 21697

Date Issued 8-13-85 **Serial** 7733 T. C. No. 217-143-15 L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner McCarter Victor
LAST FIRST MIDDLE

Location of Property 1604 Chalet Dr

Application Number 21697 Permit Number 21697

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PVC

Total Length of Drain Tile 410' Number of Lines Five

Depth of Filter Material 12" Cover Depth 12"

Water Supply Source well Distance from Water Source 100'

Excavation Inspected 7-9-85 DATE Tank Inspected 7-8-85 DATE

Nitrification Field Inspected 7-8-85 DATE

Washing Machine Line Inspected, If Applicable ____ DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system

Comments well system from diagram 8-13-85

Environmentalist

EHD-5-76

Date Issued 6-14-85

Serial No. 08253


ICAR (S) Permit No. 21697

T. C. No. 217-143-15

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 21697, dated 1-21-85 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 7-14-85, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PL

Liquid Capacity of Tank 1500

Tank Construction RCC

Absorption and/or Nitrification Lines.

Total Line Length 400'

Number of Lines 5

Distance from House 5'

Distance from Property Line 10'

Distance from Well new well not in

NAME OF OWNER Victor McCarter

LOCATION OF PROPERTY 18204 Chalet Dr.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly.

5 lines 3 ft in trench, 1 new well to be abandoned

Comments: Well must be abandoned in accordance with provisions of 15 NCAC .0001

Division or Section Head

B. R. Ferguson
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Division Copy

Serial No. 8173

SIR No. 21697

Date Issued 2-11-85

T. C. No. 217-143-15

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER McCarter, (LAST) Victor (FIRST) Q. (MIDDLE)

ADDRESS OF OWNER 5836 Plank Rd., Charlotte, NC ZIP 28216

LOCATION OF LOT 18204 Chalet Lane (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21697. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run. Provisionally suitable soil area
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

B. R. Ferguson
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-74

Environmental Health Department's Copy


160
SOUTH
McKee Rd
BANFIELD
FIELD

#1 Ridge - To Be Graded to Proper Depth + Slope

#2 Yard - To be Graded to Slope N + East to Drainage

#3 - Fill Dirt From Grading


#4 - Would Hope For Septic Tank



Pipe in Driveway Temporary to Shower + Tub

* Suggested location, Changeable

→ Could Medicate Reluctantly


RECORDED: PLAT BOOK 17
PAGE 465, NOVEMBER 12, 1975
LAKE WYLIE
LAKE WYLIE
CRESCENT LAND & TIMBER CORP
LAKE WYLIE
MAP OF
RECREATION LOTS
SECTION 44
LOTS 48 & 49, 51 & 52, 53 & 54, 56, 58-64
STEELE CREEK TOWNSHIP
MECKLENBURG COUNTY, N. C.
MECKLENBURG COUNTY
SOUTH CAROLINA
YORK COUNTY
STATE LINE
TWEED RD.
CHALET LANE
GEOGRAPHIC LOCATION

Date Received 1-22-85

SEE INSTRUCTIONS ON REVERSE SIDE — DEPARTMENT OF ENVIRONMENTAL HEALTH — RECEIVED — JAN 25 1985 — ENVIRONMENTAL HEALTH

Application No. 21697

T. C. No. 217 143 15

Map Date 11/12/75


L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) YES Install or Construct 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No

4) No of Bedrooms 3
5) Business Use — Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ___ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply
A) Individual Well yes
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER MCCARTER (LAST) VICTOR (FIRST) QUINN (MIDDLE)

14) ADDRESS OF OWNER 5836 PINEVILLE [illegible] 28216

15) PHONE NO. Home 704-377-6448 Office ___

16) LOCATION OF SYSTEM 10204 CHALET LANE PINEVILLE N.C. 28134
LANE & LA[illegible] (SR 1153) OFF [illegible] (STREET OR COUNTY ROAD)

17) SUBDIVISION [illegible] Lot No 62 Block No. 44

Map Book No. 17 Page No. ___

18) DEED REFERENCE — DEED BOOK 3846 AT PAGE [illegible] 2124

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 1-[illegible]

20) PTR NUMBER (See Instructions) ___ ?

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

Jan-21-1985
DATE OF APPLICATION

Victor Quinn McCarter
OWNER

EHD-5-76

Environmental Health Department Copy

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
[illegible] BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SIR. NO. 21697
T.C. NO. 217-143-15
DATE: 1-11-85

[illegible]
[illegible] Road
Charlotte, NC 28216

Property located at Chalet Lane, Lot 62, Blk. 44

[illegible]

At your request, a field investigation was conducted on the property designated above. The soils on the property were found to contain a limited area of provisionally suitable soil for the installation of a ground absorption sewage disposal system. A copy of the site evaluation report is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit plot plans for the proposed construction, well, and ground absorption sewage disposal system to this office. They will be reviewed and if it is found that there is an adequate area of provisionally suitable soil to accommodate the proposed installation, an Improvements Permit will be issued by this office.

If I can be of assistance, please feel free to call.

Sincerely,

Bill D. Hardister, Jr.
Environmental Health Supervisor

bDH/kbg

[illegible]

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 21691

T.C. NO. 211-143-15

(Ground Absorption Sewage Disposal)

OWNER: [illegible]
ADDRESS: [illegible]
LOCATION OF SITE: [illegible]

PLAT NO: Lot 62, BM
LOT SIZE: 43,560

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS U (PS) 2-2	S PS — U	S PS (Complex slopes) U	S PS (PS) 10 20% U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S PS (PS) clay U	S PS — U	S PS — U	S PS (PS) Clay U
3. SOIL STRUCTURE (12-36 inches)	S PS (PS) Blocky U	S PS — U	S PS U	S PS (PS) Blocky U
4. SOIL DEPTH (inches)	S PS (PS) 24-48" U	S PS — U	S PS U	S PS (PS) 20 24" U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) 24-36" U	S PS — U	S PS — U	S PS (PS) 20" U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) 24-36" to ground water U	S Drainageway PS Depression U	S River bluff (PS) channel U Runoff	S (PS) 20" To ground water U
7. OTHER (Specify)	S Restricted PS (PS) Area U	S PS U	S PS U	S PS U
8. SOIL GROUP	II A			II A
9. SITE CLASSIFICATION	suitable	suitable	suitable	suitable
10. SOIL SERIES	Cecil	Davidson		Pacolet

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas wells, water bodies, slopes)


Recommendations/Comments: special washing machine with pump on site if necessary

Described by: [illegible]
Title: [illegible]

Date: 1/24/85

1A

DEPARTMENT OF
ENVIRONMENTAL HEAL
MECKLENBURG COUNTY
NORTH CAROLI



Date Received 12-27-84

MECK COUNTY DEPARTMENT OF
RECEIVED
DEC 27 1984

SIR No. 21697

T. C. No. 217-143-15

Map Date Vol. 12-1975 L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER McCARTER (LAST) VICTOR (ZULA) (FIRST) QUINN (H) (MIDDLE)

2) ADDRESS OF OWNER 5836 PLANK Rd CHARLOTTE NC ZIP 28216

3) PHONE NO. Home 704-399 6748 Office


4) LOCATION OF PROPERTY Chalet Lane (LUCIA) Rd) (STREET OR COUNTY ROAD)

5) SUBDIVISION CRESCENT Land, River Lots LOT NO. 62 BLOCK NO. 44

MAP BOOK NO 17 PAGE NO. 465

6) DEED REFERENCE DEED BOOK 3846 PAGE NO 0724-0723-0722

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Victor Q McCarter
OWNER

EHD-5-74

Environmental Health Department's Copy