Date Received 9/19/79

SEE INSTRUCTIONS ON BACK

RECEIVED
SEP 19 1979
ENVIRONMENTAL HEALTH

CAR (S) Application No. 16181

T. C. No. 037-185-21


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) Install or Construct 2) ✓ Alter or Repair an individual ~~septic tank~~ WASHING MACHINE wastewater treatment system with a subsurface soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No

4) No of Bedrooms ___
5) Business Use — Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ___ No
8) Dishwasher ___ Yes ___ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System:
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ___ No
House located within 200 feet of community sewer ___ Yes ___ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER Joop (LAST) William (FIRST) G. (MIDDLE)

14) ADDRESS OF OWNER 7600 REAMES RD. CHARLOTTE, N.C. 28216

15) PHONE NO Home ___ Office ___

16) LOCATION OF SYSTEM SAME AS ABOVE / 7600 REAMES Rd (STREET OR COUNTY ROAD)

17) SUBDIVISION LONG CREEK Lot No ___ Block No. ___

Map Book No. ___ Page No ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? YES ✓ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

Sept. 10, 1979
DATE OF APPLICATION

William G. Joop
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY


Date Issued 10-4-79 Serial 3258 ICAR(S) Permit No. 16181

T C No 031-185-31

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ___ Install or Construct, ✓ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 16181, dated 9-10-79 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 10-14-79, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate —

Liquid Capacity of Tank —

Tank Construction —

Absorption and/or Nitrification Lines.

Total Line Length 125'

Number of Lines 4

Distance from House >10'

Distance from Property Line >10'

Distance from Well 100'

NAME OF OWNER Jeep, William G.

LOCATION OF PROPERTY 7600 Raines Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

12 × 32 × 17' at stone

Division or Section Head

Mike Sexton
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

Date Issued 10-9-79 Serial 3075 C of A (s) No. 16181

T C No. 031-185-21

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Joop (LAST), William (FIRST) G. (MIDDLE)

Location of Property 7600 Reames Rd.

Application Number 16181 Permit Number 16181

Inspection Data:

Liquid Capacity of Tank — Tank Material —

Total Length of Drain Tile 125' Number of Lines 4

Depth of Filter Material 17" Cover Depth 15"

Water Supply Source well Distance from Water Source >100'

Excavation Inspected — (DATE) Tank Inspected — (DATE)

Nitrification Field Inspected — (DATE)

Washing Machine Line Inspected, If Applicable 10-9-79 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ____ installed or constructed, ✓ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Mike Sexton
Environmentalist

EHD-S-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 7-18-83

ICAR (S) Application No 16181

T C. No. 039-185-21


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) Install or Construct 2) ✓ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ✓ No
Residence ✓ Yes ___ No
4) No of Bedrooms 3
5) Business Use Max No Employees 0
6) Washing Machine ___ Yes ✓ No
7) Garbage Disposal ___ Yes ✓ No
8) Dishwasher ___ Yes ✓ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER Gail Dewey + Elizabeth (LAST FIRST MIDDLE)

14) ADDRESS OF OWNER 7606 Reames Rd, Charlotte, NC. 28216

15) PHONE NO Home 597-8252 Office ___

16) LOCATION OF SYSTEM S/A (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

18 July 1983
DATE OF APPLICATION

Elizabeth J. Dewey
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued 7-18-83

Serial No 6412


ICAR(S) Permit No. 16181

T C No 057-185-21

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ___ Install or Construct ✓ Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application _____ dated 7-18-83 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 7-18-83, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate Repair

Liquid Capacity of Tank _____

Type Construction _____

Absorption Area or Irrigation Line

Trench Length 200'

Number of Lines 2

Distance from Property Line 75'

Distance from Building 75'

Distance from Well 150'

NAME OF OWNER Dewey + Elizabeth Gail

LOCATION OF PROPERTY 7600 Reames Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

2-100' X 3' X 12" stone trenches

Comments: _____

Division or Section Head _____

Environmentalist [signature]

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

C of A (s) No. 16181

Date issued 7-18-83 **Serial** 5975 T C No. 037-185-21

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Gail (LAST), Dewey (FIRST) & Elizabeth (MIDDLE)

Location of Property 7600 Reames Rd

Application Number _____ Permit Number _____

Inspection Data:

Liquid Capacity of Tank — Tank Material Fiberglass

Total Length of Drain Tile 200' Number of Lines 2

Depth of Filter Material 12" Cover Depth 2'

Water Supply Source well Distance from Water Source >50'

Excavation Inspected — (DATE) Tank Inspected — (DATE)

Nitrification Field Inspected 7-18-83 (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ___ installed or constructed, ___ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments _____

Environmentalist R P Hoyos.

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY