

5820 DIXIE RD

14127106

8/15/08

marliwr

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

Groundwater & Wastewater Services
Well Project File & Data Review Worksheet

GWS File #: 18160 WASPS App #: 2392

Primary ES assigned to project: Josh Sellers

Secondary ES assigned to project:

Project Type: New Well ☐ Well Abandonment ☑ Major Repair ☐

Septic System Status: Permit in progress ☐ System installation completed ☐ N/A-Sewer ☑

I. File Review:

Completed application	Yes ☑	No ☐		
ARGU review report	Yes ☑	No ☐	N/A ☐	
Signed permit	Yes ☑	No ☐		
Notification of disinfection	Yes ☐	No ☐	N/A ☑	
Sample Results	TC ☐	Nitrate/Nitrite ☐	Other ☐	N/A ☑
GW-1 Form / GW-30 Form	Yes ☑	No ☐		
Other related documentation	Yes ☐	No ☑	N/A ☐	

Items requiring correction/modification: _____

Comments:

II. WASPS Review:

Completed application w/ valid address	Yes ☑	No ☐	
ARGU review completed	Yes ☑	No ☐	N/A ☐
Permit issued	Yes ☑	No ☐	
Activity checklist completed	Yes ☑	No ☐	
Appropriate comments included	Yes ☑	No ☐	
Site information record completed	Yes ☑	No ☐	
Well detail record completed	Yes ☑	No ☐	

Items requiring correction/modification: _____

Comments:

Application received date: 6/17/07 ES assigned date: _____ Permit issued date: 6/12/07

Well approval date: 8/7/07 Number of days to complete project: _____

Review performed by: [signature] Date performed: 8/7/07

18160

WELL ABANDONMENT RECORD

North Carolina Department of Environment and Natural Resources- Division of Water Quality

WELL CONTRACTOR CERTIFICATION # 3112

1. WELL CONTRACTOR:

JASON CAIN
Well Contractor (Individual) Name

MACTEC ENGINEERING
Well Contractor Company Name

STREET ADDRESS 2801 YORKMONT RD. STE. 100

Charlotte, NC 28208
City or Town State Zip Code

(704) 357-8600
Area code - Phone number

2. WELL INFORMATION:

SITE WELL ID # (if applicable) F-13

STATE WELL PERMIT # (if applicable)

COUNTY WELL PERMIT # (if applicable) 10002392

DWQ or OTHER PERMIT # (if applicable)

WELL USE (Circle applicable use): ☐ Monitoring ☐ Residential ☐ Municipal/Public ☒ Industrial/Commercial ☐ Agricultural ☐ Recovery ☐ Injection ☐ Irrigation ☐ Other (list use)

3. WELL LOCATION:

COUNTY Mecklenburg QUADRANGLE NAME Charlotte West

NEAREST TOWN:

5820 Dixie Rd., Parcel 141-271-06
(Street/Road Name, Number, Community, Subdivision, Lot No., Parcel, Zip Code)

TOPOGRAPHIC / LAND SETTING:
☐ Slope ☐ Valley ☒ Flat ☐ Ridge ☐ Other
(Circle appropriate setting)

LATITUDE N 35. 2022

LONGITUDE W 80. 9631

May be in degrees, minutes, seconds, or in a decimal format

Latitude/longitude source: ☐ GPS ☒ Topographic map
(Location of well must be shown on a USGS topo map and attached to this form if not using GPS.)

4a. FACILITY: The name of the business where the well is located. Complete 4a and 4b. (If a residential well, skip 4a; complete 4b, well owner information only.)

FACILITY ID # (if applicable)

NAME OF FACILITY N/A Vacant

STREET ADDRESS 5820 Dixie Road

Charlotte, NC
City or Town State Zip Code

4b. CONTACT PERSON/WELL OWNER:

NAME Elmo Langley

STREET ADDRESS CDIA

Charlotte, NC
City or Town State Zip Code

( ) -
Area code - Phone number

5. WELL DETAILS:

a. Total Depth: 485 ft. Diameter: 6" in.

b. Water Level (Below Measuring Point): ft.

Measuring point is ft. above land surface.

6. CASING:

	Length	Diameter
a. Casing Depth (if known):	85 ft.	6 in.
b. Casing Removed:	0 ft.	in.

7. DISINFECTION: 6 oz

(Amount of 65%-75% calcium hypochlorite used)

8. SEALING MATERIAL:

Neat Cement

Cement 1316 lb.
Water 84 gal.

Sand Cement

Cement lb.
Water gal.

Bentonite

Bentonite lb.
Type: Slurry Pellets
Water gal.

Other

Type material #67 STONE

Amount

9. EXPLAIN METHOD OF EMPLACEMENT OF MATERIAL:

#67 STONE PLACED FROM BOTTOM OF WELL TO 10' BELOW BOTTOM OF CASING (95') 1" TREMIE PLACED TO 95' & GROUTED TO SURFACE, REMOVED TREMIE

10. WELL DIAGRAM: Draw a detailed sketch of the well on the back of this form showing total depth, depth and diameter of screens (if any) remaining in the well, gravel interval, intervals of casing perforations, and depths and types of fill materials used.

11. DATE WELL ABANDONED 6/27/07

I DO HEREBY CERTIFY THAT THIS WELL WAS ABANDONED IN ACCORDANCE WITH 15A NCAC 2C, WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

Jason M Cain 6/27/07
SIGNATURE OF CERTIFIED WELL CONTRACTOR DATE

Elmo Langley 7/18/07
SIGNATURE OF PRIVATE WELL OWNER ABANDONING THE WELL DATE
(The private well owner must be an individual who personally abandons his/her residential well in accordance with 15A NCAC 2C .0113.)

JASON M. CAIN
PRINTED NAME OF PERSON ABANDONING THE WELL

Submit a copy to the owner and the original to the Division of Water Quality within 30 days.
Attn: Information Management, 1617 Mail Service Center – Raleigh, NC 27699-1617, Phone No. (919) 733-7015 ext 568.

Form GW-30
Rev. 5/06

Mecklenburg County Health Department
Groundwater & Wastewater Services
700 N. Tryon St, Suite 211
Charlotte, NC 28202
Phone: (704) 336-5103
Fax: (704) 336-6894

F-13

PERMIT TO CONDUCT MAJOR REPAIR AND/OR ABANDON A WATER SUPPLY WELL

Permit#: 10002392 **File #:** 18160 **Tax Parcel #:** 141-271-06
Property Owner: City of Charlotte/Charlotte-Douglas Int Airport
Job Location Address:5820 DIXIE RD
City/ETJ:CHARLOTTE **State:** NC **Zip Code:** 28278
Permit Issuance Date: 6/12/2007
Use of Well:
Type of Facility Served by Well:
Sewage System Type: None

Type of Repair/Abandonment

- ○ Major Repair Before Placing the Well in Service
- ○ Major Repair Before Temporary Abandonment
- ○ Temporary Abandonment
- ◉ Permanent Abandonment

Area of Regulated Groundwater Usage Restrictions Apply: YES

If Yes, see requirements in Specific Conditions of This Permit.

General Conditions of This Permit:

- The Water Supply Well repair and abandonment must meet all requirements set forth in the *Mecklenburg County Groundwater Well Regulations* and any other applicable rules and laws.
- A North Carolina Certified Well Contractor must perform the well construction activities.
- Repair of any Water Supply Well with the well head terminating below ground surface (buried seal) shall include extending the well casing at least twelve inches above the surface.
- This Permit shall be VALID for a period not to exceed 12 months from the date of issuance.

Specific Conditions of This Permit (Check all that apply):

- ☐ Grout must be placed the full extent of the casing.
- ☐ Initial water sample to taken and analyzed for (check all that apply):
  - ☐ Volatile Organic Compounds (VOC's)
  - ☐ Semi-volatile Compounds
  - ☐ Metals (Specify in Other Conditions)
  - ☐ Pesticides
  - ☐ Herbicides
  - ☐ Other (See Below)

Other Conditions of This Permit:


Based on review of our files, the permit for a private well abandonment at PID# 141-271-06, 5820 Dixie Rd., Charlotte, NC is approved. Well sampling reported MPL and NCDENR files indicated no detections, so the well requires abandonment under the Mecklenb


Joshua R. Sellers R.S.
Authorized Agent: Print Name

Joshua R. Sellers R.S.
Signature:

Elmo Langley
Owner/Legal Agent: Print Name

Elmo Langley
Signature:





ENVIRONMENTAL ENTITIES TABLE FOR VIEW 'F'

INDEX #	ENVIRONMENTAL ENTITY	FACILITY ID / PARCEL NUMBER	ENTITY NAME / PARCEL OWNER NAME	STATUS	COMMENTS

WELLS IN VIEW 'F'

Charlotte-Douglas

File # 18160

FILE NUMBER: _____ Revised On: January 3, 2007 APPLICATION NUMBER: 2392

SEPTIC FEE: _____
DATE: _____

MECKLENBURG COUNTY GROUNDWATER & WASTEWATER SERVICES
APPLICATION FOR A COMMERCIAL SITE IMPROVEMENT PERMIT/ CONSTRUCTION AUTHORIZATION FOR AN ON-SITE WASTEWATER SYSTEM, NEW WELL INSTALLATION, OR REPAIR OF EXISTING WELL

WELL FEE: 0
DATE: 6/12/07 JLS

1. SEPTIC / TYPE APPLICATION: ☐ NONE ☐ NEW SYSTEM ☐ ALTERATION ☐ REPAIR ☐ MODIFIED PLOT PLAN

2. WELL / TYPE APPLICATION: ☐ NONE ☐ NEW WELL ☐ MAJOR REPAIR ☒ ABANDONMENT

3. JOB LOCATION INFORMATION:
TAX PARCEL NUMBER: 141-271-06
STREET ADDRESS: 5820 Dixie Road
CITY: Charlotte
STATE: NC ZIP:
LOT #: LOT SIZE (acres): 2.022
TOWNSHIP:
☒ 0-MECKLENBURG ☐ 3-CORNELIUS ☐ 6-HUNTERSVILLE
☐ 1-CHARLOTTE ☐ 4-PINEVILLE ☐ 7-MINT HILL
☐ 2-DAVIDSON ☐ 5-MATTHEWS

4. BUILDING INFORMATION:
DESCRIBE TYPE OF BUSINESS: Warehouse
☒ COMMERCIAL ☐ INDUSTRIAL
SQUARE FOOTAGE OF FACILITY: 18,349 sq ft
NUMBER OF EMPLOYEES PER SHIFT:
NUMBER OF SHIFTS: _____ NUMBER OF SEATS: _____
TYPE OF WASTEWATER GENERATED:
☒ DOMESTIC SEWAGE ☐ INDUSTRIAL WASTEWATER
☐ OTHER _____

5. IF PLANNING TO EXPAND OR ALTER THE EXISTING SYSTEM, INFORMATION DOCUMENTING THE INCREASED WASTEWATER FLOW AND/OR A JUSTIFICATION FOR SYSTEM ALTERATION IS REQUIRED.

6. WATER SUPPLY: ☐ MUNICIPAL ☐ PUBLIC WELL ☒ PRIVATE WELL ☐ SHARED WELL ☐ SPRING
7. PROPOSED USE OF WELL: ☒ N/A ☐ IRRIGATION ☐ POTABLE ☐ GEOTHERMAL ☐ OTHER

8. PLEASE INDICATE AND RANK DESIRED SEPTIC SYSTEM TYPE(S) IN ORDER OF PREFERENCE *(1-MOST DESIRED 5-LEAST DESIRED)*:

☐ ANY TYPE ☐ CONVENTIONAL ☐ ACCEPTED ☐ INNOVATIVE ☐ ALTERNATIVE ☐ OTHER _____
8A. RANK: ____ ____ ____ ____ ____

9. DO ANY OF THE FOLLOWING APPLY TO THE PROPERTY IN QUESTION? IF "YES" PLEASE ATTACH SUPPORTING DOCUMENTATION.

BURIED CABLES, LANDFILLS, STUMPHOLES	☐ YES ☐ NO	GRADING/SOIL REMOVAL PERFORMED	☐ YES ☐ NO
EXISTING WASTEWATER SYSTEMS	☐ YES ☐ NO	JURISDICTIONAL WETLANDS	☐ YES ☐ NO
WELLS, SPRINGS, OR WATER LINES	☐ YES ☐ NO	APPROVAL REQUIRED BY ANY OTHER PUBLIC AGENCY	☐ YES ☐ NO
EASEMENTS OR RIGHT-OF-WAYS	☐ YES ☐ NO	WASTEWATER OTHER THAN DOMESTIC SEWAGE	☐ YES ☐ NO

10. PROPERTY OWNER:
NAME: City of Charlotte / Charlotte Douglas Inter. Airport
ADDRESS: 600 East 4th Street
CITY: Charlotte
STATE: NC ZIP: 28202
HOME PHONE: WORK PHONE: 704-359-4000
MOBILE PHONE: FAX: 704-359-4916

11. OWNER'S LEGAL REPRESENTATIVE, IF APPLICABLE:
NAME:
ADDRESS:
CITY:
STATE: ZIP:
HOME PHONE: WORK PHONE:
MOBILE PHONE: FAX:

12. WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED? _____
13 WHAT IS THE ANTICIPATED CLOSING DATE FOR THIS PROPERTY? _____

14. SEPTIC SYSTEM PERMIT APPLICATION SIGNATURE SECTION:
If the information in this application is falsified, changed, or the site is altered, then the Improvement Permit and Authorization to Construct shall become invalid. I have read this application and certify that the information provided herein is true, complete and correct. Authorized county and state officials are granted right of entry to conduct necessary inspections to determine compliance with applicable laws and rules. I understand that I am solely responsible for the proper identification and labeling of all property lines and corners and making the site accessible so that a complete site evaluation can be performed. The permit is valid for either 60 months or is non-expiring depending upon the documentation submitted: complete site plan = 60 months, complete plat = non-expiring.

_____
Property Owner's or Owner's Legal Representative Signature Date

15. WELL PERMIT APPLICATION SIGNATURE SECTION:
If the information in this application is falsified, changed, or the site is altered, then the Well Permit shall become invalid. I have read this application and certify that the information provided herein is true, complete and correct. Authorized county and state officials are granted right of entry to conduct necessary inspections to determine compliance with applicable laws and rules. ~~I understand that I am solely responsible for the proper identification and labeling of all property lines and corners and making the site accessible so that a complete site evaluation can be performed.~~ The permit is valid for a period of 12 months from the date of issuance.

Christopher Corbett for City of Charlotte 6/8/07
Property Owner's or Owner's Legal Representative Signature Date

☐ SURVEY PLAT TO SCALE SUBMITTED ☒ SCALED SITE PLAN SUBMITTED ☐ UN-SCALED SITE PLAN SUBMITTED

WORK ORDER

Workorder No: 73439
Description ARGU Well Review
Submitted To: STUTTS, JACK
Completed By: CALDWELL, SHAWNA
Section: GWS
Status: IP

Initiated Date: 6/12/07 2:04:04 PM
Projected Start Date: 6/12/07
Projected Finish Date: 6/12/07 2:04:00 PM
Actual Start Date: 6/12/07
Actual Finish Date: 6/12/07 2:04:00 PM
Date Closed:

Entity Type: ARGU_WELLS
Facility ID: 9520
Entity Location: 9520

SITE INFORMATION

Workorder Address: 5820 DIXIE RD
and/or
General Location:
Town: CITY

Contact: (from Service Request)

Contact Work Phone: (from Service Request)	Contact Home Phone: (from Service Request)

ACTIVITY

Instructions:
1. Create one work order for each ARGU review performed.
2. Geocode the location using the location address from WASPS.
3. Attach the appropriate GIS well feature(s) from the ARGU_Wells_WASPS data layer under the ENTITIES tab.
4. Select the appropriate TOWN under the DETAILS tab.
5. All documentation associated w/ the review should be included as attachments.
6. Enter time for labor required to complete all work associated w/ review.
7. Use the COMMENTS field to document work activities.

ARGU Well features are automatically created in gis when the well permit application is entered into WASPS.

Comment:
Create one work order per ARGU Review
By CALDWELL, SHAWNA: 6/12/07 2:19:33 PM
Based on review of our files, the permit for a private well abandonment at PID# 141-271-06, 5820 Dixie Rd., Charlotte, NC is approved. Well sampling reported MPL and NCDENR files indicated no detections, so the well requires abandonment under the Mecklenburg Co. Groundwater Regulations dated Oct. 5, 2004, Chapter II Construction, Repair and Abandonment for Private Water Supply Wells with no special conditions.

Hydrogeologist Permit Application Review

Application #: 2392
Permit File #: 18160

Permit Type: Abandonment (Commercial)

ARGU Review Completed: (•) Yes ( ) No

Permit Denial?: ( ) Yes (•) No

Additional Conditions:

☐ Full Grouting ☐ Casing to Bedrock ☐ Sampling

☐ Volatile Organic Compounds (VOC's) ☐ Semi-volatile Compounds ☐ Metals (Specify in Other Conditions)

☐ Pesticides ☐ Herbicides ☐ Other

Comments/Other Sample Types:

Based on review of our files, the permit for a private well abandonment at PID# 141-271-06, 5820 Dixie Rd., Charlotte, NC is approved. Well sampling reported MPL and NCDENR files indicated no detections, so the well requires abandonment under the Mecklenburg Co. Groundwater Regulations dated Oct. 5, 2004 Chapter VI Construction Repair and Abandonment of Private Water

EHS Review | Update

Time Spent (hours):
☐ Change: 1.00

The application has been forwarded to Chris Sherrill for review.

App. #: 2392

Septic Fee: 0.00

Date:

CRT[ ]

PERMIT APPLICATION FOR A COMMERCIAL / INDUSTRIAL SITE IMPROVEMENT PERMIT FOR ONSITE WASTEWATER SYSTEM, NEW WELL INSTALLATION, OR REPAIR OF EXISTING WELL

MECKLENBURG COUNTY GROUNDWATER & WASTEWATER SERVICES

FILE # 18160

Well Fee: 0.00

Date: 6/12/2007

CRT[ ]

SEPTIC / TYPE APPLICATION: ◉ NONE ○ NEW SYSTEM ○ ALTERATION ○ REPAIR ○ MODIFIED PLOT PLAN

WELL / TYPE APPLICATION: ○ NONE ○ NEW WELL ○ MAJOR REPAIR ◉ ABANDONMENT

JOB LOCATION INFORMATION:

TAX / PARCEL #: 141-271-06 ☐ PO

STREET ADDRESS: 5820 DIXIE RD

CITY: Charlotte

STATE: NC ZIP: 28278

LOT #: 0

TOWNSHIP: 00

General Comments:

BUILDING INFORMATION:

DESCRIBE TYPE OF BUSINESS

☑ COMMERCIAL ☐ INDUSTRIAL

SQUARE FOOTAGE OF FACILITY: 18349

NUMBER OF EMPLOYEES PER SHIFT: 0

NUMBER OF SHIFTS: 0

TYPE OF WASTEWATER:

☑ SEWAGE ☐ INDUSTRIAL PROCESS WASTEWATER

HOW WILL WATER BE USED IN THE FACILITY?:

☐ TOILETS/URINALS ☐ HANDSINK/S

☐ SHOWERS ☐ FLOOR DRAINS

☐ OTHER

IF PLANNING TO EXPAND / ALTER THE EXISTING SYSTEM, INFORMATION DOCUMENTING THE INCREASED WASTEWAER FLOW AND/OR A JUSTIFICATION FOR A SYSTEM ALTERATION WILL BE REQUIRED.

WATER SUPPLY:

☐ MUNICIPAL (M) ☐ PUBLIC (C) ☑ PRIVATE WELL (P) ☐ SHARED WELL (S) ☐ OTHER 'SPRINGS' (O)

PROPOSED USE OF WELL: ◉ N/A ○ IRRIGATION ○ POTABLE ○ GEOTHERMAL ○ OTHER

PLEASE INDICATE AND RANK DESIRED SEPTIC SYSTEM TYPE(S) IN ORDER OF PREFERENCE *(1-MOST 5-LEAST DESIRED)*:

☐ ANY TYPE ☐ CONVENTIONAL ☐ ACCEPTED ☐ INNOVATIVE ☐ ALTERNATIVE ☐ OTHER

RANK: 0 0 0 0 0

ARE ANY OF THE FOLLOWING LOCATED ON THE PROPERTY? IF SO, PLEASE SHOW LOCATION ON SITE PLAN/PLAT.

BURIED CABLES, LANDFILLS, STUMPHOLES	◉ Yes ○ No	GRADING/SOIL REMOVAL PERFORMED	◉ Yes ○ No
EXISTING WASTEWATER SYSTEMS	◉ Yes ○ No	JURISDICTIONAL WETLANDS	○ Yes ◉ No
WELLS, SPRINGS, OR WATER LINES	◉ Yes ○ No	APPROVAL REQ'RD BY OTHER AGENCY	○ Yes ◉ No
EASEMENTS OR RIGHT-OF-WAYS	◉ Yes ○ No	WASTEWATER OTHER THAN DOM. SEWAGE	○ Yes ◉ No

PROPERTY OWNER:

NAME: City of Charlotte/Charlotte-Douglas Int Airpo

ADDRESS: 600 East 4th St.

LEGAL AGENT FOR PROPERTY OWNER, IF APPLICABLE:

NAME: MACTEC - Chris Corbitt

ADDRESS: 2801 Yorkmont Road

CITY:	Charlotte			CITY:	Charlotte		
STATE:	NORTH CAROLINA	ZIP:	28202	STATE:	NORTH CAROLINA	ZIP:	28208
HOME PHONE:		WORK:	704-359-4000	HOME PHONE:		WORK:	704-357-8600
MOBILE:		FAX:	704-359-4916	MOBILE:		FAX:	704-357-8638

WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED?

WHAT IS THE ANTICIPATED CLOSING DATE FOR THIS PROPERTY?

PRINT | Update | Go to Front Counter | Duplicate

Rept. for ARGU Review
5820 Dixie Rd., Charlotte, NC
PID# 141-271-06
File # 18160
Application#2392

06/12/07 (Tues.) - Received request for ARGU review for private well abandonment for a WSW located at 5820 Dixie Rd., Charlotte, PID#141-271-06. According to the WIS, there is an existing well at this property.

06/12/07 (Tues.) –Conducted ARGU Review. Identified 2 MPL sites within 2,000' of the subject parcel.

MPL# 981 Handy Pantry #29
5806 Wallace Neel Rd., Charlotte, NC
PID# 113-154-10
NCDENR UST Section Inc. #23013
Source-petroleum USTs

NCDENR database indicates that this is a High risk GW incident.

MPL investigation completed in 2003. Fourteen WSWs located and 2 were sampled for VOCs with no wells impacted.

The subject site is within 500' of this MPL site.


MPL# 941 Ford, James H. Property
5729 Wallace Neel Rd., Charlotte, NC
PID# 115-191-07
NCDENR UST Inc. # ?
Source-reportedly orphan petroleum UST

NCDENR PIRF BTEX in onsite WSW and MW. Site reportedly old store which sold gas and kerosene.

MPL investigation completed in 2000. Ten WSWs located and no wells were sampled related to this MPL.

The subject site is within 1,000' of this MPL site.

Based on review of our files, the permit for a private well abandonment at PID# 141-271-06, 5820 Dixie Rd., Charlotte, NC is approved. Well sampling reported MPL and NCDENR files indicated no detections, so the well requires abandonment under the Mecklenburg Co. Groundwater Regulations dated Oct. 5, 2004, Chapter II Construction, Repair and Abandonment for Private Water Supply Wells with no special conditions.


Parcels - Well View
Both Site and Well
Landfill
Public Well
Contamination Site
Private Well
Jurisdictions
Charlotte
Cornelius
Davidson
Huntersville
Matthews
Mecklenburg
Mint Hill
Pineville
Stallings
Page Comments? (include email for reply)
Send to Author
Sele
View Com
Found w
Se
1
GW
1
GW
GWS Registe
1
GW
1
Contam
GW
GWS Registe
1
Contam
GW
1
Clear Buffer
Dixie River Rd
Gilead Rd
Pineville-Matthews Rd
N1485 Hwy S
0

Mecklenburg County, NC Groundwater & Wasterwater Services
Contamination Site Information

For questions or comments concerning the information on this page call 704-336-5500.

***Parcel ID:** 11315410
Name: HANDY PANTRY #29
House No: 5806
Street Dir:
Street Name: WALLACE NEEL
Street Type: RD
City: CHARLOTTE
State: NC
Zip: 28208
NC Incident Number: 23013 EXIT Well Information System →

* Link to GIS Real Estate System

Mecklenburg County, NC Groundwater & Wasterwater Services
Contamination Site Information

For questions or comments concerning the information on this page call 704-336-5500.

***Parcel ID:** 11519107
Name: FORD, JAMES H. PROPERTY
House No: 5729
Street Dir:
Street Name: WALLACE NEAL
Street Type: RD
City: CHARLOTTE
State: NC
Zip: 28208
NC Incident Number: 0 EXIT Well Information System →

* Link to GIS Real Estate System