Date Received 7/15/76

APT No. 1032

T. C. No. [illegible]

Map Date [illegible]

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Foster (LAST) Ann (FIRST) [illegible] (MIDDLE)

2) ADDRESS OF OWNER [illegible] [illegible] ZIP [illegible]

3) PHONE NO. Home [illegible] Office [illegible]

4) LOCATION OF PROPERTY Nathan Dr. (STREET OR COUNTY ROAD)


5) SUBDIVISION _____ LOT NO. [illegible] BLOCK NO. _____

MAP BOOK NO. [illegible] 23 PAGE NO. [illegible] 91

6) DEED REFERENCE: DEED BOOK [illegible] PAGE NO. 235

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.

Test #2



7) ACCURATELY DIAGRAM & DIMENSION LOT

[signature]

OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 3531

PTR No. 17032

T. C. No. 023-012-06

Date Issued 7/21/80

Map Date 5/15/80

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Locatis (LAST) Ron (FIRST) R. (MIDDLE)

ADDRESS OF OWNER 2220 Roswell Charlotte, N. C. ZIP 28207

LOCATION OF PROPERTY Arthur Auten Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO. Tract B. BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. **PROVISIONALLY SUITABLE**

The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or construction (including the drilling of a well) is performed on the lot which, in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

Willard B. Ramsey
Soil Scientist

John R. Adamson
Environmental Health Director or Authorized Section Head

EHDS-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX II
SITE EVALUATION

S. I. R. NO. 17032
T. C. # PO 023-01E-06

(Ground Absorption Sewage Disposal)

OWNER: RON LOCATIS
ADDRESS: 2220 ROSWELL AVE
COUNTY: MECK. 28207
LOCATION OF SITE: ARTHUR AUTEN RD Tract B

DATE REQUESTED: 7-15-80
PLAT NO.:
LOT SIZE: 5.18A

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U 2-10	S (PS) U 10-20	S (PS) U 2-10	S (PS) U 2-10 +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, note 2:1 Clay)	S PS U Clayey	S PS U Clayey	S PS U Clayey 2-1	S PS U Clayey 2-1
3. SOIL STRUCTURE (12-36 in.) (Clayey Soils)	S (PS) U Blocky	S (PS) U Blocky	S (PS) U Blocky	S PS U Massive
4. SOIL DEPTH (In.)	S (PS) U 48	S PS U 48	S PS U 48	S PS U 48
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	S (PS) U None	S PS U Rocks	S PS U Clays	S PS U Clay
6. SOIL DRAINAGE/GROUNDWATER (External & internal)	S (PS) U Adequate	S (PS) U Adequate	S PS U Slow	S PS U Slow
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) U Moderate	S (PS) U Moderate	S PS U Slow	S PS U Slow
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	✓ Suitable	Unsuitable	Unsuitable	Unsuitable
SOIL SERIES	Cecil	Pacolet	Mecklenburg	Wilkes

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc.

Recommendations/Comments:

Described By: W. B. Ramsey

Title: Soil Scientist Date: 7-18-80

DHS Form 2601
Sanitation
EHD 539 (3/79)

WILKES
2-10
MECKLENBURG
2-10
10-20 PACOLOT
Cecil
2-10
AUTHUR AUTEN RD

Date Received 7-22-85

RECEIVED
JUL 22 1985
ENVIRONMENTAL HEALTH

CAR(S) Application No. 17032

T. C. No. 023-011-38


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____ Yes ✓ No
Residence ✓ Yes ____ No

4) No of Bedrooms 3
5) Business Use — Max No Employees ____
6) Washing Machine ✓ Yes ____ No
7) Garbage Disposal ✓ Yes ____ No
8) Dishwasher ✓ Yes ____ No
9) Water Supply:
A) Individual Well ✓
B) Governmental System ____
C) Community System:
1. Well source ____
2. Governmental source ____
10) Sewage System:
House located within 200 feet of public sewer ____ Yes ✓ No
House located within 200 feet of community sewer ____ Yes ✓ No
11) FHA Case No ____
12) VA Case No. ____

13) NAME OF OWNER McLendon (LAST) Bennett (FIRST) Matthew (MIDDLE)

14) ADDRESS OF OWNER 400 Wilson St., Mt. Holly, N.C. 28120

15) PHONE NO. Home 821-9352 Office 394-5101

16) LOCATION OF SYSTEM 11217 Arthur Auten Road (SR # 2126) (STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No _____ Page No. _____

18) DEED REFERENCE — DEED BOOK 4548 AT PAGE 527

19) HAS A SOIL INVESTIGATION BEEN RUN? _____ YES _____ NO DATE RUN _____

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

7-17-85
DATE OF APPLICATION

Bennett Matthew McLendon
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued 7-22-85

Serial No. 8747

SIR No. 17032

T. C. No. 023-011-38

Map Date L Fly CCT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER McLendon (LAST) Bennett (FIRST) Matthew (MIDDLE)

ADDRESS OF OWNER 400 Wilson Street, Mt. Holly, NC ZIP 28120

LOCATION OF LOT 11217 Arthur Auten Road (SR #2126) (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO._____ BLOCK NO._____

MAP BOOK NO._____ PAGE NO._____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 17032. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 11-11-85

Serial No. 08703


ICAR(S) Permit No. 17032

T. C. No. 023-011-36

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 17032, dated 7-17-85 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 12-11-85, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1500 ST 1000 PT

Tank Construction PCC

Absorption and/or Nitrification Lines:

Total Line Length 400'

Number of Lines 4 x 100'

Distance from House 5 ft

Distance from Property Line 10 ft

Distance from Well 50 ft

NAME OF OWNER McCLENDON, BENNETT M.

LOCATION OF PROPERTY 11217 ARTHUR AUTEN RD

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

4 line x 100' long x 3' wide x 12" stone

Comments:

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

C of A (s) No. 17032

Date Issued 11-19-65 **Serial** 8035 T. C. No. 023-01-38 L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

OPERATION PERMIT
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner McClendon (LAST) Bennett (FIRST) M. (MIDDLE)

Location of Property 11217 Arthur Auten Rd

Application Number 17032 Permit Number 17032

Inspection Data:

Liquid Capacity of Tank 1500ST 1000GAL Tank Material PCC

Total Length of Drain Tile 400' Number of Lines FOUR

Depth of Filter Material 12" Cover Depth 12"

Water Supply Source well Distance from Water Source 750'

Excavation Inspected 11-19-65 (DATE) Tank Inspected 11-19-65 (DATE)

Nitrification Field Inspected 11-19-65 (DATE)

Washing Machine Line Inspected, If Applicable ____ (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comment: 1985, 1500ST 1000DT, PI, Con, 1200SFT, 12G, coil

Jim Ervin
Environmentalist

EHD-5-76

Environmental Health Department's Copy