Date Received 3/21/78

APT No. 13146

T. C. No. 07151.14

Map Date 8-7-7

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER Poole (LAST) Chris (FIRST) Arnold (MIDDLE)

2) ADDRESS OF OWNER P.O. Box 121, 301-A N. Main St. Cornelius ZIP 28031

3) PHONE NO. Home 892-8765 Office _____


4) LOCATION OF PROPERTY Mayes Road (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

6) DEED REFERENCE: DEED BOOK 3926 PAGE NO. 18

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Chris A. Poole
OWNER

*Need 4 wheel drive to get in.....
They have 25 acres and are marking off 1 acre for house site
If this doesn't perc. please check other areas right around

FORM NO. E1-11-3M-6-75

HEALTH DEPARTMENT'S COPY

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

OWNER: Poole Chris A
ADDRESS: P.O. Box [illegible] 301-9 N August
COUNTY: Wake
LOCATION OF SITE: Mingo Rd.

DATE REQUESTED: —
PLAT NO.: PO 007-151-14
LOT SIZE: 18,400 sq ft

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 7%	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) CLAY U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) BLOCKY U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	(S) PS 76" to Rock U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) PS 76" to water U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) MOD U	S PS U	S PS U	S PS U
8. OTHER (Specify)	(S) adequate PS area U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	→ PROV SUITABLE			
SOIL SERIES	Cecil			


S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: _____

Described By: [signature]
Title: Environmentalist Date: 2 MAR 18

DHS Form 2601 (2/77)
Sanitation


1345
1457
220'
220'
200'
MAYES RD
BOUNTIFUL RD

Serial No. 1697

PTR No. 13746

T C No. P.O. 007-151-14

Date Issued 3/30/78

Map Date 8-9-77


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Poole (LAST) Chris (FIRST) Arnold (MIDDLE)

ADDRESS OF OWNER P. O. Box 121, 301 A N. Main St. Cornelius, N.C. Zip 28031

LOCATION OF PROPERTY Mayes Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and site evaluation was made by the Mecklenburg County Department of Environmental Health and that based on the findings made during the soil investigation was conducted on that date the lot shown on the above plot Provisionally Suitable

The determination was determined from an investigation of the soil. The said lot is approved for the installation of an individual septic tank waste water treatment system subsurface, soil absorption effluent disposal subject to the following terms and conditions

1. A permit must be obtained from the Mecklenburg County Department of Environmental Health before the septic tank system or the individual wastewater treatment system is installed.
2. The plan for the system with treatment system and tank must be submitted to the Mecklenburg County Department of Environmental Health for approval before a permit is issued as stated above, and on the basis of the plan submitted therein.
3. This approval is valid for three years from the date of the soil evaluation or until there is a change in the site conditions which would affect the proper function of the system installation in the above plot.
4. The approval is granted on the condition that the applicant, owner or agent accepts responsibility for the construction of a sewage system on the lot which in the opinion of the Mecklenburg County Department of Environmental Health does not create a health hazard. The issuance of a permit does not relieve the applicant of responsibility for the proper operation of the system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

Environmentalist

Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Received 3/31/99

ICAR(S) Application No. 1510

T C/Rec. 007-151-14


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___Yes ___No
Residence ✓Yes ___No
4 No of Bedrooms 2
5 Business Use - Max No Employees ___
6 Washing Machine ✓ Yes ___No
7 Garbage Disposal ✓ Yes ___No
8 Dishwasher ___Yes ✓No
9 Water Supply
A. Individual Well ✓
B. Governmental System ___
C. Community System:
1 Well source ___
2 Governmental source ___
10 Sewage System
House located within 200 feet of public sewer ___Yes ✓No
House located within 200 feet of community sewer ___Yes ✓No
11 FHA Case No ___
12 VA Case No ___

13) NAME OF OWNER Poole (LAST) Chris (FIRST) Arnold (MIDDLE)

14) ADDRESS OF OWNER P.O. Box 121 3014 N. Main St. Cornelius, NC 28031

15) PHONE NO Home 892-8965 Office ___

16) LOCATION OF SYSTEM North of Mayes Road (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK 3926 AT PAGE ?

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN 3-23-98

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

March 29, 1999
DATE OF APPLICATION

Chris D. Poole
OWNER

EHD-5-76

Environmental Health Department's Copy

Date Issued 3/31/78

Serial No. 1677

LA No. 13746

T. C. No. P. O. 007-151-14

Map Date 8-9-77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Poole (LAST) Chris (FIRST) Arnold (MIDDLE)

ADDRESS OF OWNER P. O. Box 12, 301 A North Main St. Cornelius, N.C.

LOCATION OF LOT North Mayes Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO _____

MAP BOOK NO. _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 13746. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Environmental Health Director or Authorized Section Head

EHD-5 76

Environmental Health Department's Copy


Date Issued 9-8-78 Serial No. 1948 ICAR (S) Permit No 13746

T 067-151-14

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 13746, dated 3-30-78 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 10-8-78, after which date this permit shall be null and void.



Permeability Rate P/3

Liquid Capacity of Tank 1500

Tank Construction PRECAST

Absorption Area or Nitrification Lines

Total Line Length 330 - 125

Number of Lines 4 - 4

Distance from House 10'

Distance from Property Line 10'

Distance from Well 50'

NAME OF OWNER Cris Arnold Poole

LOCATION OF PROPERTY North of Mayes Rd

This system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Board of Commissioners which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Comments

Division or Section Head

Marshall Edwards
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued 10-6-78 Serial No. 1951 C of A (s) No. 13746

T & R No. 007-151-14

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Poole (LAST) Cris (FIRST) [redacted]-Arnold (MIDDLE)

Location of Property North of Mayes Rd

Application Number 13746 Permit Number 13746

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material Precast

Total Length of Drain Tile 330-125 Number of Lines 4-3

Depth of Filter Material 17" Cover Depth 36"

Water Supply Source Well Distance from Water Source 50'

Excavation Inspected 10-6-78 (DATE) Tank Inspected 10-6-78 (DATE)

Nitrification Field Inspected 10-6-78 (DATE)

Washing Machine Line Inspected, If Applicable 10-6-78 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Marlene Edwards
Environmentalist

EHD-5-76

Environmental Health Department's Copy