Date Received 7-18-84

MECK[illegible]Y DEPARTMENT OF
RECEIVED
JUL 18 1984
ENVIRONMENTAL HEALTH

SIR No. 21239
T. C. No. 107-201 07
Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Adams (LAST) Clifford (FIRST) Columbus (MIDDLE)

2) ADDRESS OF OWNER 1200 Albemarle rd ZIP 28212

3) PHONE NO Home 545-6565 Office 332-5955


4) LOCATION OF PROPERTY Davidson Concord Rd (STREET OR COUNTY ROAD) 15516

5) SUBDIVISION _____ LOT NO 10 BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

C. Clifford Adams
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 21239

T.C. NO. 20007-2007

(Ground Absorption Sewage Disposal)

OWNER: Clifford A Parsons
ADDRESS: 1200 Albemarle Road
Charlotte N.C. 28212

PLAT NO: Lot #10
LOT SIZE: 20,240 .46

LOCATION OF SITE: 155' N Davidson - Concord Road

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 2-10%	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 36-40" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) >36" U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) 36" To ground water U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IIA			
9. SITE CLASSIFICATION	provisionally suitable			
10. SOIL SERIES	Cecil p. 114			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: _____

Described by: William R. Martin
Title: Soil Scientist

Date: 5-30-07

4


80'
253'
Corp. Lims
252'
80
Highway 93

Serial No. 5847

SIR No. 21239

T. C. No. PO 007-201-07

Date Issued 8-31-84

Map Date L


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Parsons, (LAST) Clifford (FIRST) C (MIDDLE)

ADDRESS OF OWNER 11700 Albemarle Rd., Charlotte, NC ZIP 28212

LOCATION OF PROPERTY 15516 Davidson-Concord Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 10 BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on that portion of the lot indicated on the above plot.

PROVISIONALLY SUITABLE

The permeability rate determined by the investigation was . The said lot is approved for the installation of one individual septic tank and water treatment system with subsurface soil absorption effluent discharge subject to the following terms and conditions:

1. A permit for installation of the system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the installation of the wastewater treatment system on the said lot.
2. The [illegible] in accordance with the requirements of the latest rules governing the Mecklenburg County Department of Environmental Health [illegible] and the size and type of tank and [illegible].
3. This approval [illegible] of the above lot.
4. The approval [illegible] in the Mecklenburg County Department of Environmental Health [illegible] as acceptable for [illegible] system.

This approval is granted on the basis of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is valid at any time in the future prior to completion of the system, these laws rules and regulations are changed, such that this approval would not have been granted had the new or revised laws rules and regulations been in effect on the issue date.

William A. Mullins
Soil Scientist

Bill D. Hardister, Jr.
Environmental Health Director or
Authorized Section Head

EHD-5-76

Environmental Health Department

SEE INSTRUCTIONS ON BACK

Date Received 10-1-14

PERMIT DEPARTMENT OF

CAR(S) Application No. 2139

T C No. 20007201-07


Map Date 2

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____Yes ____No
Residence ____Yes ____No

4) No of Bedrooms 3

5) Business Use — Max No Employees ____

6) Washing Machine ____Yes ____No

7) Garbage Disposal ____Yes ____No

8) Dishwasher ____Yes ____No

9) Water Supply
A) Individual Well ____
B) Governmental System ____
C) Community System
1) Well source ✓
2) Governmental source ____

10) Sewage System
House located within 200 feet of public sewer ____Yes ✓No
House located within 200 feet of community sewer ____Yes ✓No

11) FHA Case No ____

12) VA Case No ____

13) NAME OF OWNER [illegible] (LAST) [illegible] (FIRST) C (MIDDLE)

14) ADDRESS OF OWNER [illegible]

15) PHONE NO. Home [illegible] Office 333-8958

16) LOCATION OF SYSTEM [illegible] (STREET OR COUNTY ROAD)

17) SUBDIVISION ____ Lot No. ____ Block No. ____

Map Book No ____ Page No. ____

18) DEED REFERENCE — DEED BOOK [illegible] AT PAGE [illegible]

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ____ NO DATE RUN 8-31-14

20) PTR NUMBER (See Instructions) 2137

The undersigned person hereby agrees that he has read the foregoing application and that the contents of some are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

9-25-14
DATE OF APPLICATION

[illegible]
OWNER

EHD-S-76

Environmental Health Department's Copy

Date Issued 10-1-84

Serial No. 7884

SIR No. 21239

T. C. No. PO 007-201-07

Map Date LCRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
IMPROVEMENT PERMIT
TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Parsons, (LAST) Clifford (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 11200 Albemarle Rd., Charlotte, NC ZIP 28212

LOCATION OF LOT 15516 Davidson-Concord Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. 10 BLOCK NO. _____

MAP BOOK NO _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21239 This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Ralph Miller
Environmentalist

Environmental Health Director, or Authorized Section Head
Zoning Ok 10/11/84

EHD-5-76

Environmental Health Department's Copy

Date Issued 10-31-84

Serial No. 07678


ICAR(S) Permit No. 21239

T. C. No. 007-201-07

Map Date 1

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 21239, dated 9-25-84 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 11-30-84, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate IV

Liquid Capacity of Tank 1500 gal

Tank Construction PCC

Absorption and or Nitrification Lines

Total Line Length 400'

Number of Lines Four

Distance from House 5'

Distance from Property Line 10'

Distance from Well 200

NAME OF OWNER Carson Second

LOCATION OF PROPERTY 15-16 Carson Commercial Park Lot 10

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Four Trench 100' x 3' x 12" stone w/ Maximum Cover depth 24"

Comments: Use Stepped Trenches

Division or Section Head

Jim Ericson
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

C of A (s) No 21239

Date Issued 11-30-84 **Serial** 7149 T C No 007-2d-07 CRS

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Parsons, Clifford
LAST FIRST MIDDLE

Location of Property 1551 Davidson-Concord Rd lot 10

Application Number 21259 Permit Number 21239

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PCC

Total Length of Drain Tile 400' Number of Lines Four

Depth of Filter Material 12" Cover Depth 24"

Water Supply Source Drilled Well Distance from Water Source >100

Excavation Inspected 11-30-84 DATE Tank Inspected 11-30-84 DATE

Nitrification Field Inspected 11-30-84 DATE

Washing Machine Line Inspected, If Applicable ____ DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been installed, constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Jim Ervin
Environmentalist

EHD-S-76