5

Date Received 2 6 73

APT No. 5521

T. C. No. 139-115-15

Map Date 4 27 73

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER Investment Land Sales, Inc. (Successor by merger to Mecklenburg Real Estate Investments, Inc.)
(LAST / FIRST / MIDDLE)

2) ADDRESS OF OWNER 1740 E. Independence Blvd. ZIP 28205

3) PHONE NO Home _____ Office 333-5492


4) LOCATION OF PROPERTY Lot 14 - Corner Woodhurst Lane & Briarhurst Place
(STREET OR COUNTY ROAD)

5) SUBDIVISION Eastside Estates LOT NO 14 BLOCK NO. _____

MAP BOOK NO 14 PAGE NO 621

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Investment Land Sales, Inc.

Feb. 5, 1973 — OWNER — Vice President

FORM NO. E-1-11-1-70

HEALTH DEPARTMENT'S COPY

Serial No.

PTR No 5521

T C No 139-115-15

Date Issued June 7, 1973

Map Date 4-27-73

Do Not Issue A Building Permit Based On This Form

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION


PERCOLATION TEST REPORT

NAME OF OWNER Investment Land Sales, Inc. (LAST / FIRST / MIDDLE)

ADDRESS OF OWNER 1740 E. Independence Blvd. ZIP 28205

LOCATION OF PROPERTY Woodhurst Lane & Briarhurst Place (STREET OR RFD NO. NEAREST CROSS STREET)

SUBDIVISION Eastside Estates LOT NO 14 BLOCK NO



PLOT PLAN

This is to certify that a percolation test has been run and an on site inspection made by the Mecklenburg County Health Department on the lot described above. The said test was conducted on that portion of the lot as indicated on above plot.

The percolation rate determined by the test was 60 min/in. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Health Department prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Health Department prior to installation based on the percolation rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area where the percolation test was run.
4. This approval is void if any grading, filling, or construction (including the building of roads) is performed on the lot which, in the opinion of the Health Department, renders the area where the percolation test was run unsuitable for the installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina State Board of Health and the Mecklenburg County Board of Health which were in effect on the date of issuance and is void if at any time in the future, prior to the completion of the system, these laws, rules, and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

John S. Akesson

Director, Environmental Health Division or Authorized Section Head

FORM NO. E-2-4-1-71

HEALTH DEPARTMENT'S COPY

Date Received Nov 14 - 1974

ICAR(S) Application No. 5521

T C No 139-115-15

Map Date 4-20-23


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

Application for an
Installation, Construction, Alteration, and/or Repair Permit
Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Health Department for a permit to

1 Install or Construct 2 Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge



3 PLOT PLAN ACCURATELY DIMENSIONED

4 No. of Bedrooms 3

5 Business Use — Max No. Employees

6 Washing Machine ✓ Yes ___ No

7 Garbage Disposal ___ Yes ✓ No

8 Dishwasher ___ Yes ✓ No

9 Water Supply

A Individual Well ✓

B Governmental System ___

C Community System

1 Well Source ___

2 Governmental Source ___

10 Sewage System

House located within 200 feet of public sewer ___ Yes ___ No ✓

House located within 200 feet of community sewer ___ Yes ___ No

11 FHA Case No. ___

12 VA Case No. ___

13 NAME OF OWNER GRAY (LAST) EDWARD (FIRST) MCIVER (MIDDLE)

14 ADDRESS OF OWNER Rt-1-Box 645 Charlotte

15 PHONE NO Home 545 4136 Office ___

16 LOCATION OF SYSTEM Woodhurst Lane & Briarhurst Place (STREET OR COUNTY ROAD)

17 SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No. ___ Page No. ___

18 DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19 HAS A PERCOLATION TEST BEEN RUN? ___ YES ___ NO DATE RUN ___

20 PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

Nov 14 1974
DATE OF APPLICATION

Edward M Gray
OWNER

FORM NO E-4-4-1-71

HEALTH DEPARTMENT'S COPY

Date Issued Nov. 15, 1974

Serial No. 4544

LA No 5521

T C No 139-115-15

Map Date 4-27-73

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Gray (LAST) Edward (FIRST) M. (MIDDLE)

ADDRESS OF OWNER Route 1, Box 645, Charlotte, N. C. ZIP

LOCATION OF LOT Woodhurst Lane & Briarhust Place (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO

MAP BOOK NO PAGE NO

The above specified lot is approved by the Mecklenburg County Health Department for the installation of an individual septic tank system with subsurface soil absorption effluent discharge based on the percolation test results which yielded a percolation rate of *60Min/In. on an on site inspection of the said lot, and upon the information supplied in the "Application for an Installation Construction, Alteration and/or Repair Permit", number 5521. This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered, and/or repaired in the same area where the percolation test was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Director, Environmental Health Division or Authorized Section Head

FORM NO E-3-8-1-72

HEALTH DEPARTMENT'S COPY

Date Issued 5/26/76

Serial No. 5951

IMPROVEMENTS PERMIT

LA No. 5521

T. C. No. 139-115-15

Map Date 4-27-73

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Wightman & Company
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER P. O. Box 456, Matthews, N. C. ZIP _____

LOCATION OF LOT Briarhurst Place
(STREET OR COUNTY ROAD)

SUBDIVISION Eastside LOT NO 14 BLOCK NO _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Health Department for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the percolation test results which yielded a percolation rate of _____ on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 5521. This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered, and/or repaired in the same area where the percolation test was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

John R Atkisson

Director, Environmental Health Division or Authorized Section Head

FORM NO. E-3-9-2M-6-75

HEALTH DEPARTMENT COPY

Date Received 25 May 76

ICAR(S) Application No. 5521

T C No 139-115-15

Map Date 4-27-73


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Health Department for a permit to

( ) Install or Construct ( ) Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge



3 PLOT PLAN (ACCURATELY DIMENSIONED)

3 No. Bedrooms 3

5 Washing Machine ✓ Yes ___ No

7 Garbage Disposal ✓ Yes X No

8 Dishwasher ✓ Yes ___ No

9 Water Supply
A Individual Well ✓
B Governmental System ___
C Community System
Well Source ___
D Governmental Agency ___

Sewage System
If Subdivision Lot ___ Yes ___ No
If Sewage Facility within 200 feet of property ___ Yes ___ No
EHA Case No. ___
LA Case No. ___

13 NAME OF OWNER WHITMIRE & COMPANY (LAST, FIRST, MIDDLE)

14 ADDRESS OF OWNER P.O. BOX 456 MATTHEWS N.C.

15 PHONE NO Home 536 3985 Office 847 5596

16 LOCATION OF SYSTEM BRIARHURST PLACE (STREET OR COUNTY ROAD)

17 SUBDIVISION EAST SIDE Lot No 14 Block No ___

Map Book No ___ Page No ___

18 DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19 HAS A PERCOLATION TEST BEEN RUN? ✓ YES ___ NO DATE RUN 4-27-73

20 PTR NUMBER (See Instructions) 5521

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

25 May 76
DATE OF APPLICATION

WHITMIRE & COMPANY
by Gary E. Whitmire
OWNER

FORM NO. E.H.-2M-6-75

HEALTH DEPARTMENT'S COPY


Date Issued 8-19-76

Serial No. 0097

ICAR(S) Permit No. 5521
T C No 139-115-15
Map Date 4-27-73

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to X Install or Construct, ____ Alter or Repair the individual septic tank waste-water treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 5521 dated 5/25/76 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 8/30/70, after which date this permit shall be null and void.



Layout of System

Permit No. DB 00
Liquid Capacity of Tank: 1500 gal
Tank Construction: PC
Absorption Field Lines: ST WM
Total Line Length: 600' 150'
Number of Lines: 6 3
Distance from House: 10'
Distance from Property Line: 10'
Distance from Well: 50'+ Not in

Name of Owner: WIGHTMAN & Co.

Location of Property: DEERHURST PL.

This permit ... requirements as set forth in the Regulations of the Mecklenburg County Health ... in effect at the date of the granting of this permit. A certificate of approval must be ... by the Health Director before any system can be covered up or otherwise rendered ... or can be used.

Comments

Environmentalist L P Bridgeman

Division ... Head

If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5 76

Environmental Health Department's Copy

Date Issued 8/20/76 **Serial No.** 0126 C of A (s) No. 5521

T C No 139-115-15

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

John P Adkisson

CERTIFICATE OF COMPLETION **CERTIFICATE OF APPROVAL**

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner WIGHTMAN & CO. (FOR SALE)
LAST FIRST MIDDLE

Location of Property BRIARHURST PL.

Application Number 5521 Permit Number 5521

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material PC

eq. ST WM ST WM

Total Length of Drain Tile 600 150 Number of Lines 6 3

Depth of Filter Material 17" 34" Cover Depth 2'

Water Supply Source IND WELL Distance from Water Source NOT IN

Excavation Inspected 8-20-76 Tank Inspected 8-19-76
DATE DATE

Nitrification Field Inspected 8-19-76
DATE

Washing Machine Line Inspected If Applicable 8-20-76
DATE

The undersigned has inspected the Individual Septic Tank System with subsurface soil absorption of effluent discharge as described above and it has been X installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect at the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit's in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments VERY LITTLE SPACE LEFT

LOCUST COAST CO.

L R Brisgeman
Environmentalist

EHD-5-76

Environmental Health Department's Copy