Date Received 3/24/78

APT No. 13769

T. C No. 205.051.04

Map Date 4.1977

Frank Cornelison
12108 Tweedsmuir Dr
Pineville NC 28134

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER STUBBS CHARLES E & MARGARET Z.
LAST FIRST MIDDLE

2) ADDRESS OF OWNER 5015 KISTLER AVE. Charlotte, N.C. ZIP 28205

3) PHONE NO Home 531-9524 Office 588-1600 Ext. 228

4) LOCATION OF PROPERTY Amon Lane
STREET OR COUNTY ROAD

5) SUBDIVISION Ravenwood LOT NO 4 BLOCK NO ~~[illegible]~~ 2

MAP BOOK NO ~~[illegible]~~ 12 PAGE NO ~~297~~ 295-196
5131-65

6) DEED REFERENCE DEED BOOK 2541 PAGE NO 87 + 90
Pineville Township

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Charles E Stubbs
Margaret Z Stubbs
OWNER

3-22-78

EHD 5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

OWNER: Charles E Stubbs
ADDRESS: 5015 Kistler Ave
COUNTY:
LOCATION OF SITE: Amon Ln.

DATE REQUESTED: 3/24/78
PLAT NO.: 205-051-084
LOT SIZE: 20,000 ft²

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 2-6% U	(S) PS 2-4% U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S PS Mixed (U)	S PS Mixed (U)	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S Mixed PS Crumbly (U)	S Mixed PS Crumbly (U)	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 48" U	(S) PS 48" U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	S PS U	S PS U	S PS U	S PS U
✓ 6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S Poor PS Drainage (U)	S < 4' PS To Water (U)	S PS U	S PS U
✓ 7. SOIL PERMEABILITY (Percolation Rate)	S Very PS Slow (U)	S Very PS Slow (U)	S PS U	S PS U
8. OTHER (Specify)	S PS — U	S PS — U	S PS U	S PS U
9. SITE CLASSIFICATION	Unsuitable	Unsuitable		
SOIL SERIES	Appeared to be fill material			

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: Based on this investigation this lot is not recommended for use of a septic tank system.

Described By: E. Reynolds - L.P. Bridgeman Env.

Title:

Date: April 7, 1978

DHS Form 2601 (2/77)
Sanitation

2


100'
2
200
"
1
~75'
PINON LN.

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SITE INVESTIGATION REPORT
INDIVIDUAL SEPTIC TANK SYSTEM
WITH SUBSURFACE,
SOIL ABSORPTION,
EFFLUENT DISCHARGE

SIR.NO. 13769
T.C. NO. 205-051-04
MAP DATE -
DATE April 11, 1978

NAME OF OWNER Stubbs, Charles E. & Margaret Z.

ADDRESS OF OWNER 5015 Kistler Avenue, Charlotte, N. C. 28205

LOCATION OF LOT Amon Lane, Lot 4, Block 2 Ravenwood Subdivision

As determined under the Rules and Regulations promulgated by the Commission for Health Services, Division of Health Services, North Carolina Department of Human Resources, Raleigh, North Carolina, the soils on the lot described above were found to be unsuitable for the installation of an individual septic tank-soil absorption system. This site cannot be approved for a septic tank system due to the following reason:

Soil Drainage Unsuitable

Soil Permeability Unsuitable

John R. Adkisson

John R. Adkisson, Environmentalist
On Premises Waste Disposal Section

JRA:jjk

EHD 398
7/77

R

Date Received 9/8/80

RECEIVED
SEP 5 1980
ENVIRONMENTAL HEALTH

APT No. 13/61
T. C. No. 205-051-04
Map Date 1.12.72

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Little (LAST) Dock (FIRST) Ellis (MIDDLE)

2) ADDRESS OF OWNER 261 Aman Ln. Pineville ZIP 28134

3) PHONE NO Home 588-2857 Office

4) LOCATION OF PROPERTY Aman Lane (STREET OR COUNTY ROAD) Pineville NC 28134

5) SUBDIVISION Lakewood LOT NO 4 BLOCK NO 2

MAP BOOK NO 12 PAGE NO 39

6) DEED REFERENCE DEED BOOK 2853 PAGE NO 201

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on-site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Dock + Louise G. Little
OWNER

EHD-S 76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

S.I.R. No. 13769
T.C. No. 205-051-04

(Ground Absorption Sewage Disposal)

OWNER: Dock LITTLE
ADDRESS: 201 AMON LN
COUNTY: PINEVILLE, N.C.
LOCATION OF SITE: AMON LN LOT 4

DATE REQUESTED: 9-8-80
PLAT NO:
LOT SIZE: 20,000

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(PS) 2-10	U 0-5		
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2:1 Clay)	2-1 Clay	2-1		
3. SOIL STRUCTURE (12-36 inches)	Blocky To Massive	Massive		
4. SOIL DEPTH (inches)	(PS) 48	U 48		
5. RESTRICTIVE HORIZONS (inches) (Impervious strata, Rock)	Clay	Clay		
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	(PS) Adequate	U Floods		
7. SOIL PERMEABILITY (percolation rate)	Slow	U Very Slow		
8. OTHER (specify)				
9. SITE CLASSIFICATION	Unsuitable	Unsuitable		
10. SOIL SERIES	Mecklenburg	Iredell-Monacan		

S - Suitable PS - Provisionally Suitable U - Unsuitable

** See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope)

Recommendations/Comments:

Described By: Willard B Ramsey
Title: Soil Scientist
DHS Form 2601
Sanitation
EHD 539 (2/80)

Date: 9-19-80

2


100
Iredell-
MONACH
D-2
200
Mecklenburg
2-10
AMON LANE

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

SITE INVESTIGATION REPORT
INDIVIDUAL SEPTIC TANK SYSTEM
WITH SUBSURFACE,
SOIL ABSORPTION,
EFFLUENT DISCHARGE

S.I.R. # 13769

T.C. # 205-051-04

DATE Sept. 30, 1980

NAME OF OWNER Little, D.E.

ADDRESS OF OWNER 201 Amon Lane, Pineville, N.C. 28134

LOCATION OF LOT Amon Lane, lot 4, block 2

As determined under the Rules and Regulations promulgated by the Commission for Health Services, Division of Health Services, North Carolina Department of Human Resources, Raleigh, North Carolina, the soils on the lot described above were found to be unsuitable for the installation of an individual septic tank - soil absorption system, due to the following reason:

Soil Drainage Unsuitable

Soil Permeability Unsuitable

John R. Adkisson

John R. Adkisson, Environmentalist

#13769
#205-051-04



5 drain pipe 100' long 3' on center 1500 sq foot bottom area.



15" minimum cover
1' stone over pipe
4" drain pipe
12" under pipe
6" sand

Proposed septic Tank system submitted for consideration and approval

Bed System

STATE OF NORTH CAROLINA
COUNTY OF MECKLENBURG

The undersigned, Dock E. Little, owner of property located at 201 Amon Lane Pineville NC 28134, ("the site") and described in instrument recorded in book 4092 at Page 375, Mecklenburg Public Registry, hereby acknowledges that he applied to the Department of Environmental Health for a permit to install a septic tank sewage disposal system on the site; the Department evaluated the site for suitability for such a system in accord with the regulations promulgated by the North Carolina Commission for Health Services as 10 NCAC 10A .1900 et seq; that the Department classified the site as Unsuitable and an appropriate permit was issued by the Department.

The undersigned further acknowledges that the proper design, construction and maintenance of such septic tank system is his responsibility and that neither the Department nor its officials, employees, or agents warrant or guarantee that the said system installed pursuant to the permit issued by the Department will function in a satisfactory manner for any given period of time, or that the Department, its officials, employees or agents assume any liability for damages, consequential or direct, which are caused, or which may be caused, by a malfunction of such system.

This document shall be placed on the public records of the Register of Deeds of Mecklenburg County and indexed therein under the Grantor Index in the name or names of the undersigned, and the foregoing acknowledgements shall henceforth be binding on all persons claiming any right, title, or interest in the site.

And the undersigned further agrees for himself, his heirs and assigns, that he shall idemnify and hold harmless the Department and its successors, as well as Mecklenburg County, for any damages or other claims of any person or persons whatsoever arising out of the installation, operation, or failure, of said septic tank system.

And the undersigned further agrees for his heirs and assigns that, in the event any septic tank system installed under authority of the aforesaid permit fails to perform adequately, in any respect, he will take whatever measures are required to correct same; or if such is impossible he will discontinue use of said system immediately.

Use of the singular masculine pronoun forms herein shall be deemed to also include the plural and feminine forms as the context may require.

This _____ day of _____, 19__.

Dock E. Little (Seal)

_____ (Seal)

PRESENTED FOR REGISTRATION 9 7 16 AM '80 REGISTER OF DEEDS MECKLENBURG CO N.C.

STATE OF NORTH CAROLINA,
COUNTY OF MECKLENBURG

I, GLENDA WHITE, a Notary Public for said County and State, do hereby certify that DOCK E. LITTLE, personally appeared before me this date and acknowledged the due execution of the foregoing instrument.

WITNESS my hand and notarial seal, this 6th day of OCTOBER, 1980.

Glenda White
Notary Public
My Commission Expires: 3/25/84

STATE OF NORTH CAROLINA,
COUNTY OF MECKLENBURG

I, _____, a Notary Public for said County and State, do hereby certify that _____ personally came before me this day and acknowledged that he is _____ of _____, and that by authority duly given and as the act and deed of said corporation, the foregoing instrument was signed in its name by its _____, sealed with its corporate seal and attested by _____ as its _____.

WITNESS my hand and notarial seal, this ____ day of _____, 19 ___.

_____
Notary Public
My Commission Expires _____

Date Received 9/30/80

ICAR(S) Application No. 13761

T. C. No. 205-051-04

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ✓ No
Residence ✓ Yes ___ No

4) No. of Bedrooms 3

5) Business Use Max No. Employees ___

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ___ Yes ✓ No

9) Water Supply
A) Individual Well ___
B) Governmental System ___
C) Community System
1) Well source ___
2) Governmental source ___

10) Sewage System
House located within 200 feet of public sewer ___ Yes ___ No
House located within 200 feet of community sewer ___ Yes ___ No

11) FHA Case No. ___

12) VA Case No. ___

13) NAME OF OWNER Lee's Dock
LAST FIRST MIDDLE

14) ADDRESS OF OWNER 201 Amon Lane Huntersville

15) PHONE NO. Home 588-2651 Office ___

16) LOCATION OF SYSTEM Amon Lane
STREET OR COUNTY ROAD

17) SUBDIVISION ___ Lot No 4 Block No ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN 9/3/80

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

DATE OF APPLICATION ___

OWNER [signature]

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 4504

LA No. 13769

Date Issued 10/8/80

T. C. No. 205-051-04

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Little (LAST) Dock (FIRST) (MIDDLE)

ADDRESS OF OWNER 201 Amon Lane, Pineville, N. C. ZIP

LOCATION OF LOT Amon Lane (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 4 BLOCK NO

MAP BOOK NO PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 13769 * This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

*Agreement forms signed and presented for recording on Oct. 6, 1980

Marshall Edwards
Environmentalist

John R. Adkisson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy