Date Received 4/21

Copy: Clayton Swink
8722 Formwood Ct.
28210

APT No. 12219

T. C. No. 037-075-09

Map Date 1-14 77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Kistler (LAST) W. (FIRST) H. (MIDDLE)

2) ADDRESS OF OWNER 302 N Dakota Ave ZIP

3) PHONE NO. Home 399-1606 Office


4) LOCATION OF PROPERTY Edmore Blvd. (STREET OR COUNTY ROAD)

5) SUBDIVISION Edmore Estates LOT NO. 3 BLOCK NO. 4 Sect 1

MAP BOOK NO PAGE NO.

6) DEED REFERENCE DEED BOOK PAGE NO.

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

W. H. Kistler Jr.
OWNER

EHD-5-76

Environmental Health Department's Copy

SOIL INVESTIGATION REPORT

Date of Investigation April 26 1979 APT NO. 12219

Owner W. H. Heitler T.C. 037-015-09

Location of Property Edmore Blvd Lot #3

Soil Suitability Ratings

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series	Coril			
2. Soil Slope	Suitable 2-6%			
3. Soil Depth	Suitable >40"			
4. Soil Texture	Provisionally Suitable No Clay			
5. Soil Structure	Provisionally Suitable Blocky			
6. Restrictive Horizons	-			
7. Soil Drainage	Suitable water Table >6'			
8. Soil Permeability (Percolation Rate)	Provisionally Suitable Moderate 60 Min/in			
9. Other * small amount of Fill dirt noted on left rear corner				
10. Overall Rating	Provisionally Suitable			

Remarks:
Recommendations Based on this investigation, an adequate area of provisionally suitable soil for the installation of a septic tank system was found on the lot. System design should be based on percolation rate of 60 min/in


See diagram on back

William A. Marlin
Soil Scientist

WEC

3/18/75
EHD 539

DIAGRAM OF PROPERTY



3/18/75

EHO 539

Serial No. 0678

PTR No. 12219

T. C. No. 037-075-09

Date Issued April 26, 1977

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Keisler (LAST) W. (FIRST) H., Jr. (MIDDLE)

ADDRESS OF OWNER 302 N. Dakota Ave., Charlotte, NC ZIP

LOCATION OF PROPERTY Edmore Blvd. (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 3 BLOCK NO. 4 Sect. 1



PLOT PLAN

The above described property was evaluated by a representative of the Mecklenburg County Department of Environmental Health and an investigation was conducted pertinent to the ground absorption of sewage. Provisionally Suitable

The most restrictive rate for the most permeable soil horizon was 60 min/in. The said lot is approved for the installation of an individual subsurface wastewater treatment system with subsurface, soil absorption effluent disposal subject to the following terms and conditions:

1. A system of the type described above must be approved by the Mecklenburg County Department of Environmental Health before any wastewater treatment system is installed.
2. The plot plan submitted with the application must be approved by the Mecklenburg County Department of Environmental Health before any portion of the said absorption system is installed.
3. The approval of this lot does not imply that the soil and site evaluation is accountable for system installation and performance.
4. The proposed system must be installed by a licensed installer and inspected by a representative of the Mecklenburg County Department of Environmental Health in order that the lot be indicated as acceptable for the system installed. Any changes in the system must be approved by the Health Department prior to construction.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

William A. Martin
EHD-5-76 Soil Scientist

John N. Robinson
Environmental Health Director or Authorized Section Head

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 5/4/77

(CAR(S) Application No. 12219

T. C. No. 031-075-09


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) X Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home _____ Yes _____ No
Residence X Yes _____ No
4 No. of Bedrooms 3
5 Business Use Max No Employees _____
6 Washing Machine ✓ Yes _____ No
7 Garbage Disposal ✓ Yes _____ No
8 Dishwasher _____ Yes ✓ No
9 Water Supply
A Individual Well ✓
B Governmental System _____
C Community System
1 Well source _____
2 Governmental source _____
10 Sewage System
House located within 200 feet of public sewer _____ Yes _____ No
House located within 200 feet of community sewer _____ Yes _____ No
11 FHA Case No _____
12 VA Case No _____

13) NAME OF OWNER Swink (LAST) Clayton (FIRST) C. (MIDDLE)

14) ADDRESS OF OWNER 5722 Farmwood Court

15) PHONE NO. Home 364-7722 Office 333-8457

16) LOCATION OF SYSTEM Edmore Blvd (STREET OR COUNTY ROAD)

17) SUBDIVISION Edmore Estates #1 Lot No. 3 Block No. 4

Map Book No _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? _____ YES ✓ NO DATE RUN _____

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

DATE OF APPLICATION _____

X Clayton C Swink
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 0734

LA No. 12219

T. C. No. 037-075-09

Date Issued 5/4/77

Map Date -

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Swink (LAST) Clayton (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 8722 Farmwood Court ZIP _____

LOCATION OF LOT Edmore Blvd. (STREET OR COUNTY ROAD)

SUBDIVISION Edmore Estate #1 LOT NO 3 BLOCK NO. 4

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 12219 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

John R. Harrison
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Date Issued 29Aug77 Serial No. 1054 ICAR(S) Permit No. 12219

T. C. No 037-07507

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 12219, dated ___ and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 29Sept77 after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate 60

Liquid Capacity of Tank 1000gal

Tank Construction Precast Concrete

Absorption and or Nitrification Line

Total Line Length 330'-135'

Number of Lines 4-3

Distance from House 10'

Distance from Property Line 10'

Distance from Well 100'

NAME OF OWNER Swink, Clayton

LOCATION OF PROPERTY 6225 Edmore Blvd

This system shall meet all applicable construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or put to use. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Comments:

Division or Section Head

A. M. Reynolds
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

Date Issued 6 Sept 77 Serial No. 1048 C of A (s) No. 12219

T. C. No 03-075-07

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Scott Clayton
LAST FIRST MIDDLE

Location of Property 1215 Falcon Pl

Application Number 2219 Permit Number 12219

Inspection Data:

Liquid Capacity of Tank 1000 gal Tank Material PC

Total Length of Drain Tile 336'-125' Number of Lines 4-3

Depth of Filter Material 12" Cover Depth 24"

Water Supply Source well Distance from Water Source [illegible]

Excavation Inspected 6 Sept 77 DATE Tank Inspected 6 Sept 77 DATE

Nitrification Field Inspected 6 Sept 77 DATE

Washing Machine Line Inspected, If Applicable [illegible] DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ___ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments aeration C.C

E M Reynolds
Environmentalist

EHD-5-76

Environmental Health Department's Copy