5496B
#9850

13 AUG '18 PM 4:04

MECKLENBURG COUNTY
HEALTH DEPARTMENT

APPLICATION FOR APPROVAL TO USE AN EXISTING ON-SITE WASTEWATER TREATMENT & DISPOSAL SYSTEM / WATER SUPPLY WELL

APPLICATION TYPE: ○ SEPTIC ONLY ○ WELL ONLY ◉ SEPTIC & WELL
○ ADDITION OR RENOVATION WITH OCCUPANCY INCREASE
◉ ADDITION OR RENOVATION WITH NO OCCUPANCY INCREASE
○ EXCHANGE MOBILE HOME (SAME # BEDROOMS)
○ COMMERCIAL OR INDUSTRIAL

PERSON FILING APPLICATION:
NAME: Margaret Goode
ADDRESS: 5529 Five Knolls Dr
CITY: Charlotte
STATE: NC ZIP: 28226
PHONE: (704) 996-0682
ALTERNATE PHONE:
E-MAIL: mgoode@carolina.rr.com

PROPERTY OWNER: ☑ SAME AS PERSON FILING APPLICATION
NAME:
ADDRESS:
CITY:
STATE: ZIP:
PHONE:
ALTERNATE PHONE:
E-MAIL:

JOB LOCATION INFORMATION
TAX PARCEL #: 11328113
STREET ADDRESS: 3739 Fox Valley Rd
CITY: Charlotte
STATE: NC **ZIP:** 28208

SUBDIVISION OR MOBILE HOME PARK NAME:
LOT #:

WATER SUPPLY:
○ MUNICIPAL ◉ PRIVATE WELL ○ PUBLIC WELL ○ SHARED WELL ○ OTHER

RESIDENTIAL PROPERTY TYPE: ○ N/A
◉ HOUSE ○ MODULAR HOME ○ MULTIPLE FAMILY
○ SINGLE MOBILE HOME ○ DOUBLE WIDE
○ OTHER

OCCUPANCY (both fields are required):
NUMBER OF BEDROOMS: 1
NUMBER OF OCCUPANTS: 2

COMMERCIAL / INDUSTRIAL PROPERTY TYPE: ☑ N/A
TYPE OF BUSINESS:
EMPLOYEES PER SHIFT:
OF SHIFTS:
INDUSTRIAL WASTES? ○ YES ○ NO
UNDERGROUND STORAGE TANKS? ○ YES ○ NO

ADDITION/RENOVATION TYPE ATTACHED TO EXISTING STRUCTURE:
☒ BEDROOM ☒ BATHROOM ☒ KITCHEN ☒ DINING ROOM ☐ LIVING ROOM ☒ DEN
☒ GARAGE ☐ SUNROOM ☒ PORCH ☐ DECK ☐ OTHER

ADDITION/RENOVATION TYPE DETACHED FROM EXISTING STRUCTURE:
☐ DETACHED GARAGE ☐ DETACHED GARAGE WITH PLUMBING ☐ POOL HOUSE ☐ SHOP ☐ BARN
☐ STORAGE SHED ☐ DETACHED PORCH / DECK ☐ OTHER

*The undersigned, owner, or legal agent for the owner, of the property described above as the "Job Location" has read the foregoing application, acknowledges that the contents of same are true, and authorizes the Mecklenburg County Health Department to enter onto the property for the purpose of processing this request.

Margaret E. Goode — Owner's/Agent's Signature
8-8-2018 — Date


A PROPOSED PLOT PLAN (see page 2) is required to be submitted with each application.

MECKLENBURG COUNTY – GROUNDWATER & WASTEWATER SERVICES
700 N. TRYON ST. SUITE 211 CHARLOTTE, NC 28202, OFFICE: 980-314-1680, FAX: 704-336-6894
Email: Wellreg@MecklenburgCountyNC.gov

Revised on: 4/20/17

Polaris 3G Map – Mecklenburg County, North Carolina

Date Printed: 8/3/2018 11:22:32 AM



I am looking for an assessment of the feasibility of eventually replacing the current structure with a 3 bedroom (or 2 bedrooms and an office), 2.5 (or 3) bath home of approximately 2,400 square feet. As I do not want to go to the expense of having plans drawn up until I know whether this is even a possibility, or if not, what would be feasible, placement and dimensions are illustrative.

Payment Receipt

Mecklenburg County POS

Environmental Health
700 N. Tryon Street
Charlotte, NC 28202
Phone: 704-336-5100

Enter Account # or Customer Name Here:
MARGARET GOODE

Bill To:

MARGARET GOODE
5529 FIVE KNOLLS DR

Charlotte, NC 28226

Single Payment

Transaction Date:	08/14/2018 7:18 AM Pacific Time
Pay Method:	VISA **********9358
Approval #:	191484
Trace Number:	06c45394-22d2-4ca1-ade5-8043b187e344
Amount:	$100.00

Payment Amount:	$100.00
Total:	**$100.00**

Thank you for your payment.

MECKLENBURG COUNTY
LAND USE AND ENVIRONMENTAL SERVICES
Payment Receipt

Receipt Information

Date:	08/14/18	**Amount:**	100.00
Receipt #:	112449	**Tendered:**	100.00
Check / Auth #:	VISA 191484	**Returned:**	0.00
Received By:	ABDUSAI		

Account Information

Account #: 200000
Contractor: GOODE, MARGARET
Attn:
Address: 5529 FIVE KNOLLS DR
Address:
City/State/Zip: CHARLOTTE, NC 28226

Item	Description	Permit#	Quantity	Unit Price	Total Price
0705	Use Existing System 3739 FOX VALLEY RD		1	100.00	100.00

----------Outstanding Balances----------

Month-To-Date	Prior Month	30 Days	60 Days	90 Days	Balance
65.00					

Payment Receipt

Mecklenburg County POS

Environmental Health
700 N. Tryon Street
Charlotte, NC 28202
Phone: 704-336-5100

Enter Account # or Customer Name Here:
MARGARET GOODE

Bill To:

MARGARET GOODE
5529 FIVE KNOLLS DR


Charlotte, NC 28226

Single Payment

Transaction Date:	08/14/2018 7:18 AM Pacific Time
Pay Method:	VISA **********9358
Approval #:	191484
Trace Number:	06c45394-22d2-4ca1-ade5-8043b187e344
Amount:	$100.00

Payment Amount:	$100.00
Total:	**$100.00**

Thank you for your payment.



3739 FOX VALLEY RD

11328113

1/8/2008

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

Department of Environment, Health, and Natural Resources
Division of Environmental Health
On-site Wastewater Section

Sheet: 1
Property ID: 113-281-13
Lot #: 6, Sect. 36
File #: 5496B
Code: 2

AC5

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

Owner: Dimitry Staromínsky
Applicant:
Address: 3739 Fox Valley Road, Charlotte, N. C. 28208
Date Evaluated: 01/05/2004
Proposed Facility: Residence
Design Flow (.1949): 360gpd
Property Size: 1.0a
Location of Site: 3739 Fox Valley Road
Property Recorded:
Water Supply: [ ] Public [x] Individual [x] Well [ ] Spring [ ] Other
Evaluation Method: [x] Auger Boring [ ] Pit [ ] Cut
Type of Wastewater: [x] Sewage [ ] Industrial Process [ ] Mixed

PROFILE #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941 .1941 Structure/ Texture	.1941 Consistence Mineralogy	OTHER PROFILE FACTORS .1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1	LS, 10	0-8	GR/CL	FR/SEXP/SS/SP	>48" TO SOIL WETNESS	48	N/A	NONE	PS, IV .3GPD/FT^2
		8-43	SBK/C	FI/SEXP/S/P					
		43-48	SBK/CL	FR/SEXP/SS/SP					
2	LS, 15	0-14	GR/CL	"	"	"	"	"	"
		14-27	SBK/C	FI/SEXP/S/P					
		27-48	SBK/SCL/CL	FR/SEXP/SS/SP					
3	"	0-6	GR/CL	"	"	"	"	"	"
		6-48	SBK/C	FI/SEXP/S/P					

Description	Initial System	Repair System
Available Space (.1945)	US	
System Type(s)		
Site LTAR	.3GPD/FT^2	


Other Factors (.1946): _____
Site Classification (.1948): UNSUITABLE
Evaluated By: W. R. Marlin, LSS, 1/05/2004, W. R. Marlin
Others Present: D. Staromínsky

FILE # 5496B

COMMENTS: Not 100% repair, probably 100 ft. buffer from lake

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8		
S-SHOULDER SLOPE		LS-LOAMY SAND		VFR-VERY FRIABLE	NS-NON-STICKY
L-LINEAR SLOPE				FR-FRIABLE	SS-SLIGHTLY STICKY
FS-FOOT SLOPE	II	SL-SANDY LOAM	0.8 – 0.6	FI-FIRM	S-STICKY
N-NOSE SLOPE		L-LOAM		VFI-VERY FIRM	VS-VERY STICKY
H-HEAD SLOPE				EFI-EXTREMELY FIRM	NP-NON-PLASTIC
CC-CONCLAVE SLOPE	III	SI-SILT-	0.6 – 0.3		SP-SLIGHTLY STICKY
CV-CONVEX SLOPE		SIL-SILT LOAM			P-PLASTIC
T-TERRACE		CL-CLAY LOAM			VP-VERY PLASTIC
FP-FLOOD PLAN		SCL-SANDY CLAY LOAM			
		SICL-SILTY CLAY LOAM			
	IV	SIC-SILTY CLAY	0.4 – 0.1		
		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE	MINERALOGY
SG-SINGLE GRAIN	SLIGHTLY EXPANSIVE
M-MASSIVE	
CR-CRUMB	EXPANSIVE
GR-GRANULAR	
SBK-SUBANGULAR BLOCKY	
ABK-ANGULAR BLOCKY	
PL-PLATY	
PR-PRISMATIC	



FEE: $200.00 CK# 3618
DATE: 12/31/03 SC

APPLICATION FOR IMPROVEMENT PERMIT
FOR RESIDENTIAL SITE
INDIVIDUAL WATER AND WASTEWATER
SYSTEMS PROGRAM

[ ] CRT

TYPE APPLICATION: X NEW SYSTEM __ EXPANSION/ ALTERATION OF EXISTING SYSTEM __ REPAIR OF EXISTING SYSTEM

NORTH CAROLINA
DEPARTMENT OF ENVIRONMENT,
HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

FILE #: 5496B

PROPERTY INFORMATION (FROM ENGINEERING FORM) FOR JOB LOCATION:

TAX/PARCEL NUMBER: 11328113

STREET ADDRESS: 3739 Fox Valley Rd.

SUBDIVISION OR MOBILE HOME PARK NAME:

LOT NUMBER: 10 SEC 36

TYPE OF BUILDING (CHECK ONE):

- ✓ SINGLE MOBILE HOME(S)
- __ DOUBLE WIDE (D)
- __ HOUSE (H)
- __ MODULAR HOME (M)
- __ MULTIPLE FAMILY (U)
- __ OTHER (O)

TOWNSHIP (CHECK ONE):

- X 0 MECKLENBURG
- __ 1 CHARLOTTE
- __ 2 DAVIDSON
- __ 3 CORNELIUS
- __ 4 PINEVILLE
- __ 5 MATTHEWS
- __ 6 HUNTERSVILLE
- __ 7 MINT HILL

HEATED SQUARE FOOTAGE: 4000

NUMBER OF BEDROOMS: 3 NUMBER OF OCCUPANTS: 1

CLOSING DATE_____

FOUNDATION FOR RESIDENCE:

- ✓ WITHOUT BASEMENT
- __ ON SLAB
- ✓ CRAWL SPACE
- __ WITH BASEMENT /PLUMBING
- __ WITH BASEMENT /NO PLUMBING

IF EXPANSION/ALTERATION OF EXISTING SYSTEM, DESCRIBE THE PROPOSED BUILDING ADDITION:

WILL THERE BE A HOME BUSINESS IN THE RESIDENCE: __ YES X NO TYPE: _____

WATER SUPPLY (CHECK ONE):

- __ COMMUNITY (C)
- __ MUNICIPAL (M)
- X PRIVATE WELL (P)
- __ SHARED WELL (S)
- __ OTHER 'SPRINGS' (O)

IF ANY OF THE FOLLOWING ARE LOCATED ON THE PROPERTY, PLEASE SHOW LOCATION ON PLAT:

BURIED CABLES, LANDFILLS, STUMPHOLES	__ YES ✓ NO	WELL, SPRINGS OR WATERLINES	✓ YES __ NO
EXISTING WASTEWATER SYSTEMS	✓ YES __ NO	DESIGNATED WETLANDS	__ YES ✓ NO
EASTMENTS OR RIGHT-OF-WAYS	__ YES __ NO ?		

PROPERTY OWNER:	LEGAL AGENT FOR PROPERTY OWNER, IF APPLICABLE:
NAME: SHAROMINSKY DMITRY (LAST) (FIRST) (MI)	NAME: (LAST) (FIRST) (MI)
ADDRESS: 3739 Fox Valley Rd	DAYTIME PHONE: ( ) –
CITY: Charlotte STATE: NC ZIP: 28208	
DAYTIME PHONE: (704) 763 – 8128	


WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED? 12/13/2000

An Improvement Permit is subject to suspension or revocation if site plans or the intended use change or if information submitted in this application is falsified or changed. The undersigned, owner, or legal agent for the owner, of the property described above as the "Job Location" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the Mecklenburg County Health Department to enter onto the property for the purpose of processing this request.

SIGNED: Dmitry Sharominsky DATE: 12/23/03

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
c/o HAL MARSHALL CTR., SUITE 211, 700 N. TRYON ST., CHARLOTTE, N.C. 28202., (704) 336-5102

File # 5496B



Dim A

(704) 763 8128

Subj:	**PLEASE HELP!!!!Check out POLARIS - Version 2.0**
Date:	12/23/2003 12:22:26 PM Eastern Standard Time
From:	MONICABEW
To:	marliwr@co.mecklenburg.nc.us

5496

POLARIS - Version 2.0

I went to your office today, for the second time, to drop off an application for improvement permit. I had already been there yestesteday and I was told that I just needed to attach the Polaris sheet (with the drawing of the house) and pay the $200.00 so that somebody could come to the property. Well today that nice person was not there, I spoke with somebody else and she told me that without the house dimensions you could not go and that I needed to come back.

Unfortunately I do not know how I want the house, I spoke with the architect and the only thing that we know is that there is a 100' buffer, the architect needs to know how much land can be used. This is an old house, built in 1967 and the only thing we are sure is that we need a new septic tank.

Please let me know what steps I need to follow.

ALSO CAN YOU PLEASE ADVISE IF YOU **MUST** HAVE THE HOUSE DIMENSIONS BEFORE YOU COME TO THE HOUSE.

THANK YOU VERY MUCH!

Monica Bew
Phone No. (704) 560-1959

Parcel Information

Print Ownership and GIS Summary

5496B

Parcel Ownership Summary

***Parcel ID#:* 11328113 *GIS ID#:* 11328113**

Owner Name:	DMITRY STAROMINSKY
Mailing Address:	3739 FOX VALLEY RD CHARLOTTE, NC 28208-5454

Property Characteristics

Legal Desc.:	L6 SEC36 M18-41
Land Area:	1 WF
Fire District:	14-STEELE CREEK #1
Special District:	FIRE SERVICE A
Account Type:	INDIVIDUAL
Municipality:	0-MECKLENBURG COUNTY-UNINCORP.
Property Use:	SINGLE-FAM

Deed Reference(s) and Sales Price

15767-536 (7/24/2003) $0.00

14958-243 (3/10/2003) $0.00

11786-872 (12/13/2000) $170,000.00

Situs Addresses Tied to This Parcel

- 3739 FOX VALLEY RD

Choose an address from the list above and click on the links below for more information

Where to Go Vote | School Districts

Parks Within 3 Miles | Get Directions

Links to More Information

Building Photo(s)

FEMA, Zoning, Etc. Adjoining Owners

Tax Values & Building Info. Tax Bill Info.

$200.00

Polaris 3G Map – Mecklenburg County, North Carolina

Date Printed: 8/21/2018 10:41:34 AM



This map or report is prepared for the inventory of real property within Mecklenburg County and is compiled from recorded deeds, plats, tax maps, surveys, planimetric maps, and other public records and data. Users of this map or report are hereby notified that the aforementioned public primary information sources should be consulted for verification. Mecklenburg County and its mapping contractors assume no legal responsibility for the information contained herein.

Supervisor/Administrative Professional Checklist.

New Septic ☐ New Well ☐ Use Existing ☒ Alteration ☐ Modified Plot Plan ☐

New Septic Fees Paid

IP ($250.00) _____ Initials/Date

CA ($200.00) _____ Initials/Date

OP ($200.00) _____ Initials/Date

(CA and OP fees need to be paid before a building permit can be issued)

New Well Fee Paid: $550.00 _____ Initials/Date

Use Existing Fee Paid: $100.00 QCY 8/19/18 Initials/Date

Alteration Fee Paid: $300.00 (Total) $200 (If use existing was pa[illegible] Initials/Date

Modified Plot Plan Fee Paid: $100.00 _____ Initials/Date

Floor plans need to be submitted and reviewed before CA can be issued. ☐ Reviewed ☐ ____


This site is served by septic and well. Verify each is complete before final hold is released. ☐

Septic file completed ☐ _____ Well file completed. ☐ _____

Send permit for signature. ☐ Signature received. ☐ _____

This septic system requires a certified operator contract before final hold is released. ☐

Certified operator contract is on file. ☐ _____



3739 FOX VALLEY RD

11328113

1/8/2008

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

Department of Environment, Health, and Natural Resources
Division of Environmental Health
On-site Wastewater Section

Sheet: 1
Property ID: 113-281-13
Lot #: 6, Sect. 36
File #: 5496B
Code: 2

AOS

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

Owner: Dimitry Starominsky
Applicant:
Address: 3739 Fox Valley Road, Charlotte, N. C. 28208
Date Evaluated: 01/05/2004
Proposed Facility: Residence
Design Flow (.1949): 360gpd
Property Size: 1.oa
Location of Site: 3739 Fox Valley Road
Property Recorded:
Water Supply: [ ] Public [x] Individual [x] Well [ ] Spring [ ] Other
Evaluation Method: [x] Auger Boring [ ] Pit [ ] Cut
Type of Wastewater: [x] Sewage [ ] Industrial Process [ ] Mixed

PROFILE #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941 .1941 Structure/ Texture	SOIL MORPHOLOGY .1941 .1941 Consistence Mineralogy	OTHER PROFILE FACTORS .1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1	LS, 10	0-8	GR/CL	FR/SEXP/SS/SP	>48" TO SOIL WETNESS	48	N/A	NONE	PS, IV
		8-43	SBK/C	FI/SEXP/S/P					.3GPD/FT^2
		43-48	SBK/CL	FR/SEXP/SS/SP					
2	LS, 15	0-14	GR/CL	"	"	"	"	"	"
		14-27	SBK/C	FI/SEXP/S/P					
		27-48	SBK/SCL/CL	FR/SEXP/SS/SP					
3	"	0-6	GR/CL	"	"	"	"	"	"
		6-48	SBK/C	FI/SEXP/S/P					

Description	Initial System	Repair System
Available Space (.1945)	US	
System Type(s)		
Site LTAR	.3GPD/FT^2	


Other Factors (.1946): _____
Site Classification (.1948): UNSUITABLE
Evaluated By: W. R. Marlin, LSS, 1/05/2004, W. R. Marlin
Others Present: D. Starominsky

FILE # 5496B

COMMENTS:Not 100% repair, probably 100 ft. buffer from lake

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8		
S-SHOULDER SLOPE		LS-LOAMY SAND		VFR-VERY FRIABLE	NS-NON-STICKY
L-LINEAR SLOPE				FR-FRIABLE	SS-SLIGHTLY STICKY
FS-FOOT SLOPE	II	SL-SANDY LOAM	0.8 – 0.6	FI-FIRM	S-STICKY
N-NOSE SLOPE		L-LOAM		VFI-VERY FIRM	VS-VERY STICKY
H-HEAD SLOPE				EFI-EXTREMELY FIRM	NP-NON-PLASTIC
CC-CONCLAVE SLOPE	III	SI-SILT-	0.6 – 0.3		SP-SLIGHTLY STICKY
CV-CONVEX SLOPE		SIL-SILT LOAM			P-PLASTIC
T-TERRACE		CL-CLAY LOAM			VP-VERY PLASTIC
FP-FLOOD PLAN		SCL-SANDY CLAY LOAM			
		SICL-SILTY CLAY LOAM			
	IV	SIC-SILTY CLAY	0.4 – 0.1		
		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE	MINERALOGY
SG-SINGLE GRAIN	SLIGHTLY EXPANSIVE
M-MASSIVE	
CR-CRUMB	EXPANSIVE
GR-GRANULAR	
SBK-SUBANGULAR BLOCKY	
ABK-ANGULAR BLOCKY	
PL-PLATY	
PR-PRISMATIC	



FEE: 200.00 CK# 3618 JC

DATE: 12/31/03

APPLICATION FOR IMPROVEMENT PERMIT FOR RESIDENTIAL SITE INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM

[ ] CRT

TYPE APPLICATION: X NEW SYSTEM __ EXPANSION/ ALTERATION OF EXISTING SYSTEM __ REPAIR OF EXISTING SYSTEM

NORTH CAROLINA
DEPARTMENT OF ENVIRONMENT,
HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

FILE #: 54/96B

PROPERTY INFORMATION (FROM ENGINEERING FORM) FOR JOB LOCATION:

TAX/PARCEL NUMBER: 1132811 3

STREET ADDRESS: 3739 Fox Valley Rd.

SUBDIVISION OR MOBILE HOME PARK NAME:

LOT NUMBER: 10 SEC 36

TYPE OF BUILDING (CHECK ONE):

- ✓ SINGLE MOBILE HOME(S)
- __ DOUBLE WIDE (D)
- __ HOUSE (H)
- __ MODULAR HOME (M)
- __ MULTIPLE FAMILY (U)
- __ OTHER (O)

HEATED SQUARE FOOTAGE: 4000

NUMBER OF BEDROOMS: 3

NUMBER OF OCCUPANTS: 1

FOUNDATION FOR RESIDENCE:

- ✓ WITHOUT BASEMENT
  - __ ON SLAB
  - ✓ CRAWL SPACE
- __ WITH BASEMENT /PLUMBING
- __ WITH BASEMENT /NO PLUMBING

TOWNSHIP (CHECK ONE):

- X 0 MECKLENBURG
- __ 1 CHARLOTTE
- __ 2 DAVIDSON
- __ 3 CORNELIUS
- __ 4 PINEVILLE
- __ 5 MATTHEWS
- __ 6 HUNTERSVILLE
- __ 7 MINT HILL

CLOSING DATE_____

IF EXPANSION/ALTERATION OF EXISTING SYSTEM, DESCRIBE THE PROPOSED BUILDING ADDITION:

WILL THERE BE A HOME BUSINESS IN THE RESIDENCE: __ YES X NO TYPE: _____

WATER SUPPLY (CHECK ONE):

- __ COMMUNITY (C)
- __ MUNICIPAL (M)
- X PRIVATE WELL (P)
- __ SHARED WELL (S)
- __ OTHER 'SPRINGS' (O)

IF ANY OF THE FOLLOWING ARE LOCATED ON THE PROPERTY, PLEASE SHOW LOCATION ON PLAT:

BURIED CABLES, LANDFILLS, STUMPHOLES	__ YES ✓ NO	WELL, SPRINGS OR WATERLINES	✓ YES __ NO
EXISTING WASTEWATER SYSTEMS	✓ YES __ NO	DESIGNATED WETLANDS	__ YES ✓ NO
EASTMENTS OR RIGHT-OF-WAYS	__ YES __ NO ?		

PROPERTY OWNER:	LEGAL AGENT FOR PROPERTY OWNER, IF APPLICABLE:
NAME: STAROMINSKY DMITRY (LAST) (FIRST) (MI)	NAME: (LAST) (FIRST) (MI)
ADDRESS: 3739 Fox Valley Rd	DAYTIME PHONE: ( ) —
CITY: Charlotte STATE: NC ZIP: 28208	
DAYTIME PHONE: (704) 763 — 8128	


WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED? 12/13/2000

An Improvement Permit is subject to suspension or revocation if site plans or the intended use change or if information submitted in this application is falsified or changed. The undersigned, owner, or legal agent for the owner, of the property described above as the "Job Location" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the Mecklenburg County Health Department to enter onto the property for the purpose of processing this request.

SIGNED: Dmitry Staromynsky DATE: 12/23/03

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
c/o HAL MARSHALL CTR., SUITE 211, 700 N. TRYON ST., CHARLOTTE, N.C. 28202., (704) 336-5102

File# 5496B



Dima
(704) 763 8128

Subj:	**PLEASE HELP!!!!Check out POLARIS - Version 2.0**
Date:	12/23/2003 12:22:26 PM Eastern Standard Time
From:	MONICABEW
To:	marliwr@co.mecklenburg.nc.us

5 / 56B

POLARIS - Version 2.0

I went to your office today, for the second time, to drop off an application for improvement permit. I had already been there yestesteday and I was told that I just needed to attach the Polaris sheet (with the drawing of the house) and pay the $200.00 so that somebody could come to the property. Well today that nice person was not there, I spoke with somebody else and she told me that without the house dimensions you could not go and that I needed to come back.

Unfortunately I do not know how I want the house, I spoke with the architect and the only thing that we know is that there is a 100' buffer, the architect needs to know how much land can be used. This is an old house, built in 1967 and the only thing we are sure is that we need a new septic tank.

Please let me know what steps I need to follow.

ALSO CAN YOU PLEASE ADVISE IF YOU **MUST** HAVE THE HOUSE DIMENSIONS BEFORE YOU COME TO THE HOUSE.

THANK YOU VERY MUCH!

Monica Bew
Phone No. (704) 560-1959

Parcel Information

Print Ownership and GIS Summary

5496B

Parcel Ownership Summary

***Parcel ID#:* 11328113 *GIS ID#:* 11328113**

Owner Name:	DMITRY STAROMINSKY
Mailing Address:	3739 FOX VALLEY RD CHARLOTTE, NC 28208-5454

Property Characteristics

Legal Desc.:	L6 SEC36 M18-41
Land Area:	1 WF
Fire District:	14-STEELE CREEK #1
Special District:	FIRE SERVICE A
Account Type:	INDIVIDUAL
Municipality:	0-MECKLENBURG COUNTY-UNINCORP.
Property Use:	SINGLE-FAM

Deed Reference(s) and Sales Price

15767-536 (7/24/2003) $0.00

14958-243 (3/10/2003) $0.00

11786-872 (12/13/2000) $170,000.00

Situs Addresses Tied to This Parcel

- 3739 FOX VALLEY RD

Choose an address from the list above and click on the links below for more information

Where to Go Vote | School Districts

Parks Within 3 Miles | Get Directions

Links to More Information

Building Photo(s)

FEMA, Zoning, Etc. Adjoining Owners

Tax Values & Building Info. Tax Bill Info.

$200.00