

13734 S TRYON ST

12/31/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

2839B

199-011-07
13734 York Rd
Built 1965

✓

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR APPROVA


HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON ST., SUITE 211
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 2839B DATE: 1/26/99

TC: 199 011 07 ☐ L

SERIAL Nº 17831

Permission is hereby given to _____ Install or Construct, ✓ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 1/20/99. All work shall be completed on or before 2/26/99, after which date this permit shall be null and void. The system shall meet all of the construction requirements of I5A NCAC 18A. 1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Health Department before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank Existing gallons

Liquid Capacity of Dosing Tank NA gallons

Tank Construction Existing

Trench Depth 36"

Absorption and/or Nitrification Lines:

Trench Width 12' feet

Trench Walls Scored and Porous yes

Total Line Length Bed 160' feet

Number of Lines Bed 4 (40')

Depth of Stone 18" inches

Distance from House 5 feet

Distance from Property Line 10' feet

Distance from Well >50' feet

NOTICE: This system shall not be installed while soils are in a wet condition.

NAME OF OWNER Roger Galloway

LOCATION OF PROPERTY 13734 York Rd

Comments: Bed system repair, 12'wd x 40'long x 18"stone / Keep septic system >50' from any wells / set new tee

Phil S. Walker RS.
Environmental Health Specialist

WHITE - HEALTH DEPARTMENT's COPY • CANARY - E.H.S. COPY • PINK - OWNER OR AGENT's COPY